

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

+ 2158  
ep

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

RECEIVED

WELL API NO. 30-005-62931
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Cannon XF
8. Well No. 1
9. Pool name or Wildcat Pecos Slope Abo

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER
2. Name of Operator YATES PETROLEUM CORPORATION
3. Address of Operator 105 South 4th St., Artesia, NM 88210

4. Well Location Unit Letter H : 1650 Feet From The North Line and 660 Feet From The East Line Section 17 Township 10S Range 25E NMPM Chaves County
---

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3520' GR
--

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Ran 7" casing <input checked="" type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

AMENDED REPORT TO CORRECT CEMENT\*

12-30-92. Ran 20 joints 7" 23# J-55 ST&C casing set 813'. Guide shoe set 813'. Float collar set 775'. Cemented w/100 sx Thixset and 200 sx Halliburton Lite w/3% Granulite + 1# Flocele + 2% CaCl2 (yield 1.84, wt 12.7). \*Tailed in w/200 sx "C" w/2% CaCl2 (yield 1.32, wt 14.8). PD 10:40 PM 12-30-92. Bumped plug to 850 psi, held OK. Cement did not circulate. WOC 6 hrs. Ran Temperature Survey and found TOC at 300'. Ran 1". Cemented w/12 sx "C" w/2% CaCl2. Circulated 45 sacks. DV tool will be run on 4-1/2" string to cover 300'+ to surface. WOC. Drilled out 2:15 AM 1-1-93. WOC 27 hours and 35 minutes. Cut off and weld on flow nipple. Reduced hole to 6-1/8" and resumed drilling. NOTE: Observed by Gary Williams and Johnny Robinson, NMOCD, Artesia, NM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 1-19-93  
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED IN  
MINE WELLS  
SUPERVISOR, DISTRICT II

JAN 20 1993

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: