
Form 3160-5 (August 1990) C	UNITED STATES	ITERIOR (toons i	27 1 . 25 . 3	~ cl5 F ∞	
A SUNDRY	BURRAU OF LAND MANAC NOTICES AND REPOR	RTS ON WELLS	sia, itivi 8	Serial No. NM-36724		
August 1990 Proposed the Standonted we compared the comp	s form for proposals to (II. USa Form 3160-3 (APD)	drill or to re-enter a for such proposals	nn i.	6. If Indian, Allottee or Tribe Na	me	
JUB MINITEDIA	च ते रहा ः शास्त्रभासाम		gir.	7. If Unit or CA/Agreement, Nar	ne and/or No.	
Oil Well Gas Well Other Plug and Abandon				8. Well Name and No.		
2. Name of Operator Yates Petroleum Corporation				Salt Creek ACD Fe	Salt Creek ACD Federal #3 9. API Well No.	
3a. Address 3b. Phone No. (include area code)				30-005-62951		
105 S. 4th St Artesia, NM 88210 505-748-1471			471	10. Field and Pool, or Exploratory Area Pecos Slope Abo		
4. Location of Well (Footage, Sec. 1980' FSL & 990' F	. T., R., M., or Survey Description)		t L, NWSW)	11. County or Parish, State	ADO	
				Chaves Co.,		
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE NATU	RE OF NOTICE, R	EPORT, OR OTHER DATA	<u> </u>	
TYPE OF SUBMISSION						
	☐ Acidize	☐ Deepen	Production (Star	rt/Resume)	Ŧ	
Notice of Intent	Alter Casing	Fracture Treat	Reclamation	Well Integrity		
Subsequent Report	Casing Repair	New Construction	Recomplete Temporarily Al	Other		
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Al Water Disposal	Januari		
testing has been completed. If determined that the site is ready 5-31-2002 - Move 6-1-3-2002 - Rig equipment. Rigg POOH with 77 joi 6-4-2002 - RIH w Capped CIBP with for night. 6-5-2002 - Rigge rigged down wire cement. WOC 4 h wireline. RIH w Neat cement. WOC 4 h wireline.	d in and rigged up ged up rod equipmed up tubing equipmed up tubing equipmed to the CIBP and set of 30 sacks Class C d up wireline. R line. RIH with pours. POOH with the packer and set of the CIBP and set of the cours. Shut well in with packer. Right wireline and reserved.	p pulling uni- ent. POOH wi- pment. Nippl ing. Shut we CIBP at 2500' Neat cement IH and perfor acker to 714' packer. RIH t packer at 7 for night. ged up wireli	t and plugging the rods and plugging the rods and plugging the rods and plugging the rom 2500-220 ated at 1000 ated at 1000 with wireling 14'. Squeez ne. RIH wit reline. Nip	pump. Rigged down head and nippled upght. d hole with pluggir 00'. POOH. Shut with 30 sacks Classe - did not tag. I ed with 30 sacks Classe h wireline at tagge	rod b BOP. ng mud. well in line and s C Neat POOH with lass C	
Name (Printed/Typed) Rusty KlæDh		Title	Agent for BC	M & Associates		
	K	Date	June 11, 200	2		
Signature Alasker	5 RUED	(त् _र ोश्युच्छचर् <mark>र</mark> ्थः, ।				
(el la sel			Title	Date		
Approved by Conditions of approva, if any, a certify that the applicant holds to which would entitle the applicant.			Office		.45	
Title 18 U.S.C. Section 1991 and States any false, fictitious or frame	Title NS ENSC! Solition 1212, ma juliant statement for representation	ke it a crime for any pers s as to any matter within i	on knowingly and willfuts jurisdiction.	ally to make to any department or a	gency of the United	



YATES PETROLEUM CORPORATION Salt Creek ACD Federal #3 Section 21-T8S-R22E Chaves County, New Mexico

SUNDRY NOTICE CONTINUED:

RIH with tubing to 60'. Spotted 10 sacks Class C Neat cement to surface. POOH with tubing. Rigged down pulling unit and plugging equipment. Installed regulation abandonment marker. PLUGGED AND ABANDONED - FINAL REPORT. Plugging completed 6-4-2002.

Rus by Klein Associates

June 11, 2002