

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

dst
09

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-005-63092
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	LG-4333

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator
YATES PETROLEUM CORPORATION

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter Lot 4 : 660 Feet From The South Line and 990 Feet From The West Line

Section 2 Township 6S Range 25E NMPM Chaves County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3898' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Perforate & frac ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

10-15-96 - Cleaned location, set and tested anchors. Moved in and rigged up pulling unit. Nippled up BOP and tested. Rigged up wireline. TIH with 3-3/8" casing guns and perforated 3702-3873' w/16 .38" holes as follows: 3702-3705', 3832-3840' and 3871-3873' (1 SPF - Abo). TOOH with casing guns and rigged down wireline. Nippled down BOP. Nippled up frac valve. Frac'd perforations 3702-3873' with 130000 gallons 25# crosslink gel and 260000# 20-40 Brady sand (down 4-1/2" casing). Tag frac with single isotope radioactive tracer. Shut well in for 4 hours. Opened well up and flowed well down. Nippled up BOP. Rigged up wireline. TIH with logging tools and tagged sand at 4015'. Ran After Frac log. TOOH with logging tools and rigged down wireline. TIH with seating nipple and 2-3/8" tubing. Tagged sand at 4015'. Washed sand down to PBTD of 4125'. Circulated well with 2% KCL. Pulled up to 3630' and set seating nipple. Nippled down BOP. Swabbing.
10-16-96 - Swabbing.
10-17-96 - Swabbed. Released well to production department.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rusty Klein TITLE Operations Technician DATE Oct. 18, 1996
TYPE OR PRINT NAME Rusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

OCT 25 1996