Submit 3 Copies to Appropriate District Office

State of New Mexico
Energy Ainerals and Natural Resources Department

Form C	-103
Revised	1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240 OIL CONSERVATION DIVISION P.O. Box 2088

WELL API NO.

P.O. Box 1980, Hobba, NM 88240	P.O. Box 2088		30-005-63118	
DISTRICT II P.O. Drawer DD, Artesia, NM 88210	Santa Fe, New Mexico 8	37504-2088	5. Indicate Type of Lease STATE	FEE X
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410			6. State Oil & Gas Lease No.	
OUNDOW NOTICE	C AND DEDODTS ON WELL	9		
LOO NOT USE THIS FORM FOR PROPO	S AND REPORTS ON WELL SALS TO DRILL OR TO DEEPEN O IR. USE "APPLICATION FOR PER) FOR SUCH PROPOSITIES	OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name	3
. Type of Weil:	II V			
MET MET [V]	OTHER AP	R 0 4 1997	Sacra SA Com 8. Well No.	· · · · · · · · · · · · · · · · · · ·
Name of Operator VATES PETROLEUM CORPORAT	ION		13	
. Address of Operator		COM. DIV.	9. Pool name or Wildcat	
YATES PETROLEUM CORPORAT Address of Operator 105 South 4th St., Artes Well Location	ia, NM 88210		Pecos Slope Abo	
Well Location Unit Letter J : 2310	Feet From The South	Line and1500	Feet From TheEast	Line
Section 34	Township 6S Ran	ige 25E l	NMPM Chaves	County
	10. Elevation (Show whether I	DF, RKB, RT, GR, etc.) L'GR		
1. Check Ap	propriate Box to Indicate N	Nature of Notice, Re	eport, or Other Data	
NOTICE OF INTE	NTION TO:	SUB	SEQUENT REPORT OF:	
ERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	3 <u> </u>
EMPORARILY ABANDON	CHANGE PLANS X	COMMENCE DRILLING	OPNS. PLUG AND ABAND	ONMENT L
ULL OR ALTER CASING		CASING TEST AND CE	MENT JOB	<i>.</i>
THER:		OTHER:		
12. Describe Proposed or Completed Operation work) SEE RULE 1103. Yates Petroleum Corpora as follows: FROM: 17-1/2" hole with 13-3/12-1/4" hole with 8-5/8 7-7/8" hole with 4-1/2"	tion respetfully requ 8" 48# casing set at " 24# casing set at 1	ests permission 800' with 700 s	n to change the casing packs of cement, circulates	program
T0: 14-3/4" hole with 11-3/ *11" hole with 8-5/8" 24 7-7/8" hole with 4-1/2"	$\#$ casing set at $1600\degree$	with 300 sacks	s of cement	
*If lost circulation is If lost circulation is 7-7/8" and drill to TD.	not encountered, will	l drill ll" hol	asing will be set to 16 e to 1600' and reduce h	00'. ole to
I hereby certify that the information above is true an	d complete to the best of my knowledge and	belief.	- Ludadan	0 100-
SIGNATURE Justy Ple	т	Uperations T		
TYPEORPRINTNAME Rusty Klein			TELEPHONE NO.	505/748-14
(This space for State Use) ORIGINAL ORSYSICT	SIGNED BY TIM W. GUM		APR	4 1997.

AFFROVED BY
CONDITIONS OF AFFROVAL, IF ANY: