District I PO Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV PO Box 2088, Santa Fe, NM 87504-2088 State of New Mexico Energy, Minerals & Natural Resources Department

## OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-101 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

AMENDED REPORT

clar

1

		_						10000	AUA,		DD A ZON	
			•	Operator No	me and Address.						RID Number	
YATES PETROLEUM CI						ORPORATION				025575		
105 South Fourth S Artesia, New Mexic									Sin -	<sup>1</sup> API Number		
4 Prope	rty Code						-MAY	2 9 1991		30 - 0 6	5-63119	
Property Code		Snell	"07"	•	Property Name			<i>.</i>		' Well No.		
			Sileri	<u></u>	7				$2\sqrt{j}$		2	
UL or lot po.	Section	Towark	ip Range	Lot Ida		Location	میں میں میں م <del>ایر جنر اور م</del> یں	ere e e e. <del>Kaipi ay</del>	ະມະນອ 			
F	Section Township			Lotida	Feet from the	North/South North	1			est line	County	
			25E	Detter	2310'		<u> </u>	2310' 'We		lest Chav		
UL ar lot no.	Section	Townshi	P Range	BOLLOM Lot Ida	Foot from the			erent From Surf				
			P Rominge	Locida	For itom the	North/South	ine Fee	t from the	East/West line		County	
<u>_</u>		' Pro	* Proposed Pool 1				<u> </u>		L			
Peco	os Slo		<i>.</i> .	277	10			птороз	ed Pool 2			
				0								
" Work Type Code			<sup>11</sup> Well Type	Code	<sup>13</sup> Cable	-/Rotary	<sup>14</sup> Lease Type Code			H Council 1 Co		
N			G		R	-	P			" Ground Level Elevation		
" Multiple			17 Proposed Depth		<sup>14</sup> Formation		" Contractor			3908 ' " Spud Date		
No			4400'		Abo		Undesignated		d	ASAP		
			21	Propose	d Casing a	nd Cement	Progra		l			
21 Proposed Casin Hole Size Casing Size Casing weight/foot					g weight/foot	Seating Devil			stimated TOC			
14 3/4"		9 5/8"		36#		900'	900'				Circulate	
7 7/8"		4 1/2"		10.5#		TD		350 sx			culate	
						Matter	RED	C.C. h .				
							e alle de la					
						time			miling			
							to when	51011-				
Describe the pe ne. Describe th	roposed pro	gram. If preventio	this applicatio	a is to DEEF	EN or PLUG BA		to when	51011-		d proposed	Bew productive	
Yates Pe	etroleu	um Con	poratio	n propo	ses to dr	CK give the data	to when	cat productiv	e zone and	. الد محمد م		
Yates Pe formatio	etroleu ons. /	um Con Approx	poratio	n propo 900' o	ses to dr	CK give the data CK give the data consury. ill and te casing wi	to when	Abo and	e zone and d inte	ermedia	ate	
Yates Pe formatic If comme	etroleu ons. / ercial	um Con Approx , proc	poratio (imately luction	n propo 900' o casing	ses to dr f surface will be r	CK give the data CK give the data consury. ill and te casing wi	to when	Abo and	e zone and d inte	ermedia	ate culated. perforated	
Yates Pe formatic If comme and stin	etrole ons. / ercial mulated	um Con Approx proc 1 as r	poratio (imately luction needed f	n propo 900' o casing or prod	ses to dr f surface will be r uction.	CK give the data accessary. ill and te casing wi un, cement	to when the pro-	Abo and set and h adequa	d inte cemer ate co	ermedia nt circ over, p	ate culated. Derforated	
Yates Pe formatic If comme and stin	etrole ons. / ercial mulated	um Con Approx proc 1 as r	poratio (imately luction needed f	n propo 900' o casing or prod	ses to dr f surface will be r uction.	CK give the data accessary. ill and te casing wi un, cement	to when the pro-	Abo and set and h adequa	d inte cemer ate co	ermedia nt circ over, p	ate culated. Derforated <i>Posted</i> TD. 2-7-9	
Yates Pe formatic If comme and stin MUD PROG	etroleu ons. / ercial mulateo <u>GRAM</u> : S	um Con Approx proc 1 as r Spud n	poratio (imately luction needed f nud to 9	n propo 900' o casing or prod 00'; Cu	ses to dr f surface will be r uction. t Brine to	CK give the data CK give the data incessary. ill and te casing wi un, cement o 3700' SW	to when the present the line ded wit Gel,	Abo and set and h adequa Starch a	d inte cemer ate co	ermedia nt circ over, p il to i	ate culated. perforated	
Yates Pe formatic If comme and stin <u>MUD PROG</u> BOP PROG	etrolei ons. / ercial nulated GRAM: S GRAM: E	um Con Approx proc 1 as r Spud n 30P's	poratio (imately luction needed f nud to 9	n propo 900' o casing or prod 00'; Cu	ses to dr f surface will be r uction. t Brine to	CK give the data accessary. ill and te casing wi un, cement	to when the present the line ded wit Gel,	Abo and set and h adequa Starch a and test	d inte cemer ate co and Of	ermedia nt circ over, p il to f nily.	ate culated. Derforated <i>Posted</i> TD. 2-7-9	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u>	etrolei ons. / ercial nulated <u>GRAM</u> : S <u>GRAM</u> : E <u>DEDIC</u>	um Con Appros proc 1 as r Spud n 30P's	vinately luction needed f nud to 9 will be	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the	CK give the data increasing wing wing comment casing wing wing comment of 3700' SW e 9 5/8' c	to when the present the line of with the line of the l	Abo and set and h adequa Starch a and test	d inter cemer ate co and Oi ted da	ermedia over, p il to aily.	ate culated. perforated posted ID. 2-7-9 NL & AP. <b>732</b>	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u> I hereby certify to my knowledge	etrolei ons. / ercial nulated <u>GRAM</u> : S <u>GRAM</u> : E <u>DEDIC</u>	um Con Appros proc 1 as r Spud n 30P's	vinately luction needed f nud to 9 will be	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the	CK give the data increasing wing wing comment casing wing wing comment of 3700' SW e 9 5/8' c	to when the present the line of with the line of the l	Abo and set and h adequa Starch a and test	d inter cemer ate co and Oi ted da	ermedia over, p il to aily.	ate culated. perforated posted ID. 2-7-9 NL & AP. <b>732</b>	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u> I hereby certify to my knowledge	etrolei ons. / ercial nulated <u>GRAM</u> : S <u>GRAM</u> : E <u>DEDIC</u>	um Con Appros proc 1 as r Spud n 30P's	vinately luction needed f nud to 9 will be	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the	CK give the data increasing wing wing comment casing wing wing comment of 3700' SW e 9 5/8' c	the with est the ll be d with Gel, asing	Abo and set and h adequa Starch a and test NS ERVAT	d inter cemer ate co and Oi ted da	ermedia over, p il to aily.	ate culated. perforated Posted ID. 2-7-9 NK & AP <b>732</b> DN	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u> hereby certify m gature:	etrolei ons. / ercial nulated GRAM: S GRAM: S GRAM: E DEDICA what the info und belief	um Coi Approv prod t as r Spud n 30P's ATED.	ver above is the	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the	CK give the data incessary. ill and te casing wi un, cement o 3700' SW e 9 5/8' c OIL	be when the present the line with Gel, asing CONS	Abo and set and h adequa Starch a and test	d inte cemerate co and Of ted da L ION I	ermedia over, p il to aily.	ate culated. perforated <i>Posted</i> ID. 2-7-9 NL & AP <b>732</b>	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u> I hereby certify to my knowledge ignature: C inted name: C	etrolei ons. / ercial nulated GRAM: S GRAM: E DEDICA that the info med better Unifican	Im Col Approx proc as r Spud n 30P's ATED. TED. R. M	will be	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the AF	CK give the data CK give the data increasing wi casing wi un, cement o 3700' SW e 9 5/8' c OIL proved by: de:	the with a the pre- est the 11 be ed with Gel, asing CONS	Abo and set and h adequa Starch a and test NS ERVAT	d inte cemerate co and Of ted da L ION I	ermedia nt circ over, p il to nily. DIVISIO over	ate culated. Derforated <i>Posted</i> TD. 2-7-9 NL & AP <b>132</b> DN BGA	
Yates Pe formatic If comme and stin <u>MUD PROG</u> <u>BOP PROG</u> <u>GAS NOT</u> I hereby certify to my knowledge ignature: C	etrolei ons. / ercial nulated GRAM: S GRAM: S GRAM: E DEDICA what the info mad belief Und belief Clifton Regulat	Im Col Approx proc as r Spud n 30P's ATED. TED. R. M	will be	n propo 900' o casing or prod 00'; Cu instal	ses to dr f surface will be r uction. t Brine to led on the AF	CK give the data CK give the data increasing wi casing wi un, cement o 3700' SW e 9 5/8' c OIL proved by: de:	to when pre- est the pre- st the libe with Gel, asing CONS	Abo and set and h adequa Starch a and test NS ERVAT	d interest of the second of the date of th	ermedia nt circ over, p il to nily. DIVISIO over	ate culated. perforated Posted ID. 2-7-9 NL & AP <b>132</b> DN	

District I PO Box 1980, Hobbe, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV PO Box 2088, Santa Fe, NM 87504-2088

.

State of New Mexico Energy, Minerals & Natural Resources Department

## OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT												
30-00		32730 PECOS SLOPE					lame					
* Property			· <	Property Name								
	ELL "QZ				* Well Number 2							
'OGRID No.				· _ · _ ·			Name	· ·	* Elevation			
0255	75	I	YATES PETROLEUM CORPORATION						3908			
UL or lot po.	Section	Towaship				_	Location					
F	31	6S	Range 25E	Lot Ida	Feet from 2310	the	North/South line NORTH	Feet from the 2310	East/Wes	t line	CUANTER	
<sup>1</sup> Bottom Hole Location If Different From Surface											CHAVES	
UL or lot no.	Section	Township	Range	Lot Ida	Feet from		North/South Ene	Feet from the	East/West line Coosty			
	L											
" Dedicated Acr	es 13 Joint	or Infill 14 (	Consolidatio	a Code 🗳 🤇	Order No.				<b>.</b>			
	VABLE	WILLBE	SSIGNE							·		
		OR A	NON-ST	ANDARD	UNIT HA	E I I S BI	ON UNTIL ALL EEN APPROVED	INTERESTS H	AVE BEE	en coi	NSOLIDATED	
ne l		$\overline{\ }$				. 1		· · · · · · · · · · · · · · · · · · ·		CEDI	THEICATION	
	$\setminus$	CarEt	54 az ,					I hereby cert	ly that the int	ATOR CERTIFICATION is that the information contained herein is		
FEE								. irve and com	place to the ba	est of my	knowledge and belief	
	$\setminus$	$\sum $		4			•					
			2310					00	<b>1</b>	$\wedge $	$\sim$	
		$\overline{}$				+		- Ul	ftm 1	<u> ۲.  </u>	May_	
		$\backslash$						Cli	fton R.	May	)	
		$\langle \rangle$		J				Printed Name	: ulatory	Agen	+	
	2310	<u> </u>						Title	2-96	rgen	<u> </u>	
$\land$		$\langle \rangle$						Dele Dele	2-90			
<i>.</i>		<u> </u>		┦────		+		HOTIDY	EVOD			
								I hereby certif	EIUK (	ERT!	IFICATION shown on this play	
	ļ							was plotted fro	m field notes	of actual	SHOWING made in	
	·							and correct to	the best of m	, and that y belief.	t the same is true	
								5/01/	96			
		<u> </u>				+		- Signatur and	ERSUNCL			
								5/01/ Date of Surger Signature and 1	HEN THE	3		
								REGIST	( 3640	) )		
	1							het l	$\sum$	- /		
									actu	AN SUN	m -	
				L				Certificate Nut	36			

,



2M SYSTEM

.