District I PO Fox 1980, Hobbs, NM 88241-1980 District II

PO Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos Rd., Aztec, NM \$7410

District IV

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-101% Revised February 10, 1994

Instructions on back Submit to Appropriate District Office

State Lease - 6 Copies

-	ou Pe.·NM	87504-2088									Lease - 5 Cop
										_	NDED REPOR
APPLICA	MOIT	FOR PE	RMIT	TO DR	ILL, RE-E	NTER, DE	EPE	N BLUGE			
				Operator N	ame and Address		₹	CETW			DD A ZON
			YAT	ES PETF	COLEUM CO	U RPORA⊤T™	U.				GRID Number
			105	South	Fourth St	reet	1	MAR 1 4 19	107		5575
Artesia, New Mex					ew Mexico	88210	į	MAK 1 7 18	13/		API Number
	rty Code				,	Property Name	200		11000	G	05-63122
12	174				Dav			CON.		0	Well No.
	•	•	-			Location		DIST. S)		4
UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South	e- 1				
F	12	7S	25E	l	1880'			Foot from the	East/W	est tipe	County
		8 Pr	Onosed	Pottom	17-1- 7	North		1980'	Wes	t	Chaves
UL or lot no.	Section	Township	Range	Lot Ida	Hole Loca	tion If Diff	feren	t From Sur	face		
	ļ	·		120.10	Feet from the	North/South	line	Feet from the	East/W	est line	County
		' Propos	ed Pool I				_	4			
82730	Ped	cos Slo		. .				" Propos	ed Pool 2		
00()()		000 010) ADO	GAS							
" Work Ty	De Code	12	11/ 11 m								
			12 Well Type Code		13 Cabi	Cable/Rotary		14 Lease Type Co	de	15 Ground Level Elevation	
N Mult			G		F	٤		₽			
S		"	17 Proposed Depth		16 For	mation		" Contractor		3708 ' GR	
			4150'			rpo	U	Undesignated		ASAP	
			21	Propose	d Casing a	nd Cement	Pro				
Hole Size		Casing	Size	Casin	weight/foot	Setting De					
14 3/4		9 5/8						Jacks 81 Cement			atimated TOC
8 5/8'		7" 4 1/2"		23#		1600'		900 sx 250 sx 400 sx		Circulate 1300'	
7 7/8"	<u>'</u>			9.5	5#						
								400 8	ex	290	00'
								1			
											
Describe the pro	posed prog	ram. If this	application	is to DEEP	EN or PLUG BA	CK give the date					
Describe the pro	posed prog	ram. If this	application ogram, if a	is to DEEP	EN or PLUG BA	CK give the data occassary.	on the	present productive	mae and	proposed	new productive
rmations	. Apr	roximat	elv 9	propose 25! of	curface	ll and tes	t th	ne Abo and	inte	cmedia	te
rmations e surfac	. App	roximat	tely 9	25' of	surface (casing wil	t the	ne Abo and e set and	inte: cement	cmedia circ	te ulated to
ermations le surfac d hole s	. App e (If ize wi	roximate lost control	tely 9 ircula	25' of tion is	surface of encounter	casing wilered, 7" c	t the l be asin	ne Abo and e set and ng will be	inte cement set t	rmedia circ co app	te ulated to rox. 1600'
ormations ne surfact nd hole s nn and cen	. App e (If ize wi mented	Proximate lost control lost con	tely 9 ircula educe	25' of tion is d to 6	surface of encounted 1/4".)	casing will ered, 7" casing will ered.	t the lasing ial,	ne Abo and set and ng will be production	inte cement set t on cas	cmedia circ o app sing w	te ulated to rox. 1600' ill be
ormations le surfact d hole s n and cen D PROGRAI	. App e (If ize wi mented M: Spu	Proximate lost conclude the lo	tely 9 ircula reduced dequa	25' of tion is d to 6 te cove	surface of encounted 1/4".) If r, performs to drift the surface of	casing will ered, 7" cased and cased and	t the lasing ial, stim	ne Abo and e set and ng will be production ulated fo	intercement set to case on case on case or cas	cmedia circ o app sing w luctio	te ulated to rox. 1600' ill be
ermations ale surface and hole s and cen by PROGRAI PE PROGRA	. Apped (If ize wind mented M: Spur AM: E	proximate lost control of the lost control of	tely 9 ircula reduced dequa	25' of tion is d to 6 te cove	surface of encounted 1/4".) If r, performs to drift the surface of	casing will ered, 7" cased and cased and	t the lasing ial, stim	ne Abo and e set and ng will be production ulated fo	intercement set to case on case on case or cas	cmedia circ o app sing w luctio	te ulated to rox. 1600' ill be n. lated 1
ormations ne surface nd hole s nn and cen D PROGRAI DPE PROGRA	. Apped (If ize wind mented M: Spur AM: E	proximate lost control of the lost control of	tely 9 ircula reduced dequa	25' of tion is d to 6 te cove	surface of encounted 1/4".) If r, performs to drift the surface of	casing will ered, 7" cased and cased and	t the lasing ial, stim	ne Abo and set and ng will be production	intercement set to case on case on case or cas	emediate circ co app sing w luctio to TD	te ulated to rox. 1600' ill be n. losted 3 AL N/19/
ormations ne surface nd hole s nn and cen JD PROGRAI DPE PROGRAI S NOT DEI	. Apped (If ize wind mented M: Spundam: EDICATE	Proximate lost control lost con	tely 9 ircula ceduce adequa to 925	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If a perform Brine to led on the	casing will ered, 7" cased and cased and	t the lasing ial, stim	ne Abo and e set and ng will be production ulated fo	intercement set to case on case on case or cas	emediate circ co app sing w luctio to TD	te ulated to rox. 1600' ill be n. lated 1
prmations ne surface nd hole s nn and cen DD PROGRA DPE PROGRA S NOT DEI hereby ceruly the ny knowledge and	e (If ize wimented M: Sput AM: EDICATE	Proximate lost control lost con	tely 9 ircula ceduce adequa to 925	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If a perform Brine to led on the	erated and test casing will ered, 7" confidence of commerce attended and 3500; SW 9 5/8" c	t the lasing stimulation of the last of th	ne Abo and set and ag will be productional productions of the production of the prod	intercement set to case reproduced in case reproduced in the case re	media correction sing w luction to TD	te ulated to rox. 1600' ill be n. lated j ML N/19 P
prmations ne surface nd hole s nn and cen DD PROGRA DPE PROGRA S NOT DEI	e (If ize wimented M: Sput AM: EDICATE	Proximate lost control lost con	tely 9 ircula ceduce adequa to 925	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfor Brine to ed on the	casing will ered, 7" confidence of commerce ated and 3500'; sw 9 5/8" c	t the lasing stimulation of the last of th	ne Abo and e set and ng will be production ulated fo	intercement set to case reproduced in case reproduced in the case re	media correction sing w luction to TD	te ulated to rox. 1600' ill be n. lated 1 ALAIRA 3 31-97
preserved and certain and certain and certain and certain and certain and preserved an	e (If ize wimented M: Spu AM: EDICATE	Proximate lost control lost con	tely 9 ircula ceduce adequa to 925	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfor Brine to ed on the	erated and test casing will ered, 7" confidence of commerce attended and 3500; SW 9 5/8" c	t the last the last in last last in last last last last last last last last	ne Abo and set and ag will be productional productional productional productional productions of and testing and t	intercement set to case reproduced in case reproduced in the case re	media correction sing w luction to TD	ulated to rox. 1600' ill be n. Pasked 3. N. 197
primations are surface and hole surface and certain and certain properties. NOT DEI hereby certafy that any knowledge and mature:	e (If ize wimented M: Spu AM: EDICATE	Proximate lost control lost con	tely 9 ircula ceduce adequa to 925	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfor Brine to ed on the	casing will ered, 7" casing will ered, 7" casing will ered, 7" cased and 3500'; SW 9 5/8" cased by:	t the last the last in last last in last last last last last last last last	e Abo and set and ag will be productional production of the produc	intercement set to on caser produced ted da	media correction sing w luction to TD	te ulated to rox. 1600' ill be n. lated 1 ALAIRA 3 31-97
preserved name: Clice	e (If ize wimented M: Spu AM: EDICATE	Proximate lost control lost con	tely 9 ircular deduced adequation 925. I be :	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfored on the least of the best least leas	ered, 7" control of the commerce of the commer	t the last the last in last last in last last last last last last last last	e Abo and set and ag will be productional ated for all the productions of and test of the productions of and test of the productions of and test of the productions o	intercement set to case r prodiesel ted da	media coirc co app sing w ductio to TD sily.	ulated to rox. 1600' ill be n. Pasked 3 AL N 19 P
preserved name: Clice	e (If ize wimented M: Spu AM: EDICATE	Proximate lost control lost con	tely 9 ircular deduced adequarito 925.1 be:	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfored ed on the last last last last last last last last	ordered by:	CON	NSERVATI	intercement set to case r prodiesel ted da	media correction sing waluction to TD sily.	ulated to rox. 1600' ill be n. Posted 3 AL 1997 ON BSA
preserved aumor control of the contr	e (If ize wimented M: Spund M: EDICATE In the mions if th	Proximal lost con los	tely 9 ircular deduced adequario 925. I be :	25' of tion is d to 6 te cove ', Cut install	surface of encounted 1/4".) If r, perfored ed on the last last last last last last last last	ordered by:	CON	e Abo and set and ag will be productional ated for all the productions of and test of the productions of and test of the productions of and test of the productions o	intercement set to case r prodiesel ted da	media correction sing waluction to TD sily.	ulated to rox. 1600' ill be n. Posted 3 AL 1997 ON BSA

DISTRICT I P.O. Box 1980, Hobbs, NM 88240 State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Instruction on back
Submit to Appropriate District Office

State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pecos Slope AB	Name
Property Code	Property Name	Well Number
OCDUD N	DAVIS	4
025575	Operator Name	Elevation
0233 /3	YATES PETROLEUM CORPORATION	3708

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County]
F	12	<i>7</i> S	25E		1880	NORTH	1980	WEST	CHAVES	


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill	Consolidation (Code Ord	der No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

Davis #2	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.
	Cliffon R. Way
	Clifton R. May
1980'	Regulatory Agent
FEE	March 14, 1997 Date
	SURVEYOR CERTIFICATION
	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief.
	Date Surveyed M.L. J. Signature & Seal of Professional Surveyor
	(3640) 5 Sozech 1944
	Certificate Na. Herschal Lines RLS 3640 GENERAL SURVEYING COMPANY

YATES PETROLEUM CORPORATION



BLOWOUT PREVENTER 2M SYSTEM