

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-005-63235

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement

Name:

Post Lake 25

8. Well No. 1

8. Pool name or Wildcat

Wildcat Atoka

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐

Gas Well ☒

Other

2. Name of Operator

Southwestern Energy Production Company

3. Address of Operator

2350 N. Sam Houston Parkway East, Suite 300 - Houston, TX 77032

4. Well Location

Unit Letter M : 660 feet from the S line and 660 feet from the W line

Section 25 Township 8S Range 29E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

4,062' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Completion ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

4/10/00 thru 6/1/00

Perforate Mississippian from 8,544' to 8,566', w/4" casing gun, 4 SPF, 120 deg phasing. Acidize w/1500 gals 15% HCL w/N2. Unsuccessful. Set CIBP @ 8,526' w/10' cmt on top. Perf Atoka from 8,310' - 8,322' and 8,377' - 8,391' w/ 4" csg gun, 4 SPF. Acidize w/1000 gals 7 1/2% HCL w/methanol. Frac w/6300 gals 40# binary pad & 7,650 gals 40# binary sand. Unsuccessful. Set CIBP @ 8,180' w/35' cmt on top. Perf Wolfcamp from 6,867' - 6,884' w/4" csg gun, 2 SPF. Acidize w/1,755 gals 2% KCL flush and 1,500 gals 15% HCL. Acidize/Frac with 5,000 gals 20% NEFE HCL gelled acid.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Cathy Rowan

TITLE Drilling Technician

DATE

06/08/00

Type or print name Cathy Rowan

Telephone No. 281-618-4733

(This space for State use)

APPROVED BY

Jim W. Brown

TITLE

District Supervisor

DATE

JUN 30 2000

Conditions of approval, if any: