

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-107
Revised March 17, 1999


Filing Instructions
At Bottom of Page

APPLICATION FOR MULTIPLE COMPLETION

Yates Petroleum Corporation / 105 S. 4th Street Artesia, New Mexico 88210
Operator Address
Dallas AUE State 1 I 35 9S 26E Chaves
Lease Well No. Unit Ltr. - Sec - Twp - Rge County

All applicants for multiple completion must complete Items 1 and 2 below.

1. The following facts are submitted:	Upper Zone	Intermediate Zone	Lower Zone
a. Name of Pool and Formation	Foor Ranch (Wolfcamp)		Foor Ranch (Pre-Permian)
b. Top and Bottom of Pay Section (Perforations)	5356-5370'		6015-6080'
c. Type of production (Oil or Gas)	Gas		Gas
d. Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
e. Daily Production ☒ Actual ☐ Estimated Oil Bbls. Gas MCF Water Bbls.	645 Mcfd 1) bopd 1) bwpd		374 Mcfd 0 bopd 0 bwpd



2. The following must be attached:
- Diagrammatic Sketch of the Multiple Completion, showing all casing strings, including diameters and setting depths, centralizers and/or turbolizers and location thereof, quantities used and top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
 - Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
 - Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed it shall be submitted as provided by Rule 112-A.)

OPERATOR:

I hereby certify above information is true and complete to best of my knowledge, and belief.

Signature James W. Pringle
Printed Name & Title James W. Pringle Operations
Engineer
Date 10-15-02 Telephone (505) 7484182

OIL CONSERVATION DIVISION

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

Approved by _____
Title _____
Date OCT 30 2002

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard completion in producing zones, then separate application for approval of the same should be filed simultaneously with this application.

FILING INSTRUCTIONS:

- District Approval -- See rule 112-A-B -- Submit 4 copies of Form C-107 with
- Division Director Administrative Approval -- See Rule 112-C -- Submit 2 copies and 2 copies of Form C-107 with attachments to appropriate district office.
- Multiple completions not qualifying for District or Division Director approval may be set for hearing as outlined in Rule 112-A-E.

Condition of Approval: Operator to notify
OCD 48 hrs prior to Packer Leakage Test
Rule 112(2)(b)


ce in Santa Fe

Yates Petroleum Corporation is the only operator surrounding this well.

トオシ

WELLNAME: Dallas "AUE" State #1 FIELD: FOOR RANCH
 LOCATION: 1500' FSL & 660' FEL, Sec 35, T9S, R26E, Chaves Co, NM.
 SL: 3,862' ZERO: _____ AGL: _____ KB: 3,875'
 SPUD DATE: 7/19/01 COMPLETION DATE: _____
 COMMENTS: _____

CASING PROGRAM	
SIZE/WT/GR/CONN	DEPTH SET
8 5/8", 24.0 #/ft, J-55, STAB	1,133'
5 1/2", 15.50 #/ft, J-55, STAB	6,450'



1" f/ 200' w/
185 sacks

8 5/8" set @ 1,133', CMTD w/ 600 sacks
CMT circ to surface

TOC: 4,060', CBL

Wolfcamp

5.356' - 5.370' w/ 4 jspt "B" zone

Silurian

6.015' - 6.080' w/ 4 jspt in 2 intervals, shot 8/23/01

Granite Wash

6.360' - 6.368' w/ 4 jspt - 15 m fpd, shot 8/17/01

5 1/2" CMTD w/ 500 sacks of cement
set @ 6,450'

DATE: 8/13/01 JWP

- SKETCH NOT TO SCALE -

TD: 6,450'

COMPANY: Yates Petroleum Corporation

WELL: Dallas "AUE" State #1


FIELD: Foor Ranch


COUNTY: Chaves

STATE: New Mexico


COUNTY: Chaves Field: Foor Ranch Location: 1500' FSL & 660' FEL (NESE) Well: Dallas "AUE" State #1 Company: Yates Petroleum Corporation	Schlumberger		Platform Express		
			Three Detector Litho-Density		
			Compensated Neutron / NGT		
	1500' FSL & 660' FEL (NESE) FILED AS 31 2001		Elev.: K.B. 3875 ft G.L. 3862 ft D.F. 3874 ft		
LOCATION		Permanent Datum: Ground Level Log Measured From: Kelly Bushing Drilling Measured From: Kelly Bushing		Elev.: 3862 ft 13.0 ft above Perm. Datum	
API Serial No. 30-005-63237		SECTION 35		TOWNSHIP 9S	
				RANGE 26E	
Logging Date		10-AUG-2001			
Run Number		One			
Depth Driller		6450 ft			
Schlumberger Depth		6450 ft			
Bottom Log Interval		6432 ft			
Top Log Interval		200 ft			
Casing Driller Size @ Depth		8.625 in @ 1133 ft			
Casing Schlumberger		1135 ft			
Bit Size		7.875 in			
Type Fluid In Hole		Cut Brine / Starch / Gel			
Density		Viscosity		9.9 lbm/gal 56 s	
Fluid Loss		PH		5 cm3 10	
Source Of Sample		Circulation Tank			
RM @ Measured Temperature		0.047 ohm.m @ 84 degF			
RMF @ Measured Temperature		0.043 ohm.m @ 86 degF			
RMC @ Measured Temperature		@			
Source RMF		RMC		Pressed	
RM @ MRT		RMF @ MRT		0.037 @ 110 0.034 @ 110	
Maximum Recorded Temperatures		110 degF			
Circulation Stopped		Time		10-AUG-2001 9:30	
Logger On Bottom		Time		10-AUG-2001 18:15	
Unit Number		Location		3178 Roswell	
Recorded By		Roberta Delidais / Billy Morris			
Witnessed By		Killer Speer			

WORK LOG







5300



5400



6000



6100

6200