

UNIT : H SECTION : 33 TOWNSHIP : 49
 L : 4030 H : 4030 L/H : 1 G/GMIX : 0.660
 %CO2 : 0.08 %N2 : 8.84 H2S : DATE : 10/30/00
 d : 1.995 Fr : 0.018231 GH : 2659.8 RANGE : 25E

VOL 1 : 125 PSIA 1 : 163.2 RESV.TEMP 114.3
 VOL 2 : PSIA 2 :
 VOL 3 : PSIA 3 : SHUT-IN PR= 943.2
 VOL 4 : PSIA 4 :

PCR : 660
 TCR : 357

LINE	RATE 1		RATE 2		RATE 3		RATE 4	
	1ST	2ND	1ST	2ND	1ST	2ND	1ST	2ND
1 QM	0.125	0.125	0.000	0.000	0.000	0.000	0.000	0.000
2 TW	534	534	534	534	534	534	534	534
3 Ts	574.3	574.3	574.3	574.3	574.3	574.3	574.3	574.3
4 T	554.1	554.1	554.1	554.1	554.1	554.1	554.1	554.1
PR (est)	0.25		0.00		0.00		0.00	
5 Z(est)	0.954	0.953	ERR	ERR	ERR	ERR	ERR	ERR
6 TZ	528.7	528.1	ERR	ERR	ERR	ERR	ERR	ERR
7 GH/TZ	5.031	5.037	ERR	ERR	ERR	ERR	ERR	ERR
8 eS	1.208	1.208	ERR	ERR	ERR	ERR	ERR	ERR
9 l-e-S	0.172	0.172	ERR	ERR	ERR	ERR	ERR	ERR
10 Pt	163.2	163.2	0.0	0.0	0.0	0.0	0.0	0.0
11 Pt2 /1000	26.6	26.6	0.0	0.0	0.0	0.0	0.0	0.0
12 Fr	0.018231	0.018231	0.018231	0.018231	0.018231	0.018231	0.018231	0.018231
13 Fc=FrTZ	9.639	9.628	ERR	ERR	ERR	ERR	ERR	ERR
14 FcQm	1.20	1.20	ERR	ERR	ERR	ERR	ERR	ERR
15 L/H(FcQm)	1.5	1.4	ERR	ERR	ERR	ERR	ERR	ERR
16 Fw	0.249580	0.249264	ERR	ERR	ERR	ERR	ERR	ERR
17 Pw2	26.9	26.9	ERR	ERR	ERR	ERR	ERR	ERR
18 Ps2	32.5	32.5	ERR	ERR	ERR	ERR	ERR	ERR
19 Ps	180.2	180.2	ERR	ERR	ERR	ERR	ERR	ERR
20 P	171.7	171.7	ERR	ERR	ERR	ERR	ERR	ERR
21 Pr	0.26	0.26	ERR	ERR	ERR	ERR	ERR	ERR
22 Tr	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
23 Z	0.953	0.953	ERR	ERR	ERR	ERR	ERR	ERR

PC = 574.3 PC2 = 887.0
 Pt2 = 26 Pw = 164.0
 0.0 ERR
 0.0 ERR
 0.0 ERR
 PC2-Pw2= 862.7 Pw2 = 26.9
 ERR ERR
 ERR ERR
 ERR ERR
 n = 1.000
 PC2/(PC2-Pw2) = 1.031
 ERR
 ERR
 ERR
 [PC2/PC2-Pw2]n = 1.031
 ERR
 ERR
 ERR
 AOF= Q 0.129
 ERR
 ERR
 ERR
 FORM C122-D