Submit 3 Copies to Appropriate District Office

State of New Mexico Energy, ...nerals and Natural Resources Department

class	Form C-103 Revised 1-1-89
f_{μ}^{ij}	Revised 1-1-89

_ DATE _ &-25-(X)

D	S	RIC	L			
P.	O.	Box	1980,	Hobbs,	NM	88240

OIL CONSERVATION DIVISION P.O. Box 2088

DISTRICT II

Santa Fe, New Mexico 87504-2088

WELL API NO.	1	
30-003	5-63253	
5. Indicate Type of La	STATE XX	FEE

P.O. Drawer DD, Artesia, NM 88210	5. Indicate Type of Lease STATE XX FEE
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410	6. State Oil & Gas Lease No. V-4507
SUNDRY NOTICES AND REPORTS ON WI (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEPPE DIFFERENT RESERVOIR. USE "APPLICATION (FORM C-101) FOR SUCH PROPOSALS.)	ENIODIDANG BACK TOM
1. Type of Well: OIL GAS WELL WELL X OTHER	Samedan ATH State
2 Name of Operator YATES PETROLEUM CORPORATION	8. Well No.
3. Address of Operator 105 South 4th St., Artesia, NM 88210	9. Pool name or Wildcat Wildcat Ordovician
4. Well Location Unit Letter P: 660 Feet From The South	Line and 660 Feet From The East Line
Section 35 Township 10S	Range 26E NMPM Chaves County her DF, RKB, RT, GR, etc.)
36	95' GR
11. Check Appropriate Box to Indicate NOTICE OF INTENTION TO:	e Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF:
ERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK ALTERING CASING
EMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING	CASING TEST AND CEMENT JOB
OTHER:	OTHER: Perforate X
clean. TOOH. Rigged up wireline. TIH wi logging tools and rigged down wireline. Second to 4" casing guns and perforated 6170-6180' we casing guns and rigged down wireline. TIH 6138' and set packer. Nippled down BOP. of 20% double inhibited iron control HCL at 6-30-2000 - Flow tested. Shut well in. 7-1-2000 - Bled well down. Loaded tubing packer. TIH with RBP and set RBP at 6160 wireline. TIH with 4" casing guns and perforative cartify the me information above to the best of my knowledge.	ors. Moved in and rigged up pulling unit. In bit, drill collars and tubing and tagged up at and 35' of cement in shoe joint. Circulated ith logging tools and ran GR/CBL log. TOOH with Shut in. In 6190'. TOOH. Rigged up wireline. TIH with w/40 .42" holes (4 SPF - Ordovician). TOOH with the shuth Arrowset packer with 1.87" on/off tool to Flanged up wellhead. Acidized with 200 gallons acid. Swabbed & flow tested. Shut well in. with 2% KCL water. Nippled up BOP. Released O'. Tested RBP to 1000 psi. TOOH. Rigged up reforated 6130-6140' w/40 .42" holes (4 SPF -
TYPEOR PRINT NAME RUSTY Klein	IELEPHONE NO. 505/710 I
(This space for State Use)	

TITLE

SUPERVISOR, DISTRICT II

CONDITIONS OF AFFROVAL, IF ANY:

YATES PETROLEUM CORPORATION Samedan ATH State #2 Section 35-T10S-R26E Chaves County, New Mexico

SUNDRY NOTICE CONTINUED:

Ordovician). TOOH with casing guns and rigged down wireline. TIH with packer with 2.25" seating nipple to 6109'. Nippled down BOP. Set packer at 6109'. Nippled up tree. Loaded and tested annulus to 1000 psi. Swabbed & flow tested. Shut well in. 7-2-3-2000 - Bled well down. Flow tested. Shut well in. 7-4-5-2000 - Bled well down. Flow tested. Shut well in. 7-6-2000 - Released well to production department.

Rusty Klein

Operations Technician

July 31, 2000