

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Revised March 1999

WELL API NO.
30-005-63318

5. Indicate Type of Lease
STATE ☒ FEE ☐

State Oil & Gas Lease No.
VA-2059

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER Dual Completion
b. Type of Completion:
NEW WORK PLUG DIFF.
WELL ☒ OVER ☐ DEEPEN ☐ BACK ☐ RESVR. ☒ OTHER Dual

7. Lease Name or Unit Agreement Name

Keno AWK State

2. Name of Operator
Yates Petroleum Corporation

8. Well No.

#2

3. Address of Operator
105 South 4th St., Artesia, NM 88210

9. Pool name or Wildcat

Foor Ranch Wolfcamp

4. Well Location
Unit Letter J : 1980 Feet From The South Line and 1980 Feet From The East Line
Section 4 Township 10S Range 26E NMPM Chaves County

10. Date Spudded
RH 12-4-00
RT 12-8-00
11. Date T.D. Reached
1-1-2001
12. Date Compl. (Ready to Prod.)
1-31-2001
13. Elevations (DF& RKB, RT, GR, etc.)
3798' GR
14. Elev. Casinghead

15. Total Depth
6430'
16. Plug Back T.D.
6372'
17. If Multiple Compl. How Many Zones?
2
18. Intervals Drilled By
40-6430'
Rotary Tools
Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

5422-5434' Wolfcamp

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

CNL/LDC, Laterolog

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT L.B./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD
<u>16"</u>		<u>40'</u>	<u>20"</u>	<u>Cement to Surface</u>
<u>8-5/8"</u>	<u>24#</u>	<u>1106'</u>	<u>12-1/4"</u>	<u>700 sx-circ</u>
<u>5-1/2"</u>	<u>15.5#</u>	<u>6414'</u>	<u>7-7/8"</u>	<u>650 sx</u>

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					<u>2-7/8"</u>	<u>5851'</u>	<u>5858'</u>

26. Perforation record (interval, size, and number)
Ordovician: 5918-5938' 80 holes .42" holes
5946-5958' 48 holes .42" holes
Wolfcamp: 5422-5434' 26 holes .42" holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
5422-5434 1200 gals 15% IC HCL

28. PRODUCTION

Date First Production 2-20-2001 Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing through casing Well Status (Prod. or Shut-in) Producing
Date of Test 2-22-2001 Hours Tested 24 Choke Size 15/64" Prod'n For Test Period Oil - Bbl Gas - MCF Water - Bbl. Gas - Oil Ratio
146
Flow Tubing Press. Casing Pressure 150# Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.)
146

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Tom Benedict

30. List Attachments

Deviation Survey & I Logs

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature Susan Herpin Printed Name Susan Herpin Title Engineering Tech. Date August 16, 2001

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Anhy	T. Canyon
Salt	T. Strawn
Salt	T. Atoka
Yates	T. Miss
7 Rivers	T. Devonian
Queen	T. Silurian
Grayburg	T. Montoya
San Andres 986'	T. Simpson
Glorieta 2077'	T. McKee
Paddock	T. Ellenburger
Blinebry	T. Gr. Wash
Tubb 3632'	T. Delaware Sand
Drinkard	T. Bone Springs
Abo 4390'	T. Yeso 2198'
Wolfcamp 5068'	T. Ordovician 5840'
Penn Clastics 5768'	
Cisco 5635'	Basement - Peridotite 6148'

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permian _____	T. _____
T. Penn. "A" _____	T. _____

OIL OR GAS SANDS
OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology