

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87401  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

WELL API NO.  
30-005-63318

5. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
VA-2059

7. Lease Name or Unit Agreement Name:  
Keno AWK State

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator  
Yates Petroleum Corporation /

3. Address of Operator  
105 S. 4th Street Artesia, NM 88210

7. Well No.  
2

8. Pool name or Wildcat  
Foor Ranch Pre-Permian

4. Well Location

Unit Letter J : 1980 feet from the South line and 1980 feet from the East line

Section 4 Township 10S Range 26E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3798' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Perforate and stimulate <input checked="" type="checkbox"/>	

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

9/24/02 - Loaded tubing and casing. Nippled down tree. Nippled up BOP. Unset packer and POOH.  
9/25/02 - Ran GR to 5915'. RIH with retainer and set at 5915'. TIH with stinger and tubing string into retainer at 5915'. Squeezed perms 5918'-5958' with 150 sx Class "H" with .5% FL. Perfs squeezed off with 10 bbls of cement in formation to 2500#. Stung out of retainer. Could not reverse out. Wolfcamp perms taking fluid on a vacuum. Pulled stinger above Wolfcamp perms at 5422'-5434'. Reversed tubing clean. POOH with stinger. Pressured up on casing.  
9/26/02 - TIH with bit and collars. Tag cement at 5260'.  
9/27/02-9/29/02 - Finished TIH with bit and collars. Tagged cement at 5267'. Drilled out cement down to 5915'. Circulated hole clean. Pulled 20 stands.  
9/30/02 - Finished POOH with bit and laid down collars. TIH with bit and scraper to 5915' and rolled hole with 7% KCL. POOH with bit and scraper.  
10/1/02 - Perforate Silurian 5844'-5850' (4 Spf, 24 holes), 5860'-5864' (16 holes), 5868'-5876' (32 holes), 5886'-5892' (24 holes), 5910'-5912' (8 holes) for a total of 104 holes. TIH with ASI 10K packer with 2.25" on/off tool set at 5772'.  
10/2/02 - Acidized with 1000 gals 20% IC acid.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE October 8, 2002

Type or print name Tina L. Huerta Telephone No. 505-748-1471

(This space for State use) Tina L. Huerta District Supervisor OCT 14 2002

APPROVED BY Tina L. Huerta TITLE District Supervisor DATE OCT 14 2002

Conditions of approval, if any:

Submit 3 Copies To Appropriate District Office

**District I**

1625 N. French Dr., Hobbs, NM 88240

**District II**

811 South First, Artesia, NM 88210

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410

**District IV**

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

OIL & GAS CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-005-63318

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

VA-2059

7. Lease Name or Unit Agreement Name:

Keno AWK State

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

7. Well No.

2

8. Pool name or Wildcat

Foor Ranch Pre-Permian

4. Well Location

Unit Letter J : 1980 feet from the South line and 1980 feet from the East line

Section 4 Township 10S Range 26E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3798' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Perforate and stimulate <input checked="" type="checkbox"/>	

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9/24/02 - Loaded tubing and casing. Nipped down tree. Nipped up BOP. Unset packer and POOH.

9/25/02 - Ran GR to 5915'. RIH with retainer and set at 5915'. TIH with stinger and tubing string into retainer at 5915'. Squeezed perms 5918'-5958' with 150 sx Class "H" with .5% FL. Perfs squeezed off with 10 bbls of cement in formation to 2500#. Stung out of retainer. Could not reverse out. Wolfcamp perms taking fluid on a vacuum. Pulled stinger above Wolfcamp perms at 5422'-5434'. Reversed tubing clean. POOH with stinger. Pressured up on casing.

9/26/02 - TIH with bit and collars. Tag cement at 5260'.

9/27/02-9/29/02 - Finished TIH with bit and collars. Tagged cement at 5267'. Drilled out cement down to 5915'. Circulated hole clean. Pulled 20 stands.

9/30/02 - Finished POOH with bit and laid down collars. TIH with bit and scraper to 5915' and rolled hole with 7% KCL. POOH with bit and scraper.

10/1/02 - Perforate Silurian 5844'-5850' (4 SPf, 24 holes), 5860'-5864' (16 holes), 5868'-5876' (32 holes), 5886'-5892' (24 holes), 5910'-5912' (8 holes) for a total of 104 holes. TIH with ASI 10K packer with 2.25" on/off tool set at 5772'.

10/2/02 - Acidized with 1000 gals 20% IC acid.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE October 8, 2002

Type or print name Tina L. Huerta

Telephone No. 505-748-1471

(This space for State Use)

APPROVED BY [Signature] ORIGINAL SIGNED BY TIM W. GUM  
DISTRICT II SUPERVISOR TITLE

OCT 14 2002  
DATE

Conditions of approval, if any:

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

WELL API NO.

30-005-63318

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

VA-2059

7. Lease Name or Unit Agreement Name:

Keno AWK State

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

7. Well No.

2

8. Pool name or Wildcat

Foor Ranch Pre-Permian

4. Well Location

Unit Letter J : 1980 feet from the South line and 1980 feet from the East line

Section 4 Township 10S Range 26E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3798' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Perforate and stimulate <input checked="" type="checkbox"/>	

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9/24/02 - Loaded tubing and casing. Nipped down tree. Nipped up BOP. Unset packer and POOH.  
9/25/02 - Ran GR to 5915'. RIH with retainer and set at 5915'. TIH with stinger and tubing string into retainer at 5915'. Squeezed perfs 5918'-5958' with 150 sx Class "H" with .5% FL. Perfs squeezed off with 10 bbls of cement in formation to 2500#. Stung out of retainer. Could not reverse out. Wolfcamp perfs taking fluid on a vacuum. Pulled stinger above Wolfcamp perfs at 5422'-5434'. Reversed tubing clean. POOH with stinger. Pressured up on casing.  
9/26/02 - TIH with bit and collars. Tag cement at 5260'.  
9/27/02-9/29/02 - Finished TIH with bit and collars. Tagged cement at 5267'. Drilled out cement down to 5915'. Circulated hole clean. Pulled 20 stands.  
9/30/02 - Finished POOH with bit and laid down collars. TIH with bit and scraper to 5915' and rolled hole with 7% KCL. POOH with bit and scraper.  
10/1/02 - Perforate Silurian 5844'-5850' (4 SPf, 24 holes), 5860'-5864' (16 holes), 5868'-5876' (32 holes), 5886'-5892' (24 holes), 5910'-5912' (8 holes) for a total of 104 holes. TIH with ASI 10K packer with 2.25" on/off tool set at 5772'.  
10/2/02 - Acidized with 1000 gals 20% IC acid.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE October 8, 2002

Type or print name Tina L. Huerta

Telephone No. 505-748-1471

(This space for State use)

APPROVED BY ORIGINAL SIGNED BY TIM W. GUM  
DISTRICT II SUPERVISOR

TITLE

Conditions of approval, if any:

OCT 14 2002