

Submit 3 Copies To Appropriate District:  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

WELL API NO.

**30-005-63354**

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

**LG-0565**

7. Lease Name or Unit Agreement Name:

**Cobra AXK State Com**

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

**Yates Petroleum Corporation**

3. Address of Operator

**105 S. 4th Street Artesia, NM 88210**

7. Well No.

**#1**

8. Pool name or Wildcat

**Pecos Slope Abo**

4. Well Location

Unit Letter **P** : **660** feet from the **South** line and **660** feet from the **East** line

Section **12** Township **5S** Range **24E** NMPM **Chaves** County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

**3921' GR**

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐

ALTERING CASING ☒

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: perforate, acidize and frac ☒

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/6/01 - TIH with bit and scraper. Tag PBTD at 4217'.

6/7/01 - Run GR/CBL/CCL. TOC 2950'.

Perforate Abo as follows: A interval - 3669-3679', 11 holes, 3692-3700', 9 holes, 3712-3717', 6 holes.

B interval 3752-3758' 7 holes, 3806-3810', 5 holes, 3829-3831' 3 holes, .41" holes.

6/13/01 - Spot 500 gals 7.5% IC HCL.

6/14/01 - Frac Abo perfs 3669-3831' with 96,395 gals WF 135 65Q foam and 214,000# 16/30 Brady sand.

Flow well back for clean up.

6/20/01 - TIH with SN and tbg. Set SN at 3638'. Swab dry and flow test.

6/25/01 - Rigged down and moved off. Turned well over to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Susan Herpin TITLE **Engineering Technician** DATE **October 1, 2001**

Type or print name **Susan Herpin**

Telephone No. **505-748-1471**

(This space for State use)

APPROVED BY TIM W. GUM **ORIGINAL SIGNED BY TIM W. GUM**  
**DISTRICT II SUPERVISOR** TITLE

DATE **OCT 7 2001**

Conditions of approval, if any: