N.M. Oil Cons. Division 311 S. 1st Street

aπ	31	60	-3
3420	ısı	15	199)

Artesia, NM 88210-2834

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000 UNITED STATES 5. Lease Serial No. DEPARTMENT OF THE INTERIOR NM 32323 **BUREAU OF LAND MANAGEMENT** 6. If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER 7. If Unit or CA Agreement, Name and No L Type of Work: 🖄 DRILL REENTER 8. Lease Name and Well No. b. Type of Well: Oil Well XX Gas Well Other Single Zone Multiple Zone Snakeweed "B" Fed. Name of Operator 9. API Well No. McKay Oil Corporation a Address 3b. Phone No. (include area code) P.O. Box 2014 Roswell, NM\_ 88202 505-623-4735 Pecos Slope Abo Location of Well (Report location clearly and in accordance with any State requirements.\*) 11. Sec., T., R., M., or Blk. and Survey or Are At surface 18 - T6S, R23E, N.M.P.M. At proposed prod, zone Distance in miles and direction from nearest town or post office 12. County or Parish. 13. State 23 miles\_north\_of\_Roswell, NM Chaves Distance from proposed\* 16. No. of Acres in Icase 17. Spacing Unit dedicated to this well location to nearest 6601 1360.00 property or lease line, ft. 160.00 (Also to nearest drig, unit line, if any) 19. Proposed Depth Distance from propused locations 20. BLM/BIA Bond No. on file io nearest well, drilling, completed, applied for, on this lease, ft. 1,100' 3400 NM 1981 Elevations (Show whether DF, KDB, RT, GL, etc.) 22. Approximate date work will start 23. Estimated duration ' 4126' GL 3/25/00 15 days : following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form: Well plat certified by a registered surveyor. 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). A Drilling Plan. Operator certification. A Surface Use Plan (if the location is on National Forest System Lands, the Such other site specific information and/or plans as may be required by the SUPO shall be filed with the appropriate Forest Service Office). authorized officer. Name (Printed/Typed) Bill J. Milstead APPROVED FOR 1 YEAR ield Manager

stor certify the tile applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct MINOTALS

iditions of approval, if any, are attached.

e 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United ics any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

nstructions on reverse)



APPROVAL SUBLES GENERAL REQUIREME SPECIAL STIPULATIO ATTACHED

District to Appropriate
District Office
State Lease - 4 copies
For Lease - 3 copies

# State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-19

DISTRICT 1 P.O. Box 1980, Hobbs, NM 88240

## OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

ŧ†

DISTRICT II P.O. Drawer DD, Anesia, NM 18210

DISTRICT III
ICO Ro Brilos Rd., Arec. NM \$7410

WELL LOCATION AND ACREAGE DEDICATION PLAT

		All Distance	es must be from the or	uler boundaries of t	Ne section		
Operator			Lux				WEING.
	OIL CORP.		SI	SNAKEWEED FED "B"			4
Unit Letter	Section	Township	Range	2.0.		Courty	L
P	18	6S	2:	3E	1348	CHAY	ÆS.
Actual Footage Loss					<u> </u>		
880		SOUTH	line and 58	38	fcc  from	LEAST	r ,
Ground level Elev. 4126	Producu	ng Formouon	loc9		rec from		Dedicated Assesses
2. If mor	than one lease is do	ed to the subject well by dicated to the well, out	ize each and identify the	) lomad girtnarus	ech se to worki	ng interest 23d	royalty).
II answer this form	Yes is "so" list the porce	No If answe	r is "yes" type of consol which have actually be	idation co coaselidased (U)	e severse side of	,	
द्ध ध्यां :	ece-erugry mit s	to the well used like inite and at gailseaini	par pecu shizoneg pl. n	tated (by communities Division.	ນເດຍ" ຄະນຸດເກາດເ	n, forced-pooli	ng, or otherwise)
						I hereby contained hereby contained hereby contained hereby contained project Name (Company)  MCKA Date	TOR CERTIFICATION  CERTIFY that the inform in in true and complete to  whether and being.  M. /s trad  Pares dent  y Oil Corporat  YOR CERTIFICATION
			SNAKEW	FED. "B"#4	588 ' 8 8 0	on this plat actual surve supervison, o	- With

## PERTINENT INFORMATION

## FOR

MCKAY OIL CORPORATION SNAKEWEED B FEDERAL #4 SE/4SE/4 of Sec. 18, T-6S, R-23E Chaves County, New Mexico

<u>LOCATED</u> :	27 air miles Northwest of Roswell, NM.
LEASE NUMBER:	NM-32323
LEASE ISSUED:	November 1, 1978
RECORD LESSEE:	McKay Oil Corporation McKay Children's Trust
BOND COVERAGE:	Operator's \$25,000 Statewide
AUTHORITY TO OPERATE:	Assignment of Operating Rights
ACRES IN LEASE:	648.01 acres, more or less
SURFACE OWNERSHIP:	Federal
OWNER:	USA-BLM
POOL RULES:	General Statewide Rules
EXHIBITS:	<ul> <li>A. Road and Well Map</li> <li>B. Contour Map</li> <li>C. Rig Layout</li> <li>D. BOP Diagram</li> <li>E. Lease Map</li> <li>F. Location Topography</li> </ul>

## **PERTINENT INFORMATION**

## FOR

MCKAY OIL CORPORATION SNAKEWEED "B" FED. #4 SE/4SE/4 of Sec. 18, T-6S, R-23E Chaves County, New Mexico

LOCATED:	23 air miles Northwest of Roswell, NM.
LEASE NUMBER:	NM-32323
LEASE ISSUED:	November 1, 1978
RECORD LESSEE:	McKay Oil Corporation McKay Children's Trust
BOND COVERAGE:	Operator's \$25,000 Statewide
AUTHORITY TO OPERATE:	Assignment of Operating Rights
ACRES IN LEASE:	1,360.00 acres, more or less
SURFACE OWNERSHIP:	Federal
OWNER:	USA-BLM
POOL RULES:	General Statewide Rules
EXHIBITS:	<ul> <li>A. Road and Well Map</li> <li>B. Contour Map</li> <li>C. Rig Layout</li> <li>D. BOP Diagram</li> <li>E. Lease Map</li> <li>F. Location Topography</li> </ul>

#### SUPPLEMENTAL DRILLING DATA

MCKAY OIL CORPORATION SNAKEWEED "B" FED. #4 SE/4SE/4 of Sec. 18, T-6S, R-23E Chaves County, New Mexico

The following items supplement Form 3160-3 in accordance with instruction contained in Onshore Oil and Gas Order No. 1:

- 1. SURFACE FORMATION: San Andres
- 2. ESTIMATED TOPS OF GEOLOGICAL MARKERS:

Yeso - 876' Tubb - 2372' Abo - 2600'

3. ESTIMATED DEPTHS TO WATER, OIL OR GAS FORMATIONS:

Fresh Water - In surface formation above 600' Gas - In Abo Formation below 2600'

4. PROPOSED CASING PROGRAM:

WITNESS 12-1/4" hole 8-5/8" X-42 23# 900 + 950' 7-7/8" hole 4-1/2" J-55 10.5# TD

5. PROPOSED CEMENTING PROGRAM:

Surface to 900' class "C" - 350 sxs cemented and circulated to surface.

Production Casing class "C" - 300 sxs cemented with adequate cover.

### 6. PROPOSED DRILLING PROGRAM:

McKay Oil Corporation proposes to drill and test the ABO formation. Approximately 900' of surface casing will be set and cemented to surface. 4-1/2" production casing will be set and cemented with adequate cover, perforated and stimulated as needed for production.

7. PRESSURE CONTROL EQUIPMENT: Blowout preventer will consist of 2 nam.

Rotary Head with a rotating rubber with 1,000#WP and 1,000# test 2 M system.

pressure and a steel Bloocy Line with 1,000#WP valve. A

sketch of the BOP is attached.

- 8. CIRCULATION MEDIUM: Air Drilling
- 9. <u>AUXILIARY EQUIPMENT</u>: Full-opening drill string safety valve fit for the drill string in use, will be kept on the rig floor at all times.
- 10. TESTING, LOGGING AND CORING PROGRAM:

Samples: Catch samples from surface to TD.

DST's: None.

Logging: GR-CNL, Dual Lateral MSFL from

surface to TD.

Coring: None.

11. <u>ABNORMAL PRESSURES, TEMPERATURES OR HYDROGEN SULFIDE</u>: None anticipated.

12. ANTICIPATED STARTING DATE: On or before March 25, 2000

Drilling should be completed within 15 days. Completion operations (perforations and stimulation) will follow drilling operations.

#### **MULTI-POINT SURFACE USE AND OPERATIONS PLAN**

### MCKAY OIL CORPORATION SNAKEWEED "B" FED #4 SE/4SE/4 of Sec. 18, T-6S, R-23E Chaves County, New Mexico

#### NM 32323

This plan is submitted with the application for permit to drill the above described well. The purpose of the plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of necessary surface disturbance involved, and the procedures to be followed in rehabilitating the surface after completion of the operation so that a complete appraisal can be made of the environmental effects associated with the operation.

#### 1. EXISTING ROADS:

- A. Exhibit "A" is a portion of a road map showing the location of the proposed well is staked. The well is approximately 23 miles north of Roswell, NM.
- B. <u>Directions</u>: Heading North out of Roswell, New Mexico on U.S. 285 for approximately 23 miles and turn left on county road just before mile marker 137 (Cottonwood Road). Go approximately 2.0 miles, then turn north for approximately 1/4 mile to the lease road, turn west for approximately 1/2 mile, then turn south 1/4 mile to the location.

#### 2. PLANNED ACCESS ROAD:

- A. Length and Width: 1/4 mile long and 20' wide.
- B. Surface Materials: Sand, gravel and caliche where needed.
- C. Turnouts: None
- D. Maximum Grade: No more than 3%.
- E. <u>Drain Design</u>: Road will have drainage ditches on both sides and a crowned top, with culverts and/or low water crossings as necessary.
- F. Culverts: None.
- G. Cuts and Fill: None.

- H. Gates, Cattleguards: None needed. Already in place.
- I. Top Soil: Very little.

#### 3. LOCATION OF EXISTING WELLS:

A. A map indicating the location of adjacent wells is attached.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

- A: <u>See Exhibit "A"</u> for location of existing lease wells. If the well is commercial, production facilities and tank battery will be constructed.
- B. <u>Cuts and Fills</u>: Less than 10' of cut and fill will be required for the pad size of 258' x 350'. (See Exhibit "F")
- C. <u>Top Soil</u>: Any top soil which can sustain plant vegetation will be bladed and piled for future rehabilitation.

#### 5. LOCATION AND TYPE OF WATER SUPPLY:

A. Water will be purchased from a commercial source and trucked to the location over existing and proposed access roads.

#### 6. SOURCE OF CONSTRUCTION MATERIALS:

A. Closest Pit to the location.

#### 7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Drill cuttings will be disposed of in the drilling pits.
- B. Drilling fluids will be allowed to evaporate in the drilling pits until the pits are dry.
- C. Water produced during test will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.
- D. Current laws and regulations pertaining to the disposal of human waste will be complied with.

- E. Trash, waste paper, garbage, and junk will be placed in portable receptacles and hauled from the location upon completion of drilling and completion operations.
- F. All trash and debris will be removed from the well site within 30 days after finishing drilling and/or completion operations.

#### 8. ANCILLARY FACILITIES:

A. None necessary.

#### 9. WELL SITE LAYOUT:

- A. Exhibit "C" indicates the relation location and dimensions of the well pad, mud pits, reserve pit and major rig equipment.
- B. The location slopes very slightly to the east and southeast.
- C. The reserve pit will be lined with plastic to prevent loss of water.

#### 10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and the location cleaned of all trash and junk to leave the well site in an aesthetically pleasing conditions as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. If the well is non-productive or abandoned, the disturbed area will be rehabilitated using the preserved soil mentioned in 2.I. and 4.C.

#### 11. OTHER INFORMATION:

- A. <u>Topography</u>: The topography is a gradual slope to the south in the vicinity of the access road and south-southwest in the vicinity of the drill pad. Regional slope is south-southwest toward the Arroyo del Macho which is south-southwest of the location.
- B. Soil: Sandy loam with limestone outcropping.

- C. Flora and Fauna: The flora consists of typical desert vegetation, such as yucca, cactus and various grasses. Fauna consists of desert wildlife such as coyotes, rodents, snakes, dear and antelope.
- D. <u>Ponds and Streams</u>: Arroyo del Macho south-southwest of the proposed location.
- E. <u>Residences and other Structures</u>: The David Corn ranch house (old W.R. McKnight Ranch) is approximately 1 mile to the south-southwest.
- F. Archaeological, Historical and Other Cultural Sites: An Archaeologist from Roswell, NM will be contracted to check and approve this site and access road.
- G. Land Use: Grazing.
- H. Surface Ownership: USA-BLM.

#### 12. OPERATOR'S REPRESENTATIVE:


Gary Richburg Roswell, New Mexico (505) 623-4735 (O) (505) 626-8581 (C)


#### 13. <u>CERTIFICATION</u>:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exists; that he statements made in this plan are, to the best of my knowledge true and correct; that the work associated with the operations proposed herein will be performed by MCKAY OIL CORPORATION and its subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to provisions of 18 USC 1001 for the filing of a false statement.

2-04-00


DATE






## SI EWEED FEDERAL "B" #4 SE/4SE/4 OF SEC. 18, T-6S, R-23E CHAVES COUNTY, NEW MEXICO

## EXHIBIT "C"



## NAKEWEED FEDERAL "B" #4 SE/4SE/4 OF SEC. 18, T-6S, R-23E CHAVES COUNTY, NEW MEXICO

#### EXHIBIT "D"



AKEWEED FEDERAL "B" #4 SE/4SE/4 OF SEC. 18, T-6S, R-23E CHAVES COUNTY, NEW MEXICO THE TOTAL PROPERTY OF THE PARTY OF THE PARTY

ૡૢૢૢૢૢૢ૽૽૽ૺૹ૽૽ૺ૽૽૱૱૽ૺૡ૾ૡૢૢઌૢ૽ૢ૽૱૽ૢઌ૽૱ૡઌૣઌ૱૱ૡૢ૽૽ૺ૾ઌૢ

mandala and and marches and describe the following the first and the first and the first and the first and the

EXHIBIT "E" -04 "Double L" "Queso-St." "Inexco-st." State State Sible McKagOil HBP LG 5572 Jairt Lat Pital The Kony Oil 5 Yotes Pretetal 4 32322 Middle Fork-Fed." Betty Moolyto \*\*\* . ; 32322 Betty Moats, etal State Berry Monts, etal Miller-Fed" C.L. Yotes Pet. etol Yates Pet. McKoy Oil 32372 Yores Pet. etal Yates Pet Mc Kay Oil McKoyOil

McKoyO Yates Pet etal 8 1-94 81865 2 99 U.S. ₩4.5Mil. χ' Beity Moots, etc Betty Moots, etal /Mesa,Central IRes /, Seque -10 McKay Oil MTS 12 12 18 84 本!. 7 Mil. Mary Dann, Tr. 1/2 32322 Miller-Fed . "Middle Fork-Fed." 8 C Elmere Five Mile Tonk Fed. Nelda Thompson Yates Pet, ctal
6-27-81
Cnortauguo Oil Sund '7
Assurance Hame, et 8'
No Brotford, Est del U.S. Mckay Oil McClellon Oil Grt. West'n. Drig us.
4 · I · 15 Remmele roce
83541 Yotes Pet. Mic Koy Oil McKay Oil L6-5572 6 1 89 16:5571 33.23 32323 浅河 "Charolette" -3 MI. W.R. McKnight #3 Belly Moots, etcl McKey Dil GOI SUPPLY AT FIRST AND AS 753660 04330 85 MCKAY OILERS 18733 | MCKOY O.P | HBP | 32323 ¢⁴smil. ;; Mc Kay Dil 188 1815 1 5 32323 Mi,2Mil. McKay Cil 11BP " Five Mile Tonk-Fed" " WOH-St. 23 6 Stote U.S. Stevens Oil Mitchell Energial Rio Petrol glolai 251 3 - 20 - 86 Fred Pool Yotes Pet etal Sulphur River, etal Yates Pet etol B 1 94 B1686 200 Yotes Pet.,etal 8 · I · 94 BIBB6 2 82 Mc Koy Oil 31324 McKayOil HBF LGSS72 50 t State -51 Royale-Fee. "Me. M Fed" Anna R. Friday 23 22 20 ,---\X² McKay Royale Fee اساءوكت Prices River Pecas River Oper Inc MEM Fed U.S. Florence Remmeke etal(S) STRUCTS OUT McKay Oil U.S. Florence Remmele, etal (S) u.s. u.s. U.S. 38351 McKay Oil, etal M.Wolfe HBP 32324 Mitchell ates Pet etal McKay Oil 1 1 - 96 all 52 c. 860 55 Yates Pet., etal Yotes Pet. etal 32325 61807 81806 Stevens Oper Michael (U.S.) #5 2 McKoy McKay Oil Oil 25 26 27 30 Yates Pet, etal 10 · 1 · 94 81888 2 29 W.R. Mc-Knight 4 45 Yates Per aid St.

6 1 98 Florence Remmes
454 Fronts China e altie W. R. McKnight U.S Yates Pet, etal 1 - 1 - 94 v-2779 16 17 McKoy Oil Mcknigh Yates Pet, etal State Yates Pet.eta Florence 7 : 1 : 34 Remmele, etal y A : 213 Kates Pet,etal € · 1 · 98 V· 4153 15 63 12.6.69 Corn Trust-St 0 (017 Trust-St 10 4011 20 5 30 85 MEKRAUNI 2-McKey0( ж. 36 32325 31 33 34 32 Makey Oil China Drow-Fed. Mocho-St. State State u.S. State Yotes Pet et al Yates Pet etal Yutes Pet.  $\perp$ `\$\\, \$\\ Mesa Pet. Macha-Fed. TD 3230 2 3 MISO Pet. Mocho-Fed-11 TD3400 6 Macho-Fed." WHII Pet. "Sacatan-St." State `U.5. Yates Pet, etal Yores Petero Yates Pet, etai