


(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**

Lease No. **NM 028966**

Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 19, 1957

Well No. **1** is located **2310'** ft. from **4N** line and **1650'** ft. from **E** line of sec. **11**
NE 4 Section **11** **6 N. 25 E.** **N 1/4**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Do Baca** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4633** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well plugged with mud and cement: Haliburton cement and equipment.
Cement plugs at following depths:

Plug 2270' -- 10 sax
 Plug 1650' -- 10 sax
 Plug 1250' -- 25 sax
 Plug 130' -- 25 sax

No formation tests were made. Hole size 7 7/8". Left 120' of 8 5/8' surface pipe in hole. Circulated cement on surface pipe. Total depth 2608'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **United Western Minerals Company**

Address **136 West Palace Avenue**

Santa Fe, New Mexico

By **Bob Donegan**

Title **Geologist**