
FORM C-105



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fo, New Mexico

HC 3BS OFFICE

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe. New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL

M. Stariforth Company or Operator State Well No. 1 in NE 4 of Sec. 27 , T. 4 R. 22E , N. M. P. M., Well is 1650 feet south of the North line and 330 feet west of the East line of Sec. 210 If State land the oil and gas lease is No. Assignment No. If patented land the owner is , Address If Government land the permittee is , Address Drilling commenced 1909 ber 2 19 43 Drilling was completed April 3 Name of drilling contractor Johnson Opil in O. Address Elevation above sea level at top of casing 4760 feet.	Coun
State Well No. 1 in NE 4 of Sec. 27 , T. 4 R. 22E N. M. P. M., Field, Gebaca Well is 1650 feet south of the North line and 330 feet west of the East line of Sec. 10 If State land the oil and gas lease is No. Assignment No. If patented land the owner is Address. If Government land the permittee is Address. The Lessee is Address. Drilling commenced feet ber 2 19 43 Drilling was completed April 3 Name of drilling contractor Johnson Drilling Co., Address Wichita Fall 5.	Coun
R. 22E N. M. P. M., Field, BeBaca Well is 1650 feet south of the North line and 530 feet west of the East line of Section If State land the oil and gas lease is No. Assignment No. If patented land the owner is Address. If Government land the permittee is Address. Principle Commenced 1909 2 19 43 Drilling was completed April 3 Name of drilling contractor Johnson Drilling O. Address Wishits Fall 5.	Coun
Vell is 1650 feet south of the North line and 330 feet west of the East line of Section of State land the oil and gas lease is No	n 27
f State land the oil and gas lease is No	
f Government land the permittee is	
The Lessee is	
Orilling commenced <u>lecember 2</u> 19 43 Drilling was completed April 3 Name of drilling contractor Johnson Orilling Co., Address Wichita Falls,	
Name of drilling contractor Johnson Opilling Co. , Address Wichita Falls.	
Clavation above dea level at ton of equipm - 1 - 1 - 1	Texas
The information given is to be kept confidential until	
OH, SANDS OR ZONES	
No. 1, from <u>none</u> to No. 4, fromto	
No. 2, from No. 5, from to to	
No. 3, from No. 6, from to to	
IMPORTANT WATER SANDS	
Include data on rate of water inflow and elevation to which water rose in hole. Unable to state as drilled with rotary	
No. 1, from to feet.	
No. 2, fromtoto	
No. 3, from	
CASING RECORD	
CASING RECORD	
SIZE WEIGHT THREADS PER INCH MAKE AMOUNT KIND OF CUT & FILLED PERFORATED FROM TO	PURPO
7" 20# 10 1097! common mone	
	-
MUDDING AND CEMENTING RECORD	•
STODDAM AND CESTERIANG MICOLOGO	
SIZE OF SIZE OF CASING WHERE SET OF CEMENT METHOD USED MUD GRAVITY AMOUNT O	F MUD USE
9" 7" 100" 27 Telliburton	
	······································
PLUGS AND ADAPTERS Heaving plug—Material Length Depth Set	
Adapters Material Size Size	
RECORD OF SHOOTING OR CHEMICAL TREATMENT	
	CLEANED O
SIZE SHELL USED EXPLOSIVE OR QUANTITY DATE DEPTH SHOT OR TREATED DEPTH C	
SIZE SHELL USED CHEMICAL USED QUANTITY DATE OR TREATED DEPTH	
SIZE SHELL USED CHEMICAL USED QUANTITY DATE OR TREATED DEPTH	
SIZE SHELL USED CHEMICAL USED QUANTITY DATE OR TREATED DEPTH (
SIZE SHELL USED CHEMICAL USED QUANTITY DATE OR TREATED DEPTH (
SIZE SHELL USED CHEMICAL USED QUANTITY DATE OR TREATED DEPTH (
Results of shooting or chemical treatment. RECORD OF DRILL-STEM AND SPECIAL TESTS	attoch h
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and	attach her
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPRCIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED	
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Office to 1725 feet, and from feet to	
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 feet to 1785 feet, and from feet to Cable tools were used from 1076 feet to feet, and from feet to	
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Q feet to 1785 feet, and from feet to PRODUCTION	
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from O feet to 1785 feet, and from feet to 2000 tools were used from 1000 feet to 1785 feet, and from feet to 1780 feet, and from feet to 1780 feet, and from feet to 1880 feet to 1980 f	
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Q feet to 1785 feet, and from feet to Cable tools were used from NOYE feet to feet, and from feet to PRODUCTION PRODUCTION Put to producing 19 19 19 19 19 19 19 19 19 19 19 19 19	;
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 teet to 1785 feet, and from feet to 2001 feet, and from feet to 1785 report on separate sheet and TOOLS USED Rotary tools were used from 10 feet to feet, and from feet to 1901 feet feet feet feet feet feet, and from feet feet feet feet feet feet feet fee	;
Results of shooting or chemical treatment. RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Q feet to 1785 feet, and from feet to Cable tools were used from Pore feet to feet, and from feet to PRODUCTION Put to producing 19 PRODUCTION Put to producing 19 Served Serv	;
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 teet to 1785 feet, and from feet to 2001 teet to 1884, and from feet to 1884 from feet to 1985 feet, and from feet to 1986 feet feet feet feet feet feet feet fee	;
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from O feet to 1785 feet, and from feet to 2016 tools were used from 1926 feet to feet, and from feet to 1980 The production of the first 24 hours was 5000 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be Gallons gasoline per 1,000 cu. ft. of gas Rock pressure, lbs. per sq. in.	;
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from O feet to 1735 feet, and from feet to 2016 tools were used from 1016 feet to feet, and from feet to 1916 The production of the first 24 hours was 5000 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be If gas well, cu, ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas Rock pressure, lbs. per sq. in. EMPLOYEES	;, Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from O feet to 1725 feet, and from feet to Cable tools were used from POYE feet to feet, and from feet to PRODUCTION Put to producing 19 production of the first 24 hours was 9072 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be If gas well, cu, ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas EMPLOYEES F.T. Johnson Driller	;, Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 feet to 1785 feet, and from feet to 2016 feet to 6016 feet, and from feet to 6017 feet	;
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Q teet to 1765 feet, and from feet to PRODUCTION Put to producing rone 19 The production of the first 24 hours was 5000 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be 11 gas well, cu, ft. per 24 hours 6 Gallons gasoline per 1,000 cu, ft. of gas 500 priller 7.B. Story Driller FORMATION RECORD ON OTHER SIDE I hereby swear or affirm that the information given herewith is a complete and correct record of the work done on it so far as can be determined from available records.	; Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 teet to 1785 feet, and from feet to calle tools were used from 1986 feet to feet, and from feet to feet to feet, and from feet to feet to feet, and from feet to SPRODUCTION Put to producing 19 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be. If gas well, cu, ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas Rock pressure, lbs. per sq. in. EMPLOYEES F.T. Johns M. Driller FORMATION RECORD ON OTHER SIDE I hereby swear or affirm that the information given herewith is a complete and correct record of the	; Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from Q teet to 1765 feet, and from feet to PRODUCTION Put to producing rone 19 The production of the first 24 hours was 5000 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be 11 gas well, cu, ft. per 24 hours 6 Gallons gasoline per 1,000 cu, ft. of gas 500 priller 7.B. Story Driller FORMATION RECORD ON OTHER SIDE I hereby swear or affirm that the information given herewith is a complete and correct record of the work done on it so far as can be determined from available records.	; Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 feet to 1785 feet, and from feet to 6. Cable tools were used from 2000 feet to 7000 feet, and from feet to 6. PRODUCTION Put to producing 2000 19 feet to 6. The production of the first 24 hours was 2000 barrels of fluid of which % was oil emulsion; % water; and % sediment. Gravity, Be. If gas well, cu, ft. per 24 hours Gallons gasoline per 1,000 cu, ft. of gas. Rock pressure, lbs. per sq. in 6. EMPLOYEES T. Johns 7 Driller FORMATION RECORD ON OTHER SIDE I hereby swear or affirm that the information given herewith is a complete and correct record of the work done on it so far as can be determined from available records. Subscribed and sworn to before me this 15th Name 6. Outpoor 19 April 7 Pexas A 2000 19 April 7	; Dr
Results of shooting or chemical treatment RECORD OF DRILL-STEM AND SPECIAL TESTS If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and TOOLS USED Rotary tools were used from 0 feet to 1785 feet, and from feet to 62ble tools were used from 1006 feet to 1008 feet to 62ble tools were used from 1006 feet to 1008 feet to 62ble tools were used from 1006 feet to 1008 feet to 100	;, Dri

Address Wichits Walls, Taxas

FROM	то	THICKNESS IN FEET	PRMATION RECORD FORMATION
0 26 42 60 66 83	26 42 60 66 83 91 120		Surface and cliche Hard lime brolen lime and sand stone sand stone red sand gray sand red sandy shale
120 KRAX MR 164 196 195 239 254 305 252 3333 365 415 479 525 668 7727 807 808 830 830 1050 1058 1065 1065 1076 1176 1176 1176 1176 1176 1176 1176	186 195 237 259 252 254 305 320 365 415 430 490 5525 8707 738 807 727 738 803 990 1058 1058 1058 1058 1176 1203 1204 1370 1562 1635 1635 1636 1786 1786 1785 1785 1785 1785 1785 1785 1785 1785		red shale blue shale red shale shell red shale shell red shale gyp water gravel gyp and shale red shale and shells sandy shale red shale and gyp blue shale red shale and gyp blue shale red shale and gray shale red shale gray shale red and gray shale red and gray shale red and gray shale red and gray shale red anydrite anhydrite and sand brown lime anhydrite and lime hard anyhdrite broken anhydrite and shale sand and anhydrite anhydrite and red shale amhydrite and red shale anhydrite and shale blue shale anhydrite and shale brown anhydrite anhydrite blue shale hard lime (Oil odor and stain) white anhydrite dolomite sandy lime white sand hard sand and sandy lime hard dolomite red shale anhydrite red shale and salt anhydrite hard dolomite red shale and salt anhydrite hard dolomite red shale
	3(H, J,)		