

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

DEC 11 1980

O. C. D.

5a. Indicate Type of Lease

State ☒ Fee ☐

5. State Oil & Gas Lease No.

L-5070

7. Unit Agreement Name

8. Farm or Lease Name

Boldernhel

9. Well No.

1

10. Field and Pool, or Wildcat

Wildcat

12. County

De Baca

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	B-111

1a. TYPE OF WELL

OIL WELL ☐GAS WELL ☐DRY ☒

OTHER

b. TYPE OF COMPLETION

NEW WELL ☐WORK OVER ☐DEEPEN ☐PLUG BACK ☐DIFF. RESVR. ☐

OTHER

P & A

2. Name of Operator

McClellan Oil Corporation

3. Address of Operator

Post Office Drawer 730, Roswell, New Mexico 88201

4. Location of Well

UNIT LETTER D LOCATED 660 FEET FROM THE North LINE AND 660 FEET FROM

THE West LINE OF SEC. 36 TWP. 3-S RGE. 26-E NMPM

15. Date Spudded

10/10/80

16. Date T.D. Reached

11/05/80

17. Date Compl. (Ready to Prod.)

NA P & A 1-21-81

18. Elevations (DF, RKB, RT, GR, etc.)

3805' G.L.

19. Elev. Casinghead

3805' G.L.

20. Total Depth

4750'

21. Plug Back T.D.

4677'

22. If Multiple Compl., How

Many NA

23. Intervals

Drilled By

Rotary Tools

0-4750'

Cable Tools

24. Producing Interval(s), of this completion -- Top, Bottom, Name

None

25. Was Directional Survey Made

Yes

26. Type Electric and Other Logs Run

CN-FD, DLL-RX0, Gamma Ray, Caliper

27. Was Well Cored

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	23	1197'	12-1/4"	250 sx HLC, 375 sx C	None
4-1/2"	10.5	4677'	7-7/8"	285 sx 50/50 "C" Pozmix	3700'

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

30. TUBING RECORD

SIZE	DEPTH SET	PACKER SET

31. Perforation Record (Interval, size and number)

4612,13,14,15,16,17,19-1SPF. 4496,98,4500-2SPF.
4429,30,31,33,34,36,40-1SPF. 4273,75,80,81,91,92.
93,95,4304,05,13,26,27,28,46,47,48,49,50-1SPF.
4143,44,45,46,47,52,53,54,55,56,57,58,75,76,77,
84,85,86,87,88,89,90-1 SPF.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
4612-4619	1500 gal 7 1/2% HCL *
4429-4500	2500 gal 7 1/2% HCL *
4273-4350	4000 gal 7 1/2% HCL *
4143-4190	4000 gal 15% HCL *

33. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
NA							
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

Test Witnessed By

35. List of Attachments

3 copies of Deviation Survey, 2 copies of Electric Logs

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

Paul Ragsdale

TITLE

Engineer

DATE 12/09/80

* Swabbed Dry - No show of oil or gas.

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>1100</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta <u>1950</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb <u>3470</u>	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo <u>4100</u>	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from None to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

No. 5, from _____ to _____

No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1100	1100	Red beds, anhydrite & gyp				
1100	1950	850	Dolomite & anhydrite				
1950	3350	1400	Sand, anhydrite & shale				
3350	3600	250	Dolomite, sand & anhydrite				
3600	4000	400	Anhydrite & shale				
4000	4750	750	Shale with sand stringers				

December 9. 1980

RECEIVED

DEC 11 1980

McClellan Oil Corporation
Post Office Drawer 730
Roswell, New Mexico 88201

O. C. D.
ARIZONA OFFICE


Re: McClellan Oil Corporation
Boldernhel No. 1
Section 36-T3S-R26E
De Baca County, New Mexico

Dear Sir:

The following is a Deviation Survey of the above well located in
De Baca County, New Mexico.

475' - 1/2°
916' - 1/2°
1225' - 3/4°
1447' - 3/4°
2018' - 1/2°
2293' - 1/2°
2456' - 1/2°
2870' - 1/2°
3400' - 3/4°
4114' - 1°
4409' - 1°
4750' - 1°

Yours truly,
BAM Drilling Corporation


Paul Ragsdale

SUBSCRIBED AND SWORN TO before me this 9th day of December, 1980.

