## UNITED STATES DEPARTMENT OF THE INTERIOR

<b>5.</b> L	EASE
NM	33264
<b>6.</b> IF	INDIAN, ALLOTTEE OR TRIBE NAME

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTT	EE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS WWELLS  (Do not use this form for proposals to drill or to deepen plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT	RECEIVED BY
reservoir, Use Form 9–331–C for such proposals.)	8. FARM OR LEASE N	
1. oil gas 🗓 other	ARANA FEDERAL  9. WELL NO.	JAN 16 1984
2. NAME OF OPERATOR MESA PETROLEUM CO.	1	O. C. D.
3. ADDRESS OF OPERATOR	WILDCAT	
1000 VAUGHN BUILDING/MIDLAND, TEXAS 79701		BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA SEC_20, T3S, R2	P4F
AT SURFACE: 1980' FNL & 660' FWL	12. COUNTY OR PARIS	
AT TOP PROD. INTERVAL:	DE_BACA	NEW MEXICO
AT TOTAL DEPTH: SAME	14. API NO	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
REPORT, OR OTHER DATA	15. ELEVATIONS (SHO 4227.7' GR	W DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4227.7 GR	
TEST WATER SHUT-OFF [] [] [] [] [] [] [] [] [] [] [] [] []	'বিসক্তির	
FRACTURE TREAT  SHOOT OR ACIDIZE	₩.	
REPAIR WELL	(NOTE: Report results of	multiple completion or zone
PULL OR ALTER CASING	1982   dhange on Form	9–330.)
MULTIPLE COMPLETE	1	
ABANDON* U.S. GECLOGIC	AS CHOVEY	
(other) ROSWELL NEV	V MEXICO	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clear y state including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen	rectionally drilled, give su	d give pertinent dates, ubsurface locations and
Commecned P&A procedures as follows on 9-28-	81:	
Loaded hole with 9 lb + mud Set 50 sx "C" + 1% CaCl at PBTD of 3712' - T		)'
Cut off 4 1/2" csg at 2955' - recovered 72 j	ts nlug)	
Set 63 sx "C" + 2% CaCl at 2950' (100' stub Set 25 sx "C" + 2% CaCl at 2053' (50' in & o		1
Set 15 sx "C" + 2% CaCl at 100' to surface.	ac or o 5/6 csg,	
Installed dry hole marker. Well P&A 10-1-81		
v		
XC: USGS (6), TLS, CEN RCDS, ACCTG, MEC, REM , F	PARTNERS PASSIELL	. FILE
Subsurface Safety Valve: Manu. and Type		
18. I hereby certify that the foregoing is true and correct	0.4.0	20
SIGNED REPLATORY COORD	INATORATE 2-4-8	32
APPROVED BY CHESTER TITLE	ce use)	
APPROVED BY TITLE	DATE	
CONDITIONS OF APPROVAL, IF ANY:		
FFA 1 4 1984		

See Instructions on Reverse Side