

**NEW MEXICO OIL CONSERVATION COMMISSION**  
**Santa Fe, New Mexico**

Form G-101  
 Revised (12/1/55)

**NOTICE OF INTENTION TO DRILL**

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in **QUINTUPLICATE**. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. **If State Land submit 6 Copies Attach Form G-128 in triplicate to first 3 copies of form G-101**

Midland, Texas

December 12, 1958

(Place)

(Date)

OIL CONSERVATION COMMISSION  
 SANTA FE, NEW MEXICO

AMENDED

Gentlemen:

You are hereby notified that it is our intention to commence the **Drilling of a well to be known as**

Humble Oil & Refining Company

Co. Lse. No. PR-63-37-58

New Mexico State "BA"

(Company or Operator)

1

"B"

The well is

located 990 feet from the North line and 1980 feet from the

East

North

(Unit)

1980

25

25

T 32-S

16-W

NMPM.

(GIVE LOCATION FROM SECTION LINE)

Wildcat

Pool,

Hidalgo

County

If State Land the Oil and Gas Lease is No. E-4847

If patented land the owner is \_\_\_\_\_

Address \_\_\_\_\_

We propose to drill well with drilling equipment as follows: Rotary

The status of plugging bond is on file with Commission Office

Drilling Contractor Durham Drilling Company

**RECEIVED**

**JAN 5 1965**

We intend to complete this well in the Ellenburger

formation at an approximate depth of 15,000

**O. C. C.** \_\_\_\_\_ feet.  
**ARTESIA, OFFICE**

**CASING PROGRAM**

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
17-1/2"	13-3/8"	48 $\frac{1}{2}$	New	350'	500 sks. *
12-1/4"	9-5/8"	40 & 36 $\frac{1}{2}$	New	5700'	2000 sks **
8-3/4"	5-1/2"	20 & 17 $\frac{1}{2}$	New	TD	1500 sks.***

If changes in the above plans become advisable we will notify you immediately.

**ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)**

\*Circulate to surface

Halliburton method of cementing

\*\*Circulate to 13-3/8" csg.

Min. mud for damples

\*\*\*Circulate to 9-5/8" csg.

Note: This amended application is being filed to change the total depth from 14,000 to 15,000 to test the Ellenburger zone.

Approved Dec 18, 1958

Sincerely yours,

Except as follows:

Humble Oil & Refining Company

(Company or Operator)

*20 & 17" casing may not be sufficient to total depth 15,000 feet*

By \_\_\_\_\_

OIL CONSERVATION COMMISSION

Position Asst. Div. Chief Clerk

Send Communications regarding well to

Name R. R. McCarty

Box 1600, Midland, Texas

By R. L. Stumpe