For (F	<b>m 9-831</b> 'eb. 1951)	A			
,			( C. 1		Contract Programme
J. Same	\$ 15 C	4		135	30) .≠≈¥ .
***************************************	المراء				AUL

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR

Land Office	
NM-077276	_
Unit	

GEOLOGI	ICAL SURVEY
James 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NIW W. C. C.
SINDRY NOTICES AN	ID REPORTS ON WELLS
At 1948 to present	
OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPORT
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONILLA
OTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO ABANDON WELL	
, -	TOTAL NOTICE OR OTHER DATA)
(INDICATE ABOVE BY CHECK MARK N	ATURE OF REPORT, NOTICE, OR OTHER DATA)
	Howerber 7 , 1960
Thielking	
ell No is located 755 ft. from	${N \choose S}$ line and 560 ft. from ${K \choose W}$ line of sec. 22
28/4 Ha/4 Saz. 23 30 South, 14	Range) (Meridian)
(1/2 Sec. and Sec. No.)	New Hexico
Wildest Hisles  (Field) (County or	Subdivision) (State or Territory)
	1.1.
he elevation of the derrick floor above sea leve	el 18
DETAII	LS OF WORK
DETAIL	LS OF WORK
DETAII  tate names of and expected depths to objective sands; show size ing points, and all ot	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, cemen her important proposed work)
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  That with 50 sacks cament, circulate
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  Foot with 50 sacks cament, circulate
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  Foot with 50 sacks cament, circulate
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Hole New 13-3/8" Casing 16 60 1111 Hole New 9-5/8" Casing 16100  7-7/8" Hole New 5-1/2" Casing 16 7	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with aud  otal Depth with 300 sacks cament.
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of  17½** Note New 13-3/8** Casing in 60 to 11** Hole New 9-5/8** Casing in 100  7-7/8** Hole New 5-1/2** Casing in 7	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Dupth with 300 sacks cament.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Note New 13-3/8" Casing 100 111" Hole New 9-5/8" Casing 100 7-7/8" Hole New 5-1/2" Casing 100 The above program is only an astimated account of the program of the same program of the sa	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Note New 13-3/8" Casing 100 111" Hole New 9-5/8" Casing 100 7-7/8" Hole New 5-1/2" Casing 100 The above program is only an astimated account of the program of the same program of the sa	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of  17½** Hole New 13-3/8** Casing is 60 to 11** Hole New 9-5/8** Casing is 1100 7-7/8** Hole New 5-1/2** Casing is 7.  The above program is only an estim The actual casing program may vary porosity and water existing in the	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the cornitions of hole.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  17½1' Hole New 13-3/8" Casing in 60 to  11'1' Hole New 9-5/8" Casing in 1100  7-7/8" Hole New 5-1/2" Casing in The above program is only an estimate actual casing program may vary porosity and water existing in the  Brilling Contractor: Company Tool	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of hole.  s - Pecos Drlg. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  17½1' Hole New 13-3/8" Casing in 60 to  11'1' Hole New 9-5/8" Casing in 1100  7-7/8" Hole New 5-1/2" Casing in The above program is only an estimate actual casing program may vary porosity and water existing in the  Brilling Contractor: Company Tool	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of hole.  s - Pecos Drlg. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  174" Hole New 13-3/8" Casing 10 60 111" Hole New 9-5/8" Casing 201100 7-7/8" Hole New 5-1/2" Casing 201100 The above program is only an estime The actual casing program may vary porosity and water existing in the  Prilling Contractor: Company Tool  Projected total depth 3500" Ellenia	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of hole.  s - Pecos Drlg. Co.
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of  17½" Mole New 13-3/8" Casing 160 111" Hole New 9-5/8" Casing 160 7-7/8" Hole New 5-1/2" Casing 16 To  The above program is only an estime the actual casing program may vary porosity and water existing in the  Prilling Contractor: Company Tool  Projected total depth 3500" Ellenia	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.
DETAIL tate names of and expected depths to objective sands; show size ing points, and all of  17½" Mole New 13-3/8" Casing 160 111" Hole New 9-5/8" Casing 160 7-7/8" Hole New 5-1/2" Casing 16 To  The above program is only an estime the actual casing program may vary porosity and water existing in the  Prilling Contractor: Company Tool  Projected total depth 3500" Ellenia	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comen ther important proposed work)  feet with 50 sacks cament, circulate feet with mud otal Depth with 300 sacks cament.  ete of the casing required in this test we and will depend upon the conditions of hole.  s - Pecos Drlg. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Hole New 13-3/8" Casing 160 of  11" Hole New 9-5/8" Casing 21100  7-7/8" Hole New 5-1/2" Casing 21100  The above program is only an astim The actual casing program may vary porosity and water existing in the  Drilling Contractor: Company Tool  Projected total depth 3500 Elleni  Cable Tools  Lunderstand that this plan of work must receive approval in	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Hole New 13-3/8" Casing 160  7-7/8" Hole New 5-1/2" Casing 160  7-7/8" Hole New 5-1/2" Casing 160  The above program is only an astim The actual casing program may vary porosity and water emisting in the Prilling Contractor: Company Tool  Projected total depth 3500! Ellenic Cable Tools  I understand that this plan of work must receive approval in Company  Guy A. Swartz	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Hole New 13-3/8" Casing 160 of  11" Hole New 9-5/8" Casing 21100  7-7/8" Hole New 5-1/2" Casing 21100  The above program is only an astim The actual casing program may vary porosity and water existing in the  Drilling Contractor: Company Tool  Projected total depth 3500 Elleni  Cable Tools  Lunderstand that this plan of work must receive approval in	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Mole New 13-3/6" Casing 160  11" Hole New 9-5/8" Casing 160  7-7/8" Note New 5-1/2" Casing 160  The above program is only an estim The actual casing program may vary porosity and water existing in the  Drilling Contractor: Company Tool  Projected total depth 35001 Elleni  Cable Tools  I understand that this plan of work must receive approval in  Company 644 A. Swertz  Address 7. 3. 308 24	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.
DETAIL  tate names of and expected depths to objective sands; show size ing points, and all of  172" Hole New 13-3/8" Casing 160  7-7/8" Hole New 5-1/2" Casing 160  7-7/8" Hole New 5-1/2" Casing 160  The above program is only an astim The actual casing program may vary porosity and water emisting in the Prilling Contractor: Company Tool  Projected total depth 3500! Ellenic Cable Tools  I understand that this plan of work must receive approval in Company  Guy A. Swartz	LS OF WORK  s, weights, and lengths of proposed casings; indicate mudding jobs, comenther important proposed work)  feet with 50 sacks cament. circulate feet with mud otal bepth with 300 sacks cament.  etc of the casing required in this test was and will depend upon the conditions of hole.  s - Pecos Drig. Co.

## MEDI MEXICO CUL CONSERVATION COMMISSION

## Mall Location and Acreage Dedication Plat

Thielking-Federal Township 30 South Range 14 West NMP 660
Township 30 South Range 14 West NMP 660 Feet From West Lin Dedicated Acreage 40 Acre Pool Wildcat dacreage outlined on the plat below?  interests of all the owners been herwise? Yes x No If answer is ment the owners and their respective interests  Land Description
Dedicated Acreage 40 Acre Pool Wildcat d acreage outlined on the plat below?  interests of all the owners been herwise? Yes x No . If answer is ment the owners and their respective interests  Land Description
Pool Wildcat d acreage outlined on the plat below?  interests of all the owners been herwise? Yes x No . If answer is ment the owners and their respective interests  Land Description
interests of all the owners been herwise? Yes x No . If answer is ment  the owners and their respective interests  Land Description
herwise? Yes x No . If answer is ment the owners and their respective interests  Land Description  OV 15 1980
0V 1 5 4860
0V 1 5 4860
> OV 1 5 4980
U. S. DAVLUC TAL SURVEY
ANTEGRA HER WEXTED
This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.  Guy A. Swartz (Operator)  (Representative) P. 0. Box 24 Roswell, New Mexico  Address
This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.  Date Surveyed 10-22-60  Registered Professional Engineer and/or Land Surveyor

(See instructions for completing this form on the reverse side)

## INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for  $\underline{both}$  oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plant the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

<sup>\* &</sup>quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)