

X			

APPROVED

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYBudget Bureau No. 42-R358.4.
Form Approved.

Land Office

Lease No. **NM 077195**

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF Deepen	X	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Bryce Duggar, 19__
 Well No. **1** is located **3,625** ft. from **N** line and **505.72** ft. from **W** line of sec. **30**
SW 1/4 (Lot 2) 30 **6 S.** **10 E.** **N. M. P. M.**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **Lincoln** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **5500** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth presently 752 feet.
 10" surface pipe set at 104 feet and cement circulated to surface.
 Plan to deepen well to top of Abo at an estimated 2,300 feet.
 If commercial shows are encountered will run 7" production string and cement with approximately 50 sacks.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Bryce Duggar**Address **Box 156****Carrizozo, New Mexico**

By

Bryce Duggar

Title



(SUBMIT IN TRIPLICATE)

Land Office 077125
Lease No. NM 080210

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
MAY 13 1960

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 5, 1960

Well No. 1 is located 1555 ft. from N line and 505.72 ft. from W line of sec. 30
Lot 2, Section 30 T.6 S. R.10 E. N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Lincoln New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drill with cable tools to approximately 1350 feet to test Yeso sand. Set 10" at approximately 100 feet - circulate to surface with cement. Will run 4 1/2" oil string if production is encountered.

RECEIVED


MAY 13 1960

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Bryant-Burgess
Address Chicago, Ill.

By James H. [Signature]

Title _____



WELL LOCATION
SCALE 1"=100'



LOCATION MAP
SCALE 1"=100'

Hunter E. Favel

BRYCE DUGGER, CARMIZO, N.M.			1 -OF- 1
DANIEL ENGINEERING CO. 1015 OREGON AVE. PHONE HE 7-0340 ALAMOGORDO NEW MEXICO			
SCALE: NOTED	DATE: 22 MARCH 1950	BY: E.H. JOB NO: 1954	