

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
LG 9357

TYPE OF WELL *By* OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER P&ATYPE OF COMPLETION NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐Name of Operator
Yates Petroleum CorporationAddress of Operator
207 South 4th St., Artesia, NM 88210

Location of Well

BY LETTER P LOCATED 660 FEET FROM THE South LINE AND 660 FEET FROMEast LINE OF SEC. 12 TWP. 1S RGE. 17E NMPMDate Spudded 2-15-84 16. Date T.D. Reached 2-28-84 17. Date Compl. (Ready to Prod.) Dry 18. Elevations (DF, RKB, RT, GR, etc.) 5506.7' GR 19. Elev. CasingheadTotal Depth 3990' 21. Plug Back T.D. - 22. If Multiple Compl., How Many - 23. Intervals Drilled By Rotary Tools 0-3990' Cable Tools

Producing Interval(s), of this completion - Top, Bottom, Name

Dry

25. Was Directional Survey Made

NoType Electric and Other Logs Run
CNL/FDC; DLL27. Was Well Cored
No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	420'	17-1/2"	750	
8-5/8"	24#	1544'	12-1/4"	800	
5-1/2"	14 & 17#	3984'	7-7/8"	875	1648'

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

TUBING RECORD

SIZE	DEPTH SET	PACKER SET

Perforation Record (Interval, size and number)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

PRODUCTION

Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)

Date of Test Hours Tested Choke Size Prod'n. For Test Period Oil - Bbl. Gas - MCF Water - Bbl. Gas - Oil Ratio

Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API (Corr.)

Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By

List of Attachments

Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED *[Signature]*TITLE Production SupervisorDATE 7-6-84

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Yaso ⁴³⁰ 708 _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. Precambrian _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____	No. 4, from _____ to _____
No. 2, from _____ to _____	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____	feet. _____
No. 2, from _____ to _____	feet. _____
No. 3, from _____ to _____	feet. _____
No. 4, from _____ to _____	feet. _____

FORMATION RECORD (Attach additional sheets if necessary)


From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	420	420	Surface, Redbeds, Anhydrite				
420	940	520	Sand, Anhydrite				
940	1499	559	Anhydrite, Dolomite				
1499	1746	247	Anhydrite				
1746	2430	684	Shale, Anhydrite				
2430	3372	942	Shale				
3372	3605	233	Shale, Granite Wash				
3605	3990	385	Gr. Wash, Lime, Shale				

ARTESIA FISHING TOOL COMPANY

P.O. BOX ~~XX~~ PHOENIX, ARIZONA 85001
470

ARTESIA, NEW MEXICO 88210

March 12, 1984



Yates Petroleum Corporation
207 South Fourth Street
Artesia, NM 88210

Re: Inexco YP State #1
660' FSL & 660' FEL
Sec. 12, T1S, R17E
Lincoln County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
420'	1/4°
1018'	1/4°
1544'	1/4°
2034'	1/4°
2521'	1/2°
3015'	1/4°
3708'	1/2°
3990'	1/2°

Very truly yours,

A handwritten signature in cursive script, appearing to read "B. N. Muncy Jr.".

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

}
}

The foregoing was acknowledged before me this 12th day of March, 1984.

