Form 9–330		_			OIE CON							
RECEIVED BY UNITED STATE Intest						er SUBMIT IN DUPLIC.				Form approved. Budget Bureau No. 42-R355.5.		
reverse side							her in-	5. LEASE DESIGNATION AND SERIAL NO.				
JAN 25 1985 GEOLOGICAL SURVEY							side)	NM 37148				
WELL SO	MPFETION	OR RECO	OMPLETI	ON R	EPORT	AN	D LOG	*			TEE OR TRIBE NAME	
1a. TYPE OF WELL	GOFFICE OF	GAS WELL	DF	RY X	Other P	&A			7. UNIT AGRI	SEMENT	NAME	
b. TVDE OF COMP	WORK DE	EP- PLCG	DIFF	. 🗀					C EARN OR	TRIOR V	A BE D	
WELL OVER EN BACK RESVR.					Other				S. FARM OR LEASE NAME Yardstick AAV Fede			
	es Petrol	eum Corpo	ration 🗸						9. WELL NO.		1000101	
3. ADDRESS OF OPER		<u> </u>								1		
	7 So. 4th						40/4		10. FIELD AN		OR WILDCAT	
4. LOCATION OF WELL At surface		-				ıremen	78) -		Wilde		R BLOCK AND SURVEY	
14 4.m m3 (int.		& 1980 FE		2/-14	2-KIJE				OR AREA	,,		
At top prod. into	ervai reported b	elow 0°							Hed+ C	Coo	27 /6 105	
At total depth											. 27-4S-19E	
			14. PEI	RMIT NO.	1	DATE	ISSUED		12. COUNTY PARISH		13. STATE	
15. DATE SPUDDED	16. DATE T.D.	REACHED   17. D	ATE COMPL. (	Ready to	prod.)   1	8. ELE	VATIONS (DF	. RKB. I	Lincoln		NM NEV. CASINGHEAD	
1-5-85	1-15-8	5	-				4807' GI		-, , -,			
20. TOTAL DEPTH, MD	R TVD 21. PL	JG, BACK T.D., MD	& TVD   22.	IF MULT	TIPLE COMPL	٠.,	23. INTER	VALS ED BY	ROTARY TOO		CABLE TOOLS	
3750'		<u>-</u>						>	0-3750'		WAS DIRECTIONAL	
24. PRODUCING INTER	VAL(S), OF THIS	COMPLETION1	rop, Bottum,	NAME (M	ID AND TVD)	•				20.	SURVEY MADE	
										1	No	
26. TYPE ELECTRIC A	ND OTHER LOGS	RUN								27. WA	S WELL CORED	
CNL/FDC	; DLL							<u></u>		No	0	
28.	WEIGHT, LB.		SING RECO		ort all string	gs set i		NTING	PECOPD	<del></del>		
13-3/8"	54.5		62'		7-1/2"	-		75 s		-	AMOUNT PULLED	
8-5/8"	24#		218'	1 -	2-1/4"	-		00 s		— -		
5_						<u> </u>	T					
29.	TOP (MD)	BOTTOM (MD)	<del></del>	NEVT#	SCREEN (1	(D)	30.	<del></del>	TUBING RECO		PACKER SET (MD)	
8126	TOP (SED)	BOTTOM (MD)	SACES CE		SCREEN (1		3122	- -	DEPTH SET (M	-	PACKER SEI (MD)	
			_				<u> </u>	- -		-	<del></del>	
31. PERFORATION REC	ORD (Interval, s	ize and number	)		32.	A	CID, SHOT,	FRACT	URE, CEMEN	T SQUE	EZE, ETC.	
					DEPTH I	NTERVA	L (MD)	AM	OUNT AND KIN	D OF M	ATERIAL USED	
					ļ					<del></del>	· · · · · · · · · · · · · · · · · · ·	
										<del></del>	·	
33.*					OUCTION				Contraction of the Contraction o	III i		
DATE FIRST PRODUCT	ION PROI	OUCTION METHOD	(Flowing, go	as lift, pı	ımping—-8izi	e and i	type of pum	p)	W SA	STATUS HEID)UN	Approducing or	
DATE OF TEST	HOURS TESTED	CHOKE SI		N. FOR PERIOD	OIL—BBL.		GAS-MC	F	SAVATER FR		Sport, Ray to	
FLOW. TUBING PRESS.	LOW. TUBING PRESS. CASING PRESSURE CALCULATED OIL—BBL. 1				ACCEPTED FOR HE JOHO			WATER-	JAN2 1 1985			
34. DISPOSITION OF G	AS (Sold, used fo	r fuel, vented, et	to.)	-	PETER	W <sub>1</sub>	CHRSTER	<del>1</del>	TEST WITNE	SSED BY	<i>,</i>	
					JAN 23 1005				<u></u>			
35. LIST OF ATTACHMENTS					1000							
36. I hereby certify		viation Su		is comp	ete and cor	rect a	s determine	d from	all available	records		
<i>i</i> 1		Q.			March 1997							

DATE 1-18-85

or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. should be listed on this form, see item 35. or Federal office for specific instructions. Consult local State

interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in Item 33. Submit a separate report (page) on this form, adequately for each additional interval to be separately produced, showing the additional data pertinent to such interval.

19 19 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified,

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

San Andres Veso 755 Abo 2256 Basement 3567	37. SU'MMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF DEPTH INTERVAL TESTED, CUSH	OUS ZONES: TESTED, CUSHION	ROSITY AND CONTENT	(MARY OF POROUS ZONES:  SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEFTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN FRESSURES, AND RECOVERIES  DESCRIPTION CONTENTS ETC.	38. GEOLO	GEOLOGIC MARKERS	- P
San Andres Surface Yeso 755 Abo 2256 Basement 3567	FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	)P
Andres	m mandament (1) of the second				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
ement					San Andres	Surface	
ement					Yeso	755	
ement					Abo	2256	
					Basement	3567	
							····



## L & M DRILLING, INC. — Oil Well Drilling Contractors

P. O. BOXX6X2X / ARTESIA, NEW MEXICO 88210 470

January 25, 1985

Yates Petroleum Corporation 207 South Fourth Street Artesia, NM 88210

Re:

Yardstick AAV Federal #1 1980' FNL & 1980' FWL Sec. 27, T4S, R19E

Lincoln County, New Mexico

## Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
462'	1/2°
1218'	l°
1783'	3/4°
2248'	3/4°.
2713 <b>'</b>	1/2°
3217 <b>'</b>	1/2°
3750 <b>'</b>	3/4°

Very truly yours,

B. N. Muncy Jr.

President

STATE OF NEW MEXICO COUNTY OF EDDY

S

The foregoing was acknowledged before me this 25th day of January, 1985.

NOTARY PUBLIC

OFFICIAL SEAL REGINIA L. GARNER

NOTARY PUBLIC - NEW MEXICO
HOTARY BOND FILED WITH SECRETARY OF STATE
My Commission Expires 9-15-88