

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land O	ffice AT	tosia		
Lease No. LC-064102 - H				
Unit	"H"	• -		
		υJ		

EB 1 0 1958

SUNDRY NOTICES AND REPORTS ON WELLS

Well No. is located 660 ft. from W/4 Sec. 14 (24 Sec. and Sec. No.) Wildcat (Field) (County or The elevation of the derrick floor above sea level DETAIL (State names of and expected depths to objective sands; show sizes ing points, and all oth T.B Approximately 5500. Surface casing - 13-3/8" 484 E-40 @ Oil String - 5-1/2" 15.5# J-55 @ 550 To drill w/air surface to 7. D. Will	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY NATURE OF REPORT, NOTICE, OR OTHER DATA) Subsequent Report, Notice, or other data
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY. NATURE OF REPORT, NOTICE, OR OTHER DATA) Jamery 20, 1958 (State of Territory) el is 6918 ft. S OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cement ther important proposed work)
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY CHECK MARK	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY NATURE OF REPORT, NOTICE, OR OTHER DATA) James 29, 1958 (Soline and 660 ft. from W line of sec. 14 Range) (Meridian) Subdivision) (State or Territory) el is 6918 ft. S OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cemen ther important proposed work)
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N Well No. is located 669 ft. from Wilder (Yeld) (Twp.) (Twp.) Wilder (Field) (County or The elevation of the derrick floor above sea level DETAIL State names of and expected depths to objective sands; show sizes ing points, and all oth T.B Approximately 5500* Surface casing - 13-3/8" 484 8-40 @ Oil String - 5-1/2" 15.54 3-55 @ 550 To drill w/air surface to T. D. Will	SUPPLEMENTARY WELL HISTORY NATURE OF REPORT, NOTICE, OR OTHER DATA) James 20, 1958 Soline and 660 ft. from W line of sec. 14 Range) (Meridian) Subdivision) (State or Territory) el is 6918 ft. S OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cemen ther important proposed work)
NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK N (INDICATE ABOVE BY	SUPPLEMENTARY WELL HISTORY NATURE OF REPORT, NOTICE, OR OTHER DATA) James 20, 1958 Similary 20, 1958 (Signatry 20, 1958 (Meridian) Subdivision) (State or Territory) The state of t
(INDICATE ABOVE BY CHECK MARK No.) Well No. is located 660 ft. from 184 8ec. 14 (34 Sec. and Sec. No.) Wildcat (Field) (County or DETAIL State names of and expected depths to objective sands; show sizes ing points, and all other states are casing - 13-3/8" 484 8-40 @ Gil String - 5-1/2" 15.54 3-55 @ 550 To drill w/air serface to T. D. Wil	James 20, 1958 James 20, 1958 Siline and 660 ft. from W line of sec. 14 Meridian (Meridian) Subdivision (State or Territory) el is 6918 ft. S OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cementer important proposed work)
Vell No. is located 660 ft. from Well No. is located 660 ft. from Well No. is located 660 ft. from Wildest (Field) (Twp.) (Twp.) (Twp.) The elevation of the derrick floor above sea leve of the elevation of the derrick floor above sea leve ing points, and all other of the string - 5-1/2" 15.5# J-55 @ 550 fo drill w/air serface to T. D. Will	NATURE OF REPORT, NOTICE, OR OTHER DATA) James 20, 1958 S line and 660 ft. from line of sec. 14
Well No. is located 660 ft. from SW/4 Sec. 14 (24 Sec. and Sec. No.) Wildcat (Field) (Field) (County or The elevation of the derrick floor above sea level DETAIL State names of and expected depths to objective sands; show sizes ing points, and all oth T.B Approximately 5500 Surface casing - 13-3/8" 484 E-40 @ Oil String - 5-1/2" 15.5# J-55 @ 550 To drill w/air surface to T. B. Will	James 29., 1958 James 20., 1958 James 20.,
(% Sec. 14 (% Sec. and Sec. No.) (Twp.) (Italiant (Field) (County or (Co	S line and Sec. 14 W line of sec. 14 W
(% Sec. 14 (% Sec. and Sec. No.) (Twp.) (I wp.) (I wp.) (I wp.) (County or County or Count	Range) (Meridian) Subdivision) (State or Territory) el is 6918 ft. LS OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cemen her important proposed work)
(Field) (County or County or County or County or County or County or DETAIL (State names of and expected depths to objective sands; show sizes ing points, and all other county of the county of the county of the county of the county or DETAIL T.B Approximately 5500* Surface casing - 13-3/8" 48# E-40 @ Oil String - 5-1/2" 15.5# J-55 @ 550 To drill w/air surface to T. D. Will	Subdivision) (State or Territory) el is 6918 ft. LS OF WORK s, weights, 'and lengths of proposed casings; indicate mudding jobs, cemen ther important proposed work)
(Field) (County or The elevation of the derrick floor above sea level DETAIL State names of and expected depths to objective sands; show sizes ing points, and all other states of the county of the	Subdivision) (State or Territory) el is 6918 ft. LS OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cemen her important proposed work)
The elevation of the derrick floor above sea level DETAIL State names of and expected depths to objective sands; show sizes ing points, and all other states of the stat	el is 6918 ft. S OF WORK s, weights, and lengths of proposed casings; indicate mudding jobs, cementer important proposed work)
Surface casing - 13-3/8" 48# H-40 @ Oil String - 5-1/2" 15.5# J-55 @ 550 To drill w/air surface to T. D. Wil	
To drill w/air surface to T. B. Wil	400', comented w/350 sax.
Ellenburger.	0', cemented w/150 sax. I set additional strings of casing if is to perforate for production in the
I understand that this plan of work must receive approval in v Company Zapaca Petroleum Corpora Address Box 2216	writing by the Geological Survey before operations may be commenced.
Midland, Texas	, , , , , , , , , , , , , , , , , , ,

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.	Date
Section A.	Date January 20, 1958
OperatorZAPATA PETROLEUM CORPORATION	Lease FEDERAL NOT LC-064102-A 3.04
Well No. 1 Unit Letter M Section	14 Township 20 South Range 14 East NMPM
Located 660 Feet From South Lir	,
County Otero G. L. Elevation Name of Producing Formation Pank-Wildest	6906 Dedicated Acreage 40 Acres
1. Is the Operator the only owner* in the	dedicated acreage outlined on the plat below?
Yes No	
2. If the answer to question one is "no,"	have the interests of all the owners been
"yes," Type of Consolidation	ent or otherwise? Yes No If answer is
	list all the owners and their respective interests
below:	
0	Land Daniel Ladies
<u>Owner</u>	Land Description
Section. B	
	This is to certify that the
	information in Section A above is true and complete
	to the best of my knowledge
	and belief.
	ZAPATA PETROLEUM CORP. (Operator)
1	Janua Clean
	(Representative)
	Box 2216: Midland, Texas
	Address
	Th. 1 . 1 . 1
	This is to certify that the well location shown on the
	plat in Section B was plotted
	from field notes of actual
	surveys made by me or under
	my supervision and that the same is true and correct to
	the best of my knowledge and
	belief.
660'	Pate Surveyed Jan. 13-16/58
	Ihm W. Sheama
ا ق	Registered Professional
	Engineer and/or Land Surveyor.

(See instructions for completing this form on the reverse side)