(Feb. 1961)

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.10

10.

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office

Land No.

UR ECELVED

JAN 28 1960

SUNDRY NOTICES AND REPORTS ON WELLOW, DEFINE SUNSCIOUNT REPORT OF WITER SHIT-OF. SUBSCIUNT REPORT OF WITER SHIT-OF. SUBSCIUNT REPORT OF ALTERING CASING. SUTICE OF INTENTION TO REPORT OF REPORT, OF ALTERING CASING. NOTICE OF INTENTION TO REPORT OF REPORT, OF ALTERING CASING. NOTICE OF INTENTION TO SEVORT OR ALTER CASING. SUBSCIUNT REPORT OF ALTERING CASING. SUBSCIU		C) (11 (2) (3)
Vell No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 3. Herriery is located 660 ft. from. Well No. 4. Herriery is located 660 ft. from. Well No. 5. Herriery is located 660 ft. from. Well No. 6. Herriery is located 660 ft. from. Well No. 7. Herriery is located 660 ft. from. Well No. 8. Herriery is located 660 ft. from. Well No. 9. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 3. Herriery is located 660 ft. from. Well No. 4. Herriery is located 660 ft. from. Well No. 5. Herriery is located 660 ft. from. Well No. 6 ft. from 6 ft. from 6 ft. from 6 ft. from 7 ft. from 6 ft. from 6 ft. from 6 ft. from 6 ft. from 7 ft. from 6 ft. from 6 ft. from 7 ft. from 7 ft. from 6 ft. from 6 ft. from 7 f	SUNDRY NOTICES A	AND REPORTS ON WELLS, DEFIDE
Vell No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 3. Herriery is located 660 ft. from. Well No. 4. Herriery is located 660 ft. from. Well No. 5. Herriery is located 660 ft. from. Well No. 6. Herriery is located 660 ft. from. Well No. 7. Herriery is located 660 ft. from. Well No. 8. Herriery is located 660 ft. from. Well No. 9. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 1. Herriery is located 660 ft. from. Well No. 2. Herriery is located 660 ft. from. Well No. 3. Herriery is located 660 ft. from. Well No. 4. Herriery is located 660 ft. from. Well No. 5. Herriery is located 660 ft. from. Well No. 6 ft. from 6 ft. from 6 ft. from 6 ft. from 7 ft. from 6 ft. from 6 ft. from 6 ft. from 6 ft. from 7 ft. from 6 ft. from 6 ft. from 7 ft. from 7 ft. from 6 ft. from 6 ft. from 7 f		SUBSEQUENT REPORT OF WATER SHUT-OFF
SUBSCOURT REPORT OF REPAIL OR REPAIR SHUT-OFF. SUBSCOURT REPORT OF REPAIL OR REPAIR WELL. SUBSCOURT REPORT OF REPAIL OR REPAIR SUBSCOURT REPORT OF ANAMONEMY. SUBS	NOTICE OF INTENTION TO DRILL	SUBSPONENT REPORT OF SHOOTING OR ACIDIZING
SUBSCOURT REPORT OF RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ADARDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADINGS) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RIBADIN	NOTICE OF INTENTION TO CHANGE PLANS	SUBSECUENT REPORT OF ALTERING CASING.
NOTICE OF INTERTION TO RECORD OR ACIDIZE. NOTICE OF INTERTION TO PULL OR ALTER CASING. NOTICE OF INTERTION TO PULL OR ALTER CASING. NOTICE OF INTERTION TO ADARDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSCOUENT REPORT OF RE-DRILLING OR REPAIR
Well No. 2. Here lay is located \$40 ft. from Sine and \$50 ft. from Sine of intention to pull or Alter Casine. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2. Here lay is located \$40 ft. from Sine and \$50 ft. from Sine and sine and \$50 ft. from Sine and sin	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	DEPORT OF ANANDONMENT
Well No. 1. Per lay is located \$60 ft. from line and \$60 ft. ft. from li	NOTICE OF INTENTION TO SHOOT OR ACIDIZE	I HE TORY
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT NOTICE, OR	NOTICE OF INTENTION TO PULL OR ALTER CASING	SUFFLEMENTAL
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 1. Property. is located 640. ft. from. In line and 650. ft. from E line of sec. BWG 82 has Sec. No.) Wildow (Field) County or Shoddrision) DETAILS OF WORK DETAILS OF WORK State names of and expected depths to objective sands show sizes, weights, and laughts of proposed casings; indicate mudding jobs, coment. In the contract of the state of the s	NOTICE OF INTENTION TO ABANDON WELL	
Vell No. 2. Remiser is located 649 ft. from Nine and 650 ft. from E Nine of sec. 30 225 (March 1995) (March 1		NATURE OF REPORT, NOTICE, OR OTHER DATA)
Well No. 2 Herelay is located 560 ft. from N line and 560 ft. from E line of sec. 30 22.5 E (Mark 1960) (Mark 19	(INDICATE ABOVE BY CHECK MAKE	
The elevation of the derrick floor above sea level is the level of the derrick floor above sea level is the level of the level of the derrick floor above sea level is the level of the lev	Vall No a manage is located 646 ft. from	m_{-} $\binom{N}{k}$ line and m_{-} it. from $\binom{E}{w}$ line of sec.
The elevation of the derrick floor above sea level is the level of the derrick floor above sea level is the level of the level of the derrick floor above sea level is the level of the lev	Well Ivo. 1 - Hear Mar. to tour and 222 -	-14E
The elevation of the derrick floor above sea level is the level of the derrick floor above sea level is the level of the level of the derrick floor above sea level is the level of the lev	30-	(Morrian)
The elevation of the derrick floor above sea level is the level of the derrick floor above sea level is the level of the level of the derrick floor above sea level is the level of the lev	(2 Sec. and Sec. No.)	(amongo)
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment- ing points, and all other important proposed work) Proposed casings 60° of 8 % cannot be surfuse Proposed lengths 3000° Fusas lash test Contractor; Putary Tools 1.503 Proncises Labbook, Texas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company 6 1. Cannot fill Address 7:11 Cantral fill Address 7:11 Cantral fill By Address By Address	Wildows County County	(State of Territory)
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comentating points, and all other important proposed work) Proposed Casing; 60° of 8 5/F casested to surface Proposed Parks; 3000° Fuscalisms Contractor; Potary Tools L. F. Casestell byilling Co. 1503 Frondingy Libbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company L. Cambell Address 7:11 Cambell File Address 7:11 Cambell File By Allowance Company By Allowance Company Allowance Company L. Cambell File Address 7:11 Cambell File By Allowance Company By Cambell Cambell File Address 7:11 Cambell File Address File Cambell File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell Cambell File Address File By Cambell Cambell Cambell Cambell Cambell File Address File By Cambell Cambel	(12:0)	4600
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comentating points, and all other important proposed work) Proposed Casing; 60° of 8 5/F casested to surface Proposed Parks; 3000° Fuscalisms Contractor; Potary Tools L. F. Casestell byilling Co. 1503 Frondingy Libbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company L. Cambell Address 7:11 Cambell File Address 7:11 Cambell File By Allowance Company By Allowance Company Allowance Company L. Cambell File Address 7:11 Cambell File By Allowance Company By Cambell Cambell File Address 7:11 Cambell File Address File Cambell File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell Cambell File Address File By Cambell Cambell Cambell Cambell Cambell File Address File By Cambell Cambel	t 1 1 dan above sea	level is the Local
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comentating points, and all other important proposed work) Proposed Casing; 60° of 8 5/F casested to surface Proposed Parks; 3000° Fuscalisms Contractor; Potary Tools L. F. Casestell byilling Co. 1503 Frondingy Libbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company L. Cambell Address 7:11 Cambell File Address 7:11 Cambell File By Allowance Company By Allowance Company Allowance Company L. Cambell File Address 7:11 Cambell File By Allowance Company By Cambell Cambell File Address 7:11 Cambell File Address File Cambell File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell File Address File By Cambell Cambell Cambell File Address File By Cambell Cambell Cambell Cambell Cambell File Address File By Cambell Cambel	The elevation of the derrick noor above sea	lever assistance of the second
State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coments ing points, and all other important proposed work) Frequency Contings 60° of 8 %/F casented to surface Frequency Fotary Tools L. F. Campbell brilling Co. 150) Frequency Lubbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company L. Lengthell Address 711 Central File Address Fotary Regiss By	S.E.T.	ATTE OF WORK
Proposed Caming: 60° of 8 5/7 comented to surface Proposed Parks: 3000° Functions test Contractor: Fotary Tools L. F. Compbell Dyilling Co. 1503 Fronday Lubbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company E. F. Compbell Address Till Contract By By By	- 1 to also condet show	sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-
Contractor: Sotary Tools L. F. Campbell byilling Co. 1503 Prominey Labbook, Taxas I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company L. Campbell Address 7111 Campbell By Alamany Say Say Say Say Say Say Say Say Say Sa	(State names of and expected depths to objective saints, and s	all other important proposed works
Address 7:11 Control 50 Albusterous, New Newton By	Contractor: Fotory Tools E. F. Campbell Dril 150) Prondery	Ling Co.
Address 7211 Dentre 1 58 By De Montegan By	I understand that this plan of work must receive approx	wal in writing by the Geological Survey before operations may be commenced.
- AND SECTION OF THE PROPERTY		
- AND SECTION OF THE PROPERTY		1 He Wowleden
	Albertane, New Merico	Ву

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128 Revised 5/1/57

	·					-		
	SEE IN	STRUCTIONS F	OR COMPL	ETING THIS	FORM O	N THE RE	VERSE SIDE	
_				CTION A				
Operator	P. CAMPBELL		L	ease				Well No.
Unit Letter	Section	Township		Range	- 750	County		1
onn zener	30		South		East	County	Otavo	
Actual Footage Lo		1		1 1115	2111	<u> </u>	O COMPANY	· · · · · · · · · · · · · · · · · · ·
66 0	feet from the	South	line and	660	fee	t from the	Vest	line Son. 30
Ground Level Elev		ormation	P	ool				Dedicated Acreage:
Est. 1700*	Page	o leas		W 14	lest			Acres
								("Owner" means the person
			n any pool a	nd to approp	riate the f	production (either for his	nself or for himself and
	3-29 (e) NMSA 19	•						
uice? VES	NO I	forewarie "was	nterests of	Consultation	s been co	onsolidated	by communi	tization agreement or other-
	o question two is							
Owner	- question (wo is	no, not an the	C OWIICIS MI				<u>'</u>	RECEIVED_
J ₩IICI				Land	Descript	TOU	-	MALO 77 1000
								JAN 2 7 1960
							U.	S. GEOLOGICAL SURVEY
						·		RTESIA, NEW MEXICO
		SECTION	В			ردنت سييد	1	CERTIFICATION
						ŀ		
				į		•		certify that the information
	ì	İ		1				ON A above is true and com-
	i	ļ					belief.	the best of my knowledge and
	ļ			ļ		İ	bellel.	
						j	Name	
				!			Den	a Sula it
<u></u>							Position	Manage of the second
				1			L	Geologist
	i	1		i i		ŀ	Company	
	i			i		ŀ		E. P. Compbell
	Į.			Ì			Date	T
	ļ			1			L	Amment as Table
				ļ		l		
	·-··							
	i	•		i		I		
	j			į		l		certify that the well location
	ĺ	1				į		the plat in SECTION B was
	ļ					I		om field notes of actual nade by me or under my
	ļ					1		on, and that the same is true
				i		l		ct to the best of my knowledge
						4	and belie	
				, F		l		
<u>660'</u>	I			i		l		
				į			Date Surv	
•								ey 83, 1960
o o	1					l	l l	ed Professional Engineer
99				i i		i	and/or La	and Surveyor
<u> </u>							1/2	91.
		700 200 200					Certificat	e No. 2787
0 330 660 9	90 1320 1650 19	780 2310 2640	2000	1500	<i>1000 5</i>	5 00 0		

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.