

C. Conservation Commission

P. O. BOX 2068 • SANTA FE, NEW MEXICO 87501 • PHONE 827-2434

MESSAGE

TO Mr. Bill Gressett
Supervisor & Oil & Gas Inspector
District II
DATE May 23, 1973 II-6
Re: E.P. Campbell
Evans #1-L 22-24S-12E Otero County

Please send us a copy of your complete
well file for subject well.

Thanks,

BY [Signature] At Central Records

Form N-73 © The Drawing Board, Inc., Box 505, Dallas, Texas 75221

REPLY

DATE 6-10-73
Here they are.
Please note the change
in footage location.

SIGNED

Bill Gressett

RECIPIENT KEEP THIS COPY, RETURN WHITE COPY TO SENDER

GEOLOGICAL SURVEY


RECEIVED

JUL 9 1937

U. S. LAND OFFICE

SERIAL NUMBER

LEASE OR PERMIT TO PROSPECT



OSWELL, NEW

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Fred Turner, Jr. Address Midland, Texas
 Lessor or Tract M. W. Evans Field B.T State New Mexico
 Well No. 1 Sec. 32 T. 24 R. 12 Meridian N.M.P. County Otero
 Location 227 ft. (N.) of S. Line and 330 ft. (E.) of W. Line of Sec. 22 Elevation 5014
 (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed

Fred Turner, Jr.

Title

Owner

Date July 7, 1937

The summary on this page is for the condition of the well at above date.
 Commenced drilling April 3, 1931 Finished drilling July 6, 1937

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____
 No. 1, from 1180 to 1210 No. 3, from 3485 to 3497
 No. 2, from 1945 to 1950 No. 4, from 3562 to 3566

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
10"				695					
8"				1500					
6 5/8"				1727					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

RECEIVED

JUN 14 1973

O. C. C.

ARTESIA, OFFICE

FORMATION RECORD—Continued

FROM	TO	TOTAL FEET	FORMATION
1377	1387		shale
1387	1430		black lime (1387-1430)
1430	1437		shale
1437	1450		lime
1450	1457		shale
1457	1490		black lime
1490	1500		shale
1500	1537		broken lime
1537	1545		shale
1545	1590		black lime
1590	1647		black lime
1647	1665		shale
1665	1680		lime
1680	1717		red sandy shale
1717	1724		hard lime
1724	1727		black lime
1727	1790		black lime
1790	1795		sandy lime
1795	1890		black lime
1890	1930		black shale
1930	1945		brown shale (Hole filled up 600' with sand & water. Unable to lower water)
1945	1950		lime & shale (level by bailing with long
1950	1985		lime (bailer.
1985	2007		
2007	2082	LOVEY BELL	sandy lime
2082	2310		lime white
2310	2330	LOVEY BELL	lime brown
2330	2340	Duffel	lime white
2340	2385		lime brown
2385	2435	Duffel	lime broken
2435	2470	EMERSON	lime brown
2470	2580		lime grey
2580	2630		lime, brown
2630	2655		lime, grey
2655	2743		broken shale & lime
2743	2770		lime
2770	2800		lime, brown
2800	2927		lime, white
2927	2988		lime, grey
2988	3476		sandy lime
3476	3530		lime, dark grey
3530	3558		sandy lime
3558	3594		grey and white sandy lime
3594	3667		
3667	3763		

SHOOTING RECORD

Adapted by—Mr. [Name] Date [Date]
 Hoisting by—Mr. [Name] Depth [Depth]

BLUES AND VARIETIES

RECEIVED

JUN 14 1973

O. C. C.

ARTESIA, OFFICE

Indian Agency.....

(SUBMIT IN TRIPLICATE)

U. S. Land Office Las CrucesLease or permit No. 035642

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee.....

Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 4, 1939

Well No. 1 is located 2270 ft. from N line and 300 ft. from W line of sec. 22

24-S 12-E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Otero County New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Mudded hole with heavy mud up to 1970 feet--cemented at this depth with 15 sacks of cement. Tried to pull 6 5/8" Casing and were able to recover only 315 feet. Hole mudded with heavy mud up to 320 feet. Pulled 293 feet of 8 1/4" Casing which was all we were able to pull of this string. Pulled 642 feet of 10" Casing. Hole was then cemented at 820 feet with 25 sacks of cement, hole was then filled to surface with heavy mud and regulation 4" pipe marker was cemented in ground 5 feet above surface.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company O. K. HEARTEAddress 2063 Monte Vista Blvd.,Pasadena, California.By OK Hearte

Title _____

RECEIVED

JUN 14 1973

O. K. E.

ASST. DIR. OFFICE

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No.

SOSWELL, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	Subsequent report of Plugging off Water.....
	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 1, 1937

Well No. 1 is located 2270 ft. from $\begin{matrix} N \\ S \end{matrix}$ line and 330 ft. from $\begin{matrix} E \\ W \end{matrix}$ line of sec. 22
Sw Sec 22 24-S 12-E N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
B.T. Otero New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Water sands 3562 - 66 and 3574 - 94 cemented off with
 15 sacks of cement each and hole filled with mud laden
 fluid to 2000 feet

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company O. K. Hearte

Address 2063 Monte Vista

Pasadena, California

By *O. K. Hearte*

Title Owner

RECEIVED

JUN 14 1937

B. B. C.
ARTESIA, OFFICE

JUL 30 1935

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSerial Number 035642Name of Permit Hattie C. Evans

ROSWELL, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT RECORD OF SHOOTING.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		RECORD OF PERFORATING CASING.....	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO SHOOT.....		SUPPLEMENTARY WELL HISTORY.....	
Notice of Intention to Deepen.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 29, 1935

Following is a {notice of intention to do work} on land under {permit} described as follows:
~~{report of work done}~~ ~~{lease}~~

New Mexico	Otero	B. T. Ranch, undefined	
(State or Territory)	(County or Subdivision)	(Field)	
Well No. <u>1</u>	<u>SW¹₄</u> , Sec. 22	<u>24S</u>	<u>12E</u>
	(1/4 Sec. and Sec. No.)	(Twp.)	(Range)
			<u>N.M.P.</u>
			(Meridian)

The well is located 2270 ft. N of S line and 330 ft. E of W line of sec. 22

The elevation of the derrick floor above sea level is _____ ft.


DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Will deepen from the present total depth of 1375 feet to 2500 feet. If commercial oil or gas pays are found will set and cement casing at the top of the pay.

Approved July 30, 1935

ERNEST A. HANSON

Title Deputy Supervisor
GEOLOGICAL SURVEYAddress Roswell, New Mexico.Company J. W. BerryBy Title OperatorAddress Artesia, New Mexico.

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

GOVERNMENT PRINTING OFFICE 6-7063

RECEIVED

JUN 14 1973

O. C. C.

ARTESIA OFFICE

U.S. Land Office
Las Cruces
Serial Number 030042
Permit
Lease or Permit

RECEIVED

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

OCT 1 1931

U. S. GEOLOGICAL SURVEY

SUDDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT RECORD OF SHOOTING.....
NOTICE OF INTENTION TO CHANGE PLANS.....	RECORD OF PERFORATING CASING.....
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....	NOTICE OF INTENTION TO ABANDON WELL.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO SHOOT.....	SUPPLEMENTARY WELL HISTORY.....
	Indefinite Suspension

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 19th 1931, 19

Following is a {notice of intention to do work} on land under {permit} described as follows:
{report of work done} {lease}

New Mexico Ctero
(State or Territory) (County or Subdivision)
Well No. Evans No 1 NE 1/4 Sec 22 Twp 24s R 12E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 2270 ft. N of S line and 330 ft. E of W line of sec. 22
The elevation of the derrick floor above sea level is approx. 5000 ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Well filled within 600 feet of surface with
medium heavy mud, as requested by land office.

Drilling was suspended at 1,375 feet, July 13, 1931

*APPROVAL CONDITIONED on the understanding that no casing has been removed
from within the well, and that the well has been securely capped
to prevent molesting or dropping of foreign substances into the hole.

*Approved October 16, 1931
E. A. JENSEN
Title Deputy SUPERVISOR
Geological Survey

Company PASOTERO PET. CORP.
By Ray W. Altman
Title Secretary

Address Roswell, New Mexico

Address 225 E. 3rd., Montebello, Cal.


NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

OFTENMENT PLATING OFFICE 6-7613

RECEIVED

JUN 14 1973

C. D. D.



LOCATE WELL CORRECTLY

C O P Y

U. S. LAND OFFICE..... Las Cruces
 SERIAL NUMBER..... 035642
 LEASE OR PERMIT TO PROSPECT..... Evans

DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Pasotero Pet Corp. Address 225 N. 3rd S., Montebello, Cal.
 Lessor or Tract Hattie C. Evans, permitt Field Otero County State New Mexico
 Well No. 1 Sec. 22 T. 24 S. R. 12 Meridian N.M.P.M. County Otero
 Location 2270 ft. (N. of S. Line and 330 ft. (E. of W. Line) of W. Line of Sec 22 Elevation 5000
 (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Ray W. Stevens
 Title Secretary

Date October 10, 1931

The summary on this page is for the condition of the well at above date.

Commenced drilling May 21, 19 31 Suspended July 13, 19 31
 Finished drilling

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from Gas at 353 to _____ No. 4, from _____ to _____
 No. 2, from Gas at 410 to _____ No. 5, from _____ to _____
 No. 3, from Gas at 1086 to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS NONE

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
12'	45	8	Steel	700'	Cement				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

RECEIVED

JUN 14 1973

O. C. C.

ARTESIAN OFFICE

PLUGS ADAPTERS

Heaving plug—Material Length Depth set
 Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing , 19.....
 The production for the first 24 hours was barrels of fluid of which % was oil; %
 emulsion; % water; and % sediment. Gravity, °Bé.
 If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

J. B. Ewing , Driller , Driller
 P. V. Morris , Driller , Driller

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
0	80	80	soil, loose rock
80	300	220	lime shells, yellow clay
300	750	450	lime shells, yellow clay
750	1200	450	hard lime
1200	1400	200	yellow clay
1400	1600	200	lime
1600	2300	700	yellow clay
2300	2600	300	brown lime
2600	2700	100	brown shale
2700	2800	100	brown lime
2800	2900	100	gray lime
2900	3400	500	gray lime
3400	3500	100	blue shale
3500	3800	300	gray lime
3800	4000	200	brown shale
4000	4100	100	gray lime
4100	4400	300	brown shale
4400	4800	400	gray lime
4800	4900	100	brown lime
4900	5200	300	gray lime
5200	5500	300	blue shale
5500	5800	300	dark broken lime
5800	6050	250	blue shale and shells
6050	6300	250	blue lime
6300	6550	250	blue shale and lime shells

FORMATION DEPTH—Continued

RECEIVED

JUN 14 1973

O. C. C.
ARTESIA, OFFICE

Q. 2. 2. 2.

FOR JAVAK

DLIUGL

DINGL

DLUGI

DLNIGL

II. Eine Menge von 10 bis 20 Personen

Сумма выдано бол 1'000 руб. изъ сего

CLUAIſλ' .BQ'

10-----

За се вложенъ 10

DATES

feet of ----- feet, and from ----- feet to ----- feet from ----- footings from -----

TOOLS USED

[illegible]

SHOOTING RECORD

2181

176180

Dehst auf

RECEIVED

~~JUN 14 1973~~

1-6-6

ARTERIAL OFFICE

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSerial Number 035642Lease or Permit Hattie C Evans

MAY 21 1931

U.S. GEOLOGICAL SURVEY
ROSWELL, N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	☒	SUBSEQUENT RECORD OF SHOOTING.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		RECORD OF PERFORATING CASING.....	
NOTICE OF DATE FOR TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING.....	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF.....		NOTICE OF INTENTION TO ABANDON WELL.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO SHOOT.....		SUPPLEMENTARY WELL HISTORY.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 30, 1931

Following is a notice of intention to do work on land under permit described as follows:
~~report of work done~~ ~~lease~~

New Mexico Otero (Field)
(State or Territory) (County or Subdivision)
Well No. 1 SW 1/4 SEC. 22 24 S 12 E N M P M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

The well is located 2270 ft. N of S line and 330 ft. E of W line of sec. 22
~~S~~ ~~W~~The elevation of the derrick floor above sea level is approx 5000 ft.

DETAILS OF PLAN OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

We expect to set one joint of 12 $\frac{1}{2}$ " conductor pipe and if possible, set 10" pipe on top of Pennsylvanian formation. Will set sufficient pipe to take care of all water, oil or gas strata and abide by the rules and regulations of the Department of the Interior. Contract depth 2,500 feet.

*See attached conditions of approval.

Approved May 22, 1931
(Date)
E. A. Hanson
Title Deputy Supervisor
GEOLOGICAL SURVEY

Company PASOTERO PETROLEUM CORP'N.
By S. Secberg
S. Secberg, Pres.
Title _____

Address Roswell, New Mexico.Address 203 Bassett Tower,

NOTE.—Reports on this form to be submitted in triplicate to the Supervisor for approval.

RECEIVED
El Paso, Texas

JUN 14 1931

O. C. C.
ARTESIA, OFFICE