

DISTRIBUTION		
SANTA FE	1	
FILE	1	
U.S.G.S.	2	
LAND OFFICE	1	
OPERATOR	1	

MEXICO OIL CONSERVATION COMMISSIC

30-035-20021

Form C-101
Revised 1-1-65

5A. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
5. State Oil & Gas Lease No. ---	
7. Unit Agreement Name	
8. Farm or Lease Name Southland 32 State	
9. Well No. 1	
10. Field and Pool, or Wildcat <input checked="" type="checkbox"/> Wildcat	
12. County Otero	
19. Proposed Depth 5000'	19A. Formation Fusselman
20. Rotary or C.T. Rotary	22. Approx. Date Work will start June 30, 1980

1a. Type of Work DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>	
b. Type of Well OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator PENNZOIL COMPANY	
3. Address of Operator P.O. Drawer 1828 Midland, Tx 79702	
4. Location of Well UNIT LETTER <u>P</u> LOCATED <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE OF SEC. <u>32</u> TWP. <u>25-S</u> RGE. <u>18-E</u> NMPM	
21. Elevations (Show whether DF, RT, etc.) 3998.6	
21A. Kind & Status Plug. Bond Blanket	
21B. Drilling Contractor Baxter Drilling	

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
12-1/4	8-5/8	24	1100	600	Surface
7-7/8	4-1/2	9.5	5000	1100	1500

RECEIVED

JUN 25 1980

O. C. D.
ARTESIA, OFFICE

APPROVAL VALID
FOR 90 DAYS UNLESS
DRILLING COMMENCED,

EXPIRES 10/1/80

ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.
Signature: [Signature] Title: District Manager Date: 6-24-80
(This space for State Use)

APPROVED BY: [Signature] TITLE: OIL AND GAS INSPECTOR DATE: JUL 1 1980
CONDITIONS OF APPROVAL, IF ANY:

Cement must be circulated to
surface behind 8 5/8 casing