

NEW MEXICO OIL CONSERVATION COMMISSION 1949

Oil Cons. Comm.
Astoria Ore

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.**

C. R. Wofford
Company or Operator
1020 West Pecos St., Las Cruces, New Mex.
Address
Wofford Well No. 1 NE 1/4 SW 1/4 of Sec. 7, T. 14S
Lease
R. 2W, N. M. P. M., Wilcox Field, Sierra County.
Well is 4290 feet south of the North line and 1650 feet west of the East line of section 7
If State land the oil and gas lease is No. E-1259 Assignment No.
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is Clyde R. Wofford Address Las Cruces, New Mexico
Drilling commenced November 17th 1948 Drilling was completed January 7 1949
Name of drilling contractor Walter Johnson Address Hot Springs, New Mexico
Elevation above sea level at top of casing 4700 feet.
The information given is to be kept confidential until

OIL SANDS OR ZONES

No. 1, from **None** to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Struck water at 95 feet and drilled a wet hole from that.

No. 2, from _____ to _____ feet. _____

No. 3, from _____ to _____ feet. _____

No. 4, from _____ to _____ feet. _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
			None	Mud from slushpit		

PLUGS AND ADAPTERS

Heaving plug—Material_____Length_____Depth Set_____

Adapters—Material_____Size_____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing None, 1919

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Walter Johnson _____, Driller _____, Driller _____
 _____, Driller _____, Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 28th -

Las Cruces, New Mexico July 28, 1949

day of July 1949

Name _____

Position Owner

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	7	7	Top soil
7	12	5	Dark gray shale
12	16	4	Yellow shale
16	29	13	Dark gray shale
29	46	17	Yellow shale
46	50	4	Dark gray shale
50	83	38	Gray shale
83	105	17	Dark gray shale
105	115	10	Light gray shale
115	134	19	Dark gray shale
134	148	14	Light gray sand
148	180	32	Gray shale with some sand
180	191	11	Light gray sand
191	213	22	Dark gray shale
213	235	22	Gray sandy shale
235	245	10	Dark gray shale
245	265	20	Light gray sand
265	338	73	Gray shale
338	344	6	Gray sand
344	368	24	Light gray shale
368	396	28	Gray sand with some shale
396	398	2	Coal
398	406	8	Gray sand
406	408	2	Dark shale
408	490	82	Gray shale
490	504	14	Light gray sand
504	517	13	Gray sandy shale
517	524	7	Gray sand
524	535	11	Gray sandy shale
			T.D.