

0+6-MMS-Roswell, 1-File, 1-Engr Jim, 1-Foreman HS, 1-BW, 1-JA, 1-BB, 1-Laura Richardson

RECEIVED  
Form 9-331  
Dec. 1973

SEP 16 1986

O. C. D.

ARTESIA, OFFICE

NM OIL CONS. COMMISSION

Artesia, NM 88210

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Form Approved.  
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other

2. NAME OF OPERATOR  
Getty Oil Company ✓

3. ADDRESS OF OPERATOR  
P.O. Box 730, Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
Unit Ltr. O, 1650' FEL & 990' FSL  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☒

5. LEASE  
NM-37963

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME  
West Elephant Butte Fed

8. FARM OR LEASE NAME

9. WELL NO.  
2

10. FIELD OR WILDCAT NAME  
Wildcat ✓

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 3, T-13S, R-4W

12. COUNTY OR PARISH  
Sierra

13. STATE  
NM

14. API NO.

15. ELEVATIONS (SHO' / DF, KDB, AND WD)  
4573' G.L.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS  
MINERAL MGMT. SERVICE  
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent details, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11/4/82 Ran 8 5/8" csg, 1270', 30 jts 32#, K-55, ST&C, and 2312', 57 jts 24#, K-55, ST&C csg. Total of 3582'. 8 5/8" set @ 3600' w/ float shoe @ 3599' and F.C. @ 3551'. DV tool @ 1458'. Cement first stage w/ 560 sxs Halliburton light w/ 1/4# / sx flocele, tailed in w/ 200 sxs class "C" w/ 2% CaCl. Open DV tool & circ. 12 sxs. Cemented 2nd stage w/ 800 sxs Halliburton light w/ 1/4# / sx flocele. Tailed in w/ 100 sxs class "C" w/ 2% CaCl. Circ. 15 sxs.  
Received verbal approval to P & A West Elephant Butte Fed Well # 2 from George Stewart with M.M.S, Roswell, December 8, 1982.

12/10/82 First plug 7156-7300, 50 sacks of H, 2nd plug 5000-5150, 150 sacks of C, 3rd plug 3550-3650, 65 sacks of 2%. Pull up to 1794 & circ.

12/11/82 P & A. WOC 3 hours & tag plug @ 3530 (shoe @ 3600'). Set plug 1408-1508 w/ 30 sacks of class "H". Nipple down; set 10 sacks 0-30' & install dry hole marker. Release rig @ 12:00 midnight.  
Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

D. R. Crockett

TITLE Area Superintendent December 13, 1982

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED  
PETER W. CHESTER

SEP 15 1986

BUREAU OF LAND MANAGEMENT