(May 1963)

1-Jim-Engr.

1-Laura Richardson-Midland 1-BW

1-Foremar.

SUBMIT IN TRIPLIC

UNITED STATES DEPARTMENT OF THE INTERIORP. O. BOX 2083

N.M. Ofer (1) N.

GEOL	OGI	CΔ1	SHI	₽VFY

SANTA FE, N.M. 87501

LEASE DESIGNATION AND SERIAL NO.

	GLOLO	SICAL SURVE				NM-37766		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK			6. IF INDIAN, ALLOTTEE	OR TRIBE NAME				
DRILL XX DEEPEN					7. UNIT AGREEMENT NAME			
b. TYPE OF WELL OIL GAS	LL XX OTHER		S11	NGLE XX ZONE _	Е []	. FARM OR LEASE NAM	f E	
WELL WE  2. NAME OF OPERATOR	LL 223 OTHER			RECEIVED		Airport Ark		
Getty Oi	1 Company V					9. WELL NO.		
ADDRESS OF OPERATOR				JUL 3 0 1982	)	1		
P.O. Box	730 Hobbs, N	м 88240				10. FIELD AND POOL, O		
P.O. BOX LOCATION OF WELL (Re At surface	port location clearly and	in accordance wit	h any S	tate requirements.*	$\times$	<u>Undesignated</u>		
23	310' FEL & 990'	$\mathtt{FNL}$		ARTESIA, OFFICE	,	11. SEC., T., R., M., OR I		
At proposed prod. zone				ARTESIA, OTTIGE	With	Sec 7, Tl2S,	R4W	
4. DISTANCE IN MILES A	ND DIRECTION FROM NEAR	REST TOWN OR POS	r office			12. COUNTY OR PARISH		
	es North of Tru					Sierra	MM	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. 990			. OF ACRES IN LEASE	LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL 320				
(Also to nearest drlg. unit line, if any)		10 pp	OPOSED DEPTH					
18. DISTANCE FROM PROPOSED LOCATION*  TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.				Rotary				
21. ELEVATIONS (Show whe						22. APPROX. DATE WO	ORK WILL START	
4935 <b>'</b> G	.L.	s*	, '			4th Quar	ter 1982	
:3.	I	PROPOSED CASI	NG ANI	CEMENTING PROGRA	М			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	WEIGHT PER FOOT SETTING DEPTH			QUANTITY OF CEMENT		
16"	20"	94		40'	Ready Mix CIRCUIN		CULATE	
14 3/4"	11 3/4"	42		1100'		727 222	CULATE	
10 5/8"	8 5/8"	24 &	32	3600'		700 sxs 3AC		
7 7/8"	5 1/2"	15 1/2 &	17	9600'	l	1080 sxs	4,	
weight electr	and gel additi	lves to con nning of ca	trol sing.	om 600' to 7000' formation press The mud will	ures a	and condition 1	nole for	

The

The pump and plug method will be used in cementing all strings of casing 11 3/4" and 8 5/8" will be cemented to surface. approximately 3300'.

See attachment for BOP Program.

GAS NOT DEDICATED.

OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any, f

24.	CII/C Chatt	TITLE _	Area Superintendent	DATE	June 26,	1982
(This space f	or Federal or State office use)  (Orig. Sgd.) GEORGE H. STE	WAD <b>T</b>	APPROVAL DATE			
APPROVED BY	JUL 2 0 1982	TITLE _		DATE		