

UNITED STATES N. M. O. C.
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIP DATE*
(Other instruction 1 re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

USA-NM -0505999

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "A"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Lucky Lake South

11. SEC. T. R. M., OR BLK. AND
SURVEY OR AREA

Sec. 21, T 15 S - R 29 E

12. COUNTY OR PARISH 13. STATE

Chaves Co. New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

MAY 16 1975

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Dry Hole

2. NAME OF OPERATOR

Jack J. Grynberg ✓

3. ADDRESS OF OPERATOR

1050- 17th Street, Suite 1950, Denver, CO O.C.C.

4. LOCATION OF WELL (Report location clearly and in accordance with any State or Federal Office

See also space 17 below.)
At surface

2310 FSL & 2310 FWL Sec. 21, T 15 S - R 29 E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3804 GL 3809.5 KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

TD, 1720' Log Depth
8 5/8 @ 276' log depth w/ 180 sx. circulated

Plugging Record: *

100' plug 1620' - 1720'
100' plug 750' - 850'
100' plug 225' - 325' (Across bottom of 8 5/8 sfc csg)

20 sack plug at surface w/dry hole marker
Heavy Mud was pumped between the plugs by Halliburton

* Verbal instructions from Jim Knauf to C.H. Juni 2/7/74

RECEIVED

FEB 19 1974

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Cecil D. Gritz

Petroleum Engineer

DATE 2/12/74

(This space for Federal or State office use.)

TITLE

DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

MAY 15 1975

H. L. BEEKHUIS
ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side

checked
Pfa
ID-2
2-7-75