

Form 3160-4
(July 1989)
(formerly 9-330)

NM Oil-Cons. Commission

Drawer DD

Artesia, NM 88214

CONTACT RECEIVING
OFFICE FOR NUMBER
OF COPIES REQUIRED

BLM Roswell District
Modified Form No.
ND60-3160-3

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
(See other instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

JUN 20 1991

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐		2. NAME OF OPERATOR Siete Oil and Gas Corporation		3a. Area Code & Phone No. (505) 622-2202	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR ☐ Other ☐		3. ADDRESS OF OPERATOR P.O. Box 2523, Roswell, NM 88202-2523		4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 990' FSL & 990' FEL, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Unit Letter P At top prod. interval reported below Same At total depth Same	
9a. API Well No. 30-005-62846		14. PERMIT NO.		DATE ISSUED	
15. DATE SPUDDED 4/25/91		16. DATE T.D. REACHED 5/16/91		17. DATE COMPL. (Ready to prod.) 5/26/91	
18. ELEVATIONS (OF BKR, RT. OR, ETC.)* 3461' GL		19. ELEV. CASINGHEAD 3477.5'		20. TOTAL DEPTH, MD & TVD 8675'	
21. PLUG. BACK T.D., MD & TVD 8637'		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVAL DRILLED BY ROTARY TOOLS ☒ CABLE TOOLS ☐	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 8202'-8242' Atoka		25. WAS DIRECTIONAL SURVEY MADE No		26. TYPE ELECTRIC AND OTHER LOGS RUN CNL/LDT, DLL/MSFL, CBL & RFT	
27. WAS WELL CORED No		28. CASING RECORD (Report all strings set in well)			
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)	
13 3/8"		48		365'	
8 5/8"		24 & 32		1610'	
5 1/2"		17		8675'	
HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
17 1/2"		370 sxs circ			
12 1/4"		750 sxs circ			
7 7/8"		1520 sxs			
29. LINER RECORD		30. TUBING RECORD			
SIZE		TOP (MD)		BOTTOM (MD)	
SACKS CEMENT*		SCREEN (MD)			
SIZE		DEPTH SET (MD)		PACKER SET (MD)	
2 3/8"		8088'		8089.97'	
31. PERFORATION RECORD (Interval, size and number) 8202'-8242' w/18 perfs		32. ACID. SHOT. FRACTURE. CEMENT SQUEEZE, ETC.			
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
8202'-8242'		N/A			
33.* PRODUCTION					
DATE FIRST PRODUCTION 5/30/91		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing		WELL STATUS (Producing or shut-in) Shut-in	
DATE OF TEST 5/30/91		HOURS TESTED 4		CHOKE SIZE Varied	
PROD'N. FOR TEST PERIOD OIL—BBL. 1		GAS—MCF. 268 (est)		WATER—BBL. 0	
GAS-OIL RATIO 268K/1		OIL GRAVITY-API (CORR.) 38.0			
FLOW. TUBING PRESS. 1565-Avg.		CASING PRESSURE N/A		CALCULATED 24-HOUR RATE OIL—BBL. 6	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SI WO gas contracts		35. LIST OF ATTACHMENTS Deviation Surveys & Open-hole Logs			
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records		SIGNED <u>Cathy Botley-Seely</u> TITLE <u>Oil and Gas Technician</u> DATE <u>6/7/91</u>			

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Atoka	8202	8242	Mud log shows of gas.

RECEIVED
JUN 10 9 10 AM '91
BUREAU OF LAND & NATURAL RESOURCES
ROSWELL AREA

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Queen	796	+2665
San Andres	1602	1859
Glorietta	2580	881
Tubb	4212	- 751
Abo Shale	4998	1537
Hueco	6140	2679
Cisco	6914	3452
Canyon	7304	3843
Strawn	7904	4443
Atoka	8198	4737
Barnett	8366	4905
Mississippian	8524	5063
TD	8675	5214

RECEIVED

JUN 10 1991

MAY 24 1991

WELL NAME AND NUMBER Mojave #1LOCATION Section 15, T-15S, R-27E, Chaves County, New Mexico
(New Mexico give U.S.T. & R. - Texas give S, BLK, SURV. and TWP)OPERATOR Siete Oil & Gas - P.O. Box 2523 - Roswell, New Mexico 88201DRILLING CONTRACTOR ZIADRIL, Inc. - P.O. Box 1860 - Hobbs, New Mexico 88241

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

Degrees and Depth	Degrees and Depth	Degrees and Depth	Degrees and Depth
3/4 214	1-1/2 3363	2 6294	
1-3/4 365	1/2 3677	1 6449	
1-1/4 607	1-3/4 3992	1-1/4 6731	
1-3/4 855	3/4 4300	1 7044	
3/4 1102	1-1/2 4580	1-3/4 7326	
1 1352	1-1/4 4893	3/4 7635	
1 1610	1-1/2 5393	1-1/4 7945	
1-1/2 1935	2 5702	3/4 8258	
3/4 2244	2-1/2 5826	1/4 8675	
1-3/4 2556	3 5950		
1-1/2 2865	2-1/4 6043		
1-1/2 3175	2-1/4 6169		

Drilling Contractor ZIADRIL, Inc.

By

Wiley Gilmore
Wiley Gilmore - Marketing ManagerSubscribed and sworn to before me this 22nd day of May 19 91

My Commission expires:

May 5, 1994Notary Public - Julie M. Hopper
Lea County, New Mexico