



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
P. O. Box 187
Artesia, New Mexico

April 3, 1956


Miller Brothers Oil Company
1106 Yates Street
Artesia, New Mexico

Re: Oil and Gas Lease
New Mexico 020711

Gentlemen:

Your "Subsequent Report of Abandonment" dated March 15, 1956, covering your well No. 1-Andrews located in the NE 1/4 section 8, T. 17 N., R. 24 E., wildcat area, Eddy County, New Mexico, is hereby approved.

Very truly yours,


John A. Frost
District Engineer

JAF:mm

Copy to: Mr. E. G. Minton
Box 810
Russell, New Mexico

New Mexico Oil Conservation Commission
321 Carper Building
Artesia, New Mexico

Inspected by John A. Frost
April 3, 1956

R + A

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




[Handwritten signature]

[Faint handwritten notes and markings]

Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office NM 020711



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease No.

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

3-15-, 1956

Well No. 1 Andrews is located 1940 ft. from S line and 640 ft. from E line of sec. 8

R2 S2 17-3 24-N N.T.M.
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Elbert Elbert New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3812 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Knocked hole to bottom with commercial mud - set bridge from 585' to 600' at 100' Cement from 485' to 585' - Plug inspected by W.H. Van W. Pratt, who gave his O.K.
Knocked off & pulled 380' 7" casing - set 4 sacks cement @ 180'.
Knocked " " 220' 3 5/8 " " 4 " " 220'
Filled to 15' with mud. Filled to surface with cement and set 5" dogs for marker. Commence logging 3-3-'56 Completed 3-9-'56.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company MILLER PROD. OIL COMPANY

Address 1106 Yates
Artesia, N.M.

By G.P. Miller
Title Miller Prod. Oil Co.