

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

G. KELLEY STOUT

(Company or Operator)

Superior-State

(Lease)

Well No. 3, in SE 1/4 of NE 1/4, of Sec. 12, T. 17S, R. 28E, NMPM.

Wildcat

Pool,

Eddy

County.

Well is 990 feet from East line and 2310 feet from North line

of Section 12. If State Land the Oil and Gas Lease No. is E-536

Drilling Commenced September 7, 1955. Drilling was Completed October 25, 1955

Name of Drilling Contractor Miller Brothers

Address Artesia, New Mexico

Elevation above sea level at Top of Tubing Head 3731 feet. The information given is to be kept confidential until , 19.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 265 to 270 feet.

No. 2, from 1145 to 1158 feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24#	Used	312'		250'		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	8-5/8"	312'	25	Denton		
(Pulled 250')						

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation.

Depth Cleaned Out.

JOED OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
 Cable tools were used from.....0.....feet to.....2506.....feet, and from.....feet to.....feet.

PRODUCTION

Plugged & Abandoned 10/25/55

Put to Producing....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
 was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
 Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
 liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....270	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	23		Sand, Caliche, Gypsum	2272	2343		Anhydrite and red shale
23	33		Sand & gravel	2343	2350		Lime
33	43		Red Bed	2350	2359		Anhydrite and sand
43	53		Gravel & sand	2359	2379		Lime
53	70		Red Bed	2379	2387		Lime and sand
70	80		Rock & shale	2387	2410		Sandy shale & anhydrite
80	90		Gyp and red bed	2410	2460		Lime
90	100		Gypsum	2460	2464		Lime and red shale
100	120		Gypsum and anhydrite				(Trace dead oil)
120	125		Sand & gravel	2464	2469		Lime
125	130		Grey rock and sand	2469	2478		Lime and blue shale
130	160		Red bed and rock	2478	2498		Lime
160	190		Red bed	2498	2503		Lime and sand
190	270		Gypsum and red bed		2506		Total Depth (Electric
270	630		Salt				Survey)
630	675		Salt and anhydrite				Plugged & Abandoned
675	2060		Anhydrite				
2060	2125		Lime				
2125	2135		Red sand				
2135	2197		Lime				
2197	2203		Dolomite and sand				
			Show gas @ 2200'				
2203	2209		Anhydrite and sand				
2209	2237		Lime				
2237	2260		Lime and anhydrite				
2260	2272		Anhydrite and sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator.....G. Kelley Stout.....

Name.....*G. Kelley Stout*.....

October 31, 1955
 (Date)
 Address.....c/o Juanita Denton, Box 308, Artesia, N. Mex.
 Position or Title.....Operator.....