

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANITARY	1	
FILE	1	✓
U.S.G.S.		
LAND OFFICE		
OPERATOR	1	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

NOV 15 1979

O.C.C.

ARTESIA OFFICE

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-8435-5
7. Unit Agreement Name Red Lake Premier Sand Unit
8. Farm or Lease Name Tract 6
9. Well No. 5
10. Field and Pool, or Wildcat Red Lake Grayburg SA
12. County Eddy

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name Red Lake Premier Sand Unit
2. Name of Operator KERSEY & COMPANY	8. Farm or Lease Name Tract 6
3. Address of Operator P. O. Box 316, Artesia, New Mexico 88210	9. Well No. 5
4. Location of Well UNIT LETTER P , 660 FEET FROM THE South LINE AND 660 FEET FROM THE East LINE, SECTION 20 TOWNSHIP 17 RANGE 28 NMPM.	10. Field and Pool, or Wildcat Red Lake Grayburg SA
15. Elevation (Show whether DF, RT, GR, etc.)	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER Plug back to produce <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. *spud 7-2-79 20 to 2000*

8 5/8" OD casing @ 2098'. Plugged back to 1975' with gravel. Set 2 sacks Cal Seal and 5 sacks of cement at 1975'. New plugged back depth 1950'. Ran Gamma-Neutron Log. Perforated with 10 Shots 1882 - 1906'. Acidized with 1500 Gallons of 15% Acid - Put well on pump. After pumping back acid water and load water, the well pumps 2 1/2 bbls. of oil/day with no water and very little gas.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <i>Harold Kersey</i>	TITLE Operator	DATE Nov. 14, 1979
APPROVED BY <i>W.A. Gussitt</i>	TITLE SUPERVISOR, DISTRICT II	DATE NOV 27 1979
CONDITIONS OF APPROVAL, IF ANY:		