


N.



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED
JUL 1960
WELL RECORD
O. C. C. OFFICE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Pan American Petroleum Corporation

State of New Mexico, "B0"

(Company or Operator)

(Lease)

Well No. 1, in SE 1/4 of SE 1/4 of Sec. 32, T. 17S, R. 26E, NMPM.

Empire Abo

Eddy

County

Well is 660 feet from South line and 660 feet from East line

of Section 32. If State Land the Oil and Gas Lease No. is B-2071

Drilling Commenced 5/16, 1960. Drilling was Completed 6/2, 1960

Name of Drilling Contractor Parker Drilling Co.

Address 418 National Bank of Tulsa Bldg, Tulsa, Oklahoma

Elevation above sea level at Top of Tubing Head 3680 REB. The information given is to be kept confidential until NOT CONFIDENTIAL, 19.

OIL SANDS OR ZONES

No. 1, from 5796 to 6268 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	22.7#	New	1229	Guide			Surface Oil String
4-1/2"	9.5#	New	634	Guide		6234-68	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	1247'	550	Pump-Plug		
7-7/8"	4-1/2"	6319'		Pump-Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidised perforations 6234'-6268' with 1,500 gallons 15% regular acid

Result of Production Stimulation Flowed 73 BO x 0 BW in 24 hours through 6/64" choke. TPF 700,

GOR 340

Depth Cleaned Out 6285'

CORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6319 feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing June 6, 1960

OIL WELL: The production during the first 24 hours was 73 barrels of liquid of which 100 % was oil; _____ % was emulsion; _____ % water; and _____ % was sediment. A.P.I. Gravity 43 degrees

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres..... <u>1750'</u>	T. Granite.....	T. Dakota.....
T. Glorieta..... <u>3480'</u>	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo..... <u>Reef</u> <u>5796'</u>	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	60	60	Surface				
60	264	204	Surface-Anhy.				
264	802	538	Red Bed and Anhy.				
802	1247	445	Anhy.				
1247	1312	65	Anhy., Lime				
1312	1460	148	Lime				
1460	1720	260	Lime, Anhy.				
1720	2026	306	Lime				
2026	2244	218	Sandy Lime				
2244	2475	231	Lime				
2475	2834	359	Lime, Sand				
2834	5387	2553	Lime				
5387	5493	106	Lime, Chert				
5493	6319	1826	Lime				

OIL CONSERVATION COMMISSION
ARTESIA DISTRICT OFFICE

No. Copies Received 6

DISTRIBUTION

OPERATOR	NO. FURNISHED
SANTA FE	
PRORATION OFFICE	1
STATE LAND OFFICE	1
U. S. G. S.	2
TRANSPORTER	
FILE	
BUREAU OF MINES	1

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

6-22-60
(Date)

Company or Operator Pan American Petroleum Corp. Address Box 68 - Hobbs, N.M.
 Name W. Z. ... Position or Title Area Superintendent