

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE  
(Other Instructions on  
reverse side)

Form approved  
Budget Bureau No. 42-R1424

3. LEASE DESIGNATION AND SERIAL NO

LC-061638

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☐ OTHER Water Injection

2. NAME OF OPERATOR

General American Oil Company of Texas

3. ADDRESS OF OPERATOR

P. O. Box 128, Loco Hills, New Mexico 88255

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface:

660' FSL & 1977' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3733' DF

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Brewer

9. WELL NO.

15

10. FIELD AND POOL, OR WILDCAT

High Lonesome

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 12, T-16S, R-29E

12. COUNTY OR PARISH 13. STATE

Eddy

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON\*

SHOOTING OR ACIDIZING

ABANDONMENT\*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any  
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-  
nent to this work.) \*

The following work was completed July 2-20, 1981:

1. Set 50 sack plug 2090'-1990'. (Open hole section 2090'-2060'.)
2. Perforated 4 holes @ 975' (Base of Salt) and squeezed 55 sacks cement,  
(plug inside casing 1025'-878').
3. Perforated 4 holes @ 480' (Top of Salt & water zone) and squeezed 255  
sacks cement over 4 days to bring plug inside casing to 370'.
4. Perforated 4 holes @ 350' (water zone) and squeeze 100 sacks cement into  
formation. Tag plug inside casing @ 294'.
5. Set 10 sack surface plug, fill cellar with cement and install permanent  
well marker.
6. Location was restored to BLM requirements on July 20, 1981.

Posted 10-2  
P+A  
10-2-81

RECEIVED  
SEP 18 1981

OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Engineer

DATE September 17, 1981

(This space for Federal or State Office Use)

APPROVED BY  
(Orig. Sgd.) PETER W. CHESTER

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

FOR

JAMES A. GILLHAM  
DISTRICT SUPERVISOR

See Instructions on Reverse Side