

NO. OF COPIES RECEIVED	6
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

Form G-105
Revised 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG
RECEIVE

MAY 5 - 1971

1a. TYPE OF WELL		OIL WELL ☒ GAS WELL ☐ OTHER ☐		7. Unit Agreement Name	
b. TYPE OF COMPLETION		NEW ☒ WORK OVER ☐ DEEPEN ☐		8. Farm or Lease Name Gissler "AV"	
2. Name of Operator Yates Petroleum Corporation		PLUG BACK ☐ STUFF RESVR. ☐ OTHER ☐		9. Well No. 7	
3. Address of Operator 207 South 4th Street-Artesia, New Mexico 88210				10. Field and Pool, or Wildcat Eagle Creek S.A.	
4. Location of Well				12. County Eddy	
UNIT LETTER <u>M</u> LOCATED <u>330</u> FEET FROM THE <u>South</u> LINE AND <u>990</u> FEET FROM					
THE <u>West</u> LINE OF SEC. <u>23</u> TWP. <u>17S</u> RGE. <u>25E</u> NMPM					
15. Date Spudded 4-14-71	16. Date T.D. Reached 4-18-71	17. Date Compl. (Ready to Prod.) 4-29-71	18. Elevations (DF, RKB, RT, GR, etc.) 3505' GR	19. Elev. Casinghead	
20. Total Depth 1475'	21. Plug Back T.D.	22. If Multiple Compl., How Many	23. Intervals Drilled By Rotary Tools 0-1475	Cable Tools	
24. Producing Interval(s), of this completion - Top, Bottom, Name 1327-1421 San Andres				25. Was Directional Survey Made No	
26. Type Electric and Other Logs Run Radioactivity				27. Was Well Cored No	
28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	32#	140'	15"	100 SXS	
7"	23#	1160'	9"	750 SXS	
4 1/2") Tapered 9.5#		514') 1462'	6 1/8"	125 SXS	
5 1/2")	15.5#	948')			
29. LINER RECORD			30. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE
					2" EUE
31. Perforation Record (Interval, size and number)			32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.		
.51, 1-shot/ft 1421, 1418, 1416, 1413, 1404, 1387, 1383, 1379, 1373, 1371, 1369, 1365, 1363, 1355, 1352, 1334, 1331, 1329, 1327' - Total 19 shots			DEPTH INTERVAL 1327-1421		
			AMOUNT AND KIND MATERIAL USED 1000 gallons 15% Acid 40000# 20-40 sand 80000 gallons treated water		
33. PRODUCTION					
Date First Production 4-29-71		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping		Well Status (Prod. or Shut-in) Producing	
Date of Test 5-1-71	Hours Tested 24	Choke Size	Prod'n. For Test Period	Oil - Bbl. 52	Gas - MCF TSTM
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 52	Gas - MCF TSTM	Water - Bbl. 10 BLW
34. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented				Test Witnessed By Paul Carre	
35. List of Attachments Logs and Deviation Survey					
36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.					
SIGNED <u>Franklin Kelly</u>		TITLE <u>Engineer</u>		DATE <u>5-4-71</u>	

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

Southeastern New Mexico

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Granite _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn. "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Qtzte _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
	225	225	Rock, sand & gravel				
25	333	113	Sand and gravel				
38	758	420	Red bed & anhy				
53	1160	402	Anhy				
160	1475	315	Lime				

Yates Petroleum Corporation - Gissler "AV" No. 7
330' FSL & 990' FWL of Section 23-17S-25E
Eddy County New Mexico

475
870
1160

1/4 deg.
1/4 deg.
1/2 deg.

Eddie M. Mahfood
Eddie M. Mahfood
Engineer in and for
Yates Petroleum Corporation

The foregoing instrument was acknowledged before me this 3rd of May, 1971 by Eddie M. Mahfood agent for Yates Petroleum Corporation.

7-2-1973

Billie K. Williams
Notary Public in and for
Eddy County, New Mexico