

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other Instructions on re-  
verse side)Form Approved  
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NM 27911

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "BX"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Eagle Creek S.A.

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 27-17S-25E

Unit G NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

NM

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, N.M. 88210

4. LOCATION OF WELL. (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)

At surface

1650' FNL &amp; 2310' FEL of Sec. 27-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3525' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☒FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

TD 1188' - Ran 26 joints of new 7" 20#K-55 casing (1209.85') set at 1188'. Cement at 1142'. Cemented by Denton w/350 sacks of Lite 2% CaCl followed w/200 sacks of Class "C" 2% CaCl. PD 1:00 PM 9-28-76. Circulated few cement stringers to surface. WOC 9 hours. Ran Temp. Survey at 10:00 PM 9-28-76. Top of cement at 650'. Stage 1 - 1" at 633', spotted 50 sacks of Class C w/4% CaCl. PD 10:30 PM 9-28-76. Stage 2 - 1" at 583', spotted 50 sacks of Class C w/4% CaCl. PD 1:30 AM 9-29-76. Stage 3 - 1" at 541', spotted 50 sacks of Class C w/4% CaCl. PD 4:30 AM 9-29-76. Stage 4 - 1" at 541' spotted 50 sacks Class C 4% CaCl. PD 8:00 AM 9-29-76. Stage 5 - 1" at 483' spotted 50 sacks of Class C w/4% CaCl. PD 2:00 PM 9-29-76. Stage 6 - 1" at 483' spotted 50 sacks of Class C w/4% CaCl. PD 5:45 PM 9-29-76. Stage 7 1" at 462' spotted 50 sacks of Class C w/4% CaCl. PD 9:00 PM 9-29-76. Dumped 1/2 yard 3/8" gravel - tagged same at 479'. Plugged 1" pipe. Pulled and unplugged 1". Stage 8 - 1" at 462' spotted 50 sacks of Class C w/4% CaCl. PD 11:55 PM 9-29-76. Dumped 1/2 yard of 3/8" gravel - tagged same at 357'. Plugged 1" pipe, pulled and unplugged 1". Stage 9 - 1" at 336' spotted 150 sacks of Class C w/4% CaCl & 1/2% Stratocrete, cement circulated to surface at 4:15 AM 9-30-76. Cmt did not drop. WOC 18 hrs, NU & tstd to 1000# OK. Reduced hole to 6 1/2", drilled plug and tested to 600# ok. Rsmd drilling.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Christie L. Sullivan*

TITLE

Geol. Secty

DATE 10-11-76

(This space for Federal or State office use)

APPROVED BY

*Joe H. Lara*

TITLE

DATE

OCT 13 1976

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side