

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Yates Petr. Co.</i>		Lease <i>Logan Jackson BV</i>		Well # <i>7</i>	
Location of Well	Unit <i>1980N 1480E</i>	Section <i>26</i>	Township <i>17</i>	Range <i>25</i>	County <i>Eddy</i>
Drilling Contractor <i>Landis Oily Co. #4</i>			Type of Equipment <i>Rotary & start 1-16-79</i>		

APPROVED CASING PROGRAM

* *Witness*

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>17 1/2"</i>	<i>13 3/8"</i>	<i>48</i>		<i>320</i>	<i>200 circ.</i>
* <i>12 1/4"</i>	<i>8 5/8"</i>	<i>24</i>		<i>1200</i>	<i>550 "</i>
<i>7 7/8"</i>	<i>5 1/2" or 4 1/2"</i>			<i>8400</i>	<i>200</i>

Casing Data:

Surface _____ joints of _____ inch *24* # Grade *J-55*
(Approved) (Rejected)

Inspected by _____ date _____

Cementing Program

Size of hole *12 1/4* Size of Casing *8 5/8* Sacks cement required *850*

Type of Shoe used *guide* Float collar used *insert* Btm 3 jts welded *yes*

TD of hole *1220'* Set *1220'* Feet of *8 5/8* Inch *24* # Grade *J-55*

New-used csg. @ *1220'* with *150* *27cc* sacks neat cement around shoe

+ *700* sax *Hall. lte* additives *6# gilsonite - 1/4# fluore 27cc*

Plug down @ *11:30* (AM) (PM) Date *1/21/79*

Cement circulated *yes* No. of Sacks *60*

Cemented by *Halliburton* Witnessed by *Mike Stuffed*

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks:

Centralizers + Baskets @ 280'-800'

Lost 100' in hole