

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Latch operations</i>		Lease <i>Spurk</i>		Well # <i>4</i>	
Location of Well	Unit <i>23/05 330C</i>	Section <i>24</i>	Township <i>17</i>	Range <i>27</i>	County <i>Eddy</i>
Drilling Contractor <i>Paul Hegner</i>			Type of Equipment <i>Cattle tools to start 4-79</i>		

** witness* APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>12</i>	<i>10 3/4"</i>	<i>40</i>		<i>400</i>	<i>200 circ</i>
<i>10"</i>	<i>8 7/8"</i>	<i>26</i>		<i>800</i>	<i>250"</i>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole *12 1/4"* Size of Casing *10 3/4"* Sacks cement required *200*

Type of Shoe used *guide* Float collar used _____ Btm 3 jts welded _____

TD of hole *431'* Set *431'* Feet of *10 3/4"* inch _____ # Grade _____

New-used csg. @ *431'* with _____ sacks neat cement around shoe

+ _____ sax _____ additives _____

Plug down @ *2:45* (AM) (PM) Date *5/31/79*

Cement circulated *No* No. of Sacks _____

Cemented by *Denton* Witnessed by *Mike Sheffield*

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: *Tagged Cement @ 150' Red. mix with 6 yds 6-1-79*

Circ. wtr while pumping *Free with @ 140'*