

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER DD  
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator YATES PET. CO		Lease ALLEN EDDY DM		Well # 11	
Location of Well	Unit I	Section 14	Township 17	Range 25	County EDDY
Drilling Contractor	L & M #2		Type of Equipment ROTARY		
* Witness APPROVED CASING PROGRAM					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
14 1/2"	10 3/4"	32 #	NEW	320'	CIRC
* 9 1/2"	7"	23 #	"	1150'	"
6 1/4"	4 1/2"	9.5 #	"	TD	"
Casing Data:					
Surface _____ joints of _____ inch _____ # Grade _____ (Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole <u>9 7/8</u> Size of Casing <u>7</u> Sacks cement required _____					
Type of Shoe used <u>Tex-Pat</u> Float collar used <u>Insert</u> Btm 3 jts welded <u>Yes</u>					
TD of hole <u>1146</u> Set <u>1148</u> Feet of <u>7</u> Inch <u>23</u> # Grade <u>J-55</u>					
New-used csg. @ <u>1148</u> with <u>200</u> sacks neat cement around shoe					
+ <u>225</u> sax <u>Pace Setter lite</u> additives <u>1/4 Flo Seal #5 Gilsonite 3% CC</u>					
Plug down @ <u>10:15</u> (AM) (PM) Date <u>10-4-83</u>					
Cement circulated <u>NO</u> No. of Sacks _____					
Cemented by <u>Western</u> Witnessed by <u>BW Weaver</u>					
Temp. Survey ran @ <u>5:00</u> (AM) (PM) Date <u>10-5-83</u> top cement @ <u>720</u>					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: <u>Loss circulation @ 740</u>					
<u>Ran 1" to 640 50 SXC 4% CC</u>					
<u>Tag 434 50 SXC 4% CC</u>					
<u>Tag 368 50 SXC 4% CC</u>					
<u>Tag 350 50 SXC 4% CC</u>					
<u>Tag 350 50 SXC 4% CC</u>					
<u>Tag 341 50 SXC 4% CC</u>					
<u>Tag 341 50 SXC 4% CC</u>					
<u>475 Tag 341 2475 SX C and air to surface Finish @ 1:30 AM</u>					