	DEPART	proposals to drill or to	N.M. DI NELLS 1301 W. Gr re-enter an Artesia, N	V-D <u>ist.2</u> and Avenu IM 862240 2	FORM APPROVED OMB No. 1004-0135 opires November 30, 2000 I No. e ottee or Tribe Name		
				7. If Unit or C	A/Agreement, Name an	d/or No.	
SUBMIT	IN TRIPLICATE - Ot	her Instructions o	n reverse side				
Type of Well Gas Well Gas Well Gas Well			8. Well Name FEDERAL				
2. Name of Operator				9. API Well			
Yates Petroleum Co 3a Address	prporation	3b. Phone No. (includ	e area code)		5 - 24726 Pool, or Exploratory Are		
105 S. 4th Street - A	Artesia. NM 88210	505-748-1471					
4. Location of Well (Footage, Se		tion)			EAGLE CREEK SA		
				11. County or	Parish, State		
990' FSL & 330' FEL SEC	29-17S-25E			EDDY, NN	I		
12 CHECK A	PPROPRIATE BOX(ES	TO INDICATE NAT	JRE OF NOTICE, REPORT				
TYPE OF SUMISSION		<u></u>	TYPE OF ACTION				
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-O	ff		
Subsequent Report	Alter Casing	Fracture Treat	Reclamation	Well Integrity			
Final Abandonment Notice		New Construction		Other			
		_					
	Change Plans	X Pug and Abandon	Temporarily Abandon				
	Convert to Injection	Plug Back	Water Disposal				
completion or recompletion in a ne reclamation, have been completed YATES PETROLEUM CC WELL. WE PROPOSE T	ew interval, a Form 3160-4 shall be d, and the operator has determined	ifiled once testing has been cor that the site is ready for final ins FULLY REQUESTS PER AG CIEP @ 1150'; CIRC	ays following completion of the involved o npleted. Final Abandonment Notices shal specifion.) RMISSION TO PLUG AND ABA CULATE HOLE WITH CEMENT	I be filed only after all red	uirements, including		
I hereby certify that the foregoing	is true and correct						
Name (Printed/Typed)			Title				
Donna Clack			Operations Technicia	in			
Signature	Mr. Chark	1 ¹	^{Date} 1-Feb-02		··· ··· ··· ··· ··· ··· ··· ··· ·		
/~u/~u	THIS	SPACE FOR FEDE	RAL OR STATE OFFICE	USE			
Approved by			Title PETROLEUN E		Date FEB 1	1 2002	
Conditio Accepted fo	FEB 1 J 2002	nt or certify that would entitle the	Office				
Title 18		ny person know	ingly and willfully to make to any departme	ent or agency of the Unite	d States any false, fictitiou	S	



5005 EEB - P WH 8: 12



Yates Petroleum Corporation

Federal CD No. 8 990' FSL & 330' FEL Sec. 29-17S-25E Eddy County, NM

TD:	1460°
PBTD:	1447*
KB:	3566°
GL:	3558'

		Eddy County, NM			
		Plugging Procedure			
TD:	1460 [;]				
PBTD:	1447				
KB:	3566'				
GL:	3558'				
Surface Casing:		10 ³ / ₄ " 40.5#, J-55 set @ 343'. Cemented with 225 sacks. Cement circulated.			
Intermediate Casing		7", 23# J-55 set @ 1160'. Cemented with 725 sacks. Cement brought to surface.			
Production Casing:		4 ¹ / ₂ " 9.5# J-55 set @ 1460'. Cemented w/ 225 sx. Cement			
		circulated.			
		ID: 4.090"			
		Drift: 3.965"			
Tubing:		None.			
Perfs:		San Andres perfs: 1182'-1349'. 32 holes total.			

1.) Rig up wireline company. Make gauge ring run to 1180'. Set CIBP @ 1150'.

2.) MIRU a WSU. ND wellhead. Rig up a cementing company. TIH w/ tubing and tag CIBP @ 1150'. Circulate hole with cement. Estimated hole volume 101.69 cu ft. (77.1 sacks (a) 1.32 cu ft/sk) (18.1 bbls).

Operations Engineering Supervisor

an

Date 1/3//02

Sam Brandon January 31, 2002

CC: Ray Dave Cherry

Pinson Darrell Michelle Dyke (2) Ron Master file

BUFFAU OF AM 9: 15 2002 FEB - 6 AM 9: 15 RECEIVED

Well Name:	Federal CD N	lo. 8	Field:	Eagle Creek	
Location:	990' FSL & 330	FEL Sec. 29-17	S-25E	<u>.</u>	
GL: 3558'	Zero:	AGL:		KB:	3566'
Spud Date:	1/2/84	Com	pletior	n Date:	2/13/84
Comments:					

Casing Program			
Size/Wt/Grade/Conn	Depth Set		
10 3/4" 40.5# J-55	343'		
7" 23# J-55	1160'		
4 1/2" 9.5 # J-55	1460'		



SKETCH NOT TO SCALE

BIGENET CHICE