

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-27376
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Caffall FD Com
8. Well No. 2
9. Pool name or Wildcat Kennedy Farms Morrow

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3330' GR
2. Name of Operator YATES PETROLEUM CORPORATION	
3. Address of Operator 105 South 4th St., Artesia, NM 88210	
4. Well Location Unit Letter I : 1980 Feet From The South Line and 660 Feet From The East Line Section 15 Township 17S Range 26E NMPM Eddy County	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Perfs and treatment <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Cleaned location, set anchors and made cut off. Put on tubing head. TIH w/bit, scraper and tubing. Tagged PBTB 8615' (tubing measurement). Displaced hole with 2% KCL. TOOH. WIH & perforated 8467-8491' w/8 .42" holes (Morrow). TIH w/5-1/2" packer, knockout plug and on-off tool. Nippled down BOP. Set packer at 8450'. Acidized perforations with 1500 gallons 15% NEFE acid with 1000 SCF/bbl nitrogen.

Loaded tubing and released packer. WIH & perforated 8367-8421' w/8 .42" holes. TIH w/packer and RBP. Set RBP at 8450' and tested to 2500 psi. Set packer at 8320'. Acidized perforations with 1000 gallons 7-1/2% Morrow acid with 1000 scf/bbl nitrogen.

Released packer and RBP. Set RBP at 8600'. Set packer at 8288'. Nippled down BOP and nippled up tree. Tested casing to 500 psi.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rusty Klein TITLE Production Clerk DATE June 30, 1993
TYPE OR PRINT NAME Rusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY
MIKE WILLIAMS
SUPERVISOR, DISTRICT II

APPROVED BY _____ TITLE _____ DATE JUL 2 9 1993

CONDITIONS OF APPROVAL, IF ANY: