

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

10-2834 FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2310' FNL & 2420' FWL (F) of Section 34-T17S-R27E

5. Lease Designation and Serial No.

LC-064050-A

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

Eagle "34F" Federal #12

9. API Well No.

30-015-29635

10. Field and Pool, or Exploratory Area

Red Lake (Q-GB-SA)

11. County or Parish, State

Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Completion
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9/29/97 RU Wedge WL. Ran Bond log from 2675' to surf. Perf'd w/1 SPF as follows: 1619', 36', 1891', 1921', 32', 54', 64', 66', 74', 2087', 2102', 12', 28', 31', 38', 56', 68', 95', 2202', 13', 18', 40', 54', 63', 71', 81', 2301', 29', and 2400', for a total of 29 holes (.40" EHD Holes).

Acidize San Andres perfs 1619-2400' w/2500 gals of 15% NeFe acid, ISIP 637#.

Frac'd perfs 1619-2400' w/180,000 gals gel water + 6000# 100 mesh sand + 267,000# 20/40 Brady sand and 20,000# 16/30 RC sand. ISIP 1100#, closed at 615#.

Ran 2 7/8" production tbg, SN set at 2224'. Ran pump and rods. Began pump testing.

14. I hereby certify that the foregoing is true and correct

Signed Diana M Keys

Diana Keys

Title Engineering Technician

Date October 27, 1997


(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:



RECEIVED
MAY -3 4 052
RECEIVED
MAY -3 4 052