LEONARD SCOUT REPORT

NEW MEXICO

OIL CONSERVATION COMMISSION

		N									
					Company	Aston a	and Fair	,			
					Farm Name				. 1	Well No. 1	-
					Land Classi		State				
	┼╾┨╼╼┧				Sec. 36	Twp		Range	29	County	
≥	┼╼┟╸╎			m	Feet from L				<u> </u>	E.	Eddy
	<u> </u>							990	0. 1090		W.
					Elevation Contractor					Method	
					Spuddod a	-1/20	95				cout
					Spudded 7	-17-70	Complete	ea <u>- / - E</u> ea	40 Initi	al Productio	on
ſ	<u></u>	s			Bond Status						
	Amo	unt		ACID	RECORD]	ТА		
Casi	ng and Cen	nenting R	ecord		Gals.				TS	460	
Size	Feet	Inches	Sax Cement					[062	
- 84	595		100	-					TRS 🔊	1240	
	2640		25						TBL 💈	\$570	
				Top Pa	x 1752		TD		TWL		
	Tubing]						SHOOTIN	IG RECOR	D		
2'	2	162		No. of	Quarts 10	0	Shot	at 27	41-170	57 Feet	
				No. of	Quarts		Shot		,	Feet	
				<u>S/0</u>		S	3/0		S/	'0	
	-			<u>S/0</u>		S	/0		S/	0	
DATE						DATE					
2-7-40	Moving	In Mac	hinerv								
<u>N-14</u>	TD 59	5X	NOC	5/4	357655		<u> </u>				· · · · · · · · · · · · · · · · · · ·
FEB 2 1 40	Ø 16 Ø 19	to A	7								· <u> </u>
MAR 6 - 40		50 L	- 0	The A	rew din		<u> </u>				
MAR 1 3 '40	TOY	767		na							
MAR 20 40	Flo 10 TO 77	1301	2H K	,spo	£			·			
	TD 17			19.		<u> </u>					
	IP F		OPH	5/12	3						
		<u>r 7'</u>	<u> </u>	<u> </u>		-					
						-		·			
			-								
			<u> </u>								
			·····	·i							
			-	······	·		· · · · · · · · · · · · · · · · · · ·				
				_							- <u></u>

LOG

Depth	Formation	Depth	Formation	Depth	Formation	
						-
						_
 						-
		+	<u> </u>			_
		<u>+</u>				
						~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
			· · · · · · · · · · · · · · · · · · ·			- ⁷
		+				
		+				- 20
141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141 - 141						— (j.
		-				
		-				
						<del>-</del>
					<u> </u>	
						<u> </u>
					··· =··	
· · · · · · · · · · · · · · · · · · ·						
						·

FORM C-105	· * ·				
N	NEW M	EXICO OIL CONSEI	RVATION (	COMMISSI	ON
			New Mexico		
		· · · · · · · · · · · · · · · · · · ·			
		i di se			
		WELL RE	CORD		
	<u> </u>	. · · · · · · · · · · · · · · · · · · ·			
	Mail to Oil C	onservation Commission, San	nta Fe, New Me	exico, or its p	roper
	in the Rules a	e than twenty days after com	nission. Indicat	Follow instructed questionable	tions data
AREA 640 ACRES LOCATE WELL CORRECTI		t with (?). SUBMIT IN TR	IPLICATE.	· .	
Aston & F	or Operator	<u>Box # 218</u>	, Smith,	New Mer	cico
	Well No. 1-A	IN SW SE of Sec	Address 36	· ·	7
**·····					
R. <u>29</u> N. M. P. north	M. Loco Hills south	Field,	Eddy		County.
	or the <b>North</b> line and 10	DU feet west of the E	ast line of	section	36
If State land the oil and gas	lease is No. <u>B-1778</u>	Assignment No			
if patented land the owner is.	······································	, Add	ress		• .
f Jovernment land the perr	nittee is	, Add	ress		
The Lessee is		, Add	ress		
Drilling commenced Fe	bruary 8 19 4	O Drilling was comple	ted Mar	ch 9	19 40
Name of drilling contractor_	Aston & Fair	, Address	Box 218,	Smith.	New Mexi
Elevation above sea level at t			·	•	
The information given is to be	e kept confidential until			19	
		NDS OR ZONES			
No. 1, from <u>2752</u>	to2767			*0	
No. 2, from		No. 5, from			
No. 3, from	to	No. 6, from		to	
		-			
noludo doto un voto at moto-		T WATER SANDS			
nclude data on rate of water No. 1, from <u>357</u>	to	365	<b>6</b>		
lo. 2. from	to				
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	_		
lo. 3, from lo. 4, from	to		_feet		
10, 1, 110III			feet		
<u>,, </u>	CASI	NG RECORD			
		1			1

1_

**...** 

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED	PERF	ORATED	PURPOSE
	TMR FOOT		MALE	AMOUNI	SHUE	FROM	FROM	то	
811	28#	10	Lapwe]	d 594	Texas	Pattern			
7 "OD	_20#					n Float sh	10e		
									1
								1	

MUDDING AND CRMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERK SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	81	594	50	Gibson		
8	7	2650	100	Gibson		5 tong
						5 tons

PLUGS AND ADAPTERS

rieaving plug-material	LengthDepth	Set
Adapters-Material	Size	

RECORD OF SHOOTING OR CHEMICAL TREATMENT

			1			
SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
5"		Nitro-glyceri	n 100 <b>q</b> t	s 3-11-40	2741-2767	2767
Results of	shooting or ch	emical treatment				
If drill-ster	m or other spec			AND SPRCIAL	•	sheet and attach hereto
			TOOLS US		port on separate s	meet and attach hereto
Rotary too	ls wore used i	romfeet	to	feet, and fr	omf	eet tofeel
	s were used i					eet tofee
emulsion; f gas well,	% . cu, ft. per 24	water; and	% sedime: Gal	nt. Gravity, B	e	gas
			EMPLOYI			
·	John Hick	pies man	, Driller , Driller	W. F	. Hurst	, Driller , Driller
				ON OTHER SI		
hereby sw work done	vear or affirm on it so far as	that the information gi can be determined from	ven herewith m available re	is a complete ecords.	and correct recor	d of the well and all
lubscribed	and sworn to h	efore me this <u>13</u>		Smith 1 Place	New Me <b>ti</b> co	<u>3-13-40</u> Date
lay of	Mar	ch, 1	19 <u>40</u>	Name <u>E</u>	C. Abston	
SEAL	Chas	A. Aston	F	PositionBo	ookkeeper	
		Notary Public				· ·

## FORMATION RECORD

FROM	то	THICKNESS IN FEET	FORMATION
$\begin{array}{c} 0\\ 80\\ 280\\ 300\\ 357\\ 365\\ 460\\ 485\\ 530\\ 535\\ 572\\ 588\\ 595\\ 1061\\ 2220\\ 2277\\ 2294\\ 2306\\ 2345\\ 2360\\ 2393\\ 2431\\ 2461\\ 2473\\ 2544\\ 2565\\ \end{array}$	$\begin{array}{r} 80\\ 280\\ 300\\ 357\\ 365\\ 460\\ 485\\ 530\\ 535\\ 572\\ 588\\ 595\\ 1061\\ 2220\\ 2277\\ 2294\\ 2306\\ 2345\\ 2360\\ 2393\\ 2431\\ 2461\\ 2473\\ 2544\\ 2565\\ 2767\end{array}$		Caliche Sandy red bed Gravel Gypsum Sand sater Red bed Salt Red bed Salt and anhy Red shale broken Salt Potash Salt Anhy, salt, shale, red rock. Red sand Anhy and limë shells Lime Anhy Lime Anhy Lime Anhy Lime Anhy and lime and sand Red sand & lime Lime 2759-2767 Oil sand
2767			Total depth

	· · · ·
 	en en senten en e

## •

• •