


SCOUT REPORT NEW MEXICO OIL CONSERVATION COMMISSION

Leonard



Company Allen-Fair-Pepe

Farm Name State Well No. 5-A

Land Classification State

Sec. 36 Twp. 17 Range 29 County Eddy

Feet from Line: 2310 N. S. 330 E. W.

Elevation 3567 Method

Contractor Scout

Spudded 3-21-40 Completed 5-14-40 Initial Production

Bond Status

Amount Casing and Cementing Record			
Size	Feet	Inches	Sax Cement
<u>8 1/2</u>	<u>560</u>		<u>50</u>

Tubing Record

ACID RECORD

Gals.	TA
	TS
	BS
	TRS
	TBL
Top Pay	TD
	TWL

SHOOTING RECORD

No. of Quarts <u>300</u>	Shot at <u>2760-2825</u>	Feet
No. of Quarts	Shot at	Feet
S/O	S/O	S/O
S/O	S/O	S/O

DATE	Was temp. aban.	DATE
<u>3-20</u>	<u>R U Spudder</u>	
<u>MAR 27 40</u>	<u>TD 565 A & - WOC 240-50</u>	
	<u>6365-85 S</u>	
<u>APR 3</u>	<u>1365 A</u>	
<u>APR 10</u>	<u>1900 A & L</u>	
<u>APR 17</u>	<u>2460 A</u>	
<u>APR 24</u>	<u>2775 L</u>	
<u>MAY 1</u>	<u>TD 2835 L Prep & shoot</u>	
	<u>2770-7 L</u>	
<u>MAY 3</u>	<u>TD 2835 L Fish tests</u>	
	<u>28 shot 240 test</u>	
<u>MAY 15</u>	<u>TD 2835 L</u>	
	<u>28 shot 1000' OIH</u>	
	<u>Bail dry</u>	
	<u>P & A</u>	

LOG

[illegible]

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	210	210	Sand & Clay
210	275	65	Red sand & gumbo
275	300	25	Gravel
300	330	30	Red Shale
330	340	10	Anhydrite
340	350	10	Water Sand
350	365	15	Anhydrite
365	385	20	Water Sand
385	400	15	Anhydrite
400	460	60	Anhydrite & Shale
460	490	30	Potash & Anhydrite
490	500	10	Red Shale
500	530	30	Anhydrite & Shale
530	555	25	Salt
555	605	50	Anhydrite & Salt
605	690	85	Salt
690	750	60	Salt & Anhydrite
750	780	30	Salt
780	830	50	Salt-anhydrite-Potash
830	1035	205	Salt
1035	1220	185	Anhydrite
1220	1265	45	Anhydrite & Shale
1265	1315	50	Anhydrite
1315	1355	40	Anhydrite & Shale
1355	1370	15	Anhydrite
1370	1395	25	Anhydrite & Shale
1395	1720	325	Anhydrite
1720	1940	220	Anhydrite & Lime
1940	1975	35	Anhydrite & Shale
1975	2240	265	Anhydrite
2240	2265	25	Red Sand
2265	2385	120	Anhydrite
2385	2410	25	Gray Lime
2410	2435	25	Anhydrite & red sand
2435	2485	50	Anhydrite & lime
2485	2540	55	Anhydrite & sand
2540	2570	30	Anhydrite & Lime
2570	2590	20	Lime
2590	2627	37	Lime (Broken)
2627	2730	103	Lime
2730	2747	17	Lime & Shale
2747	2760	13	Lime
2760	2767	7	Sandy Lime
2767	2835	68	Lime