


## NEW MEXICO OIL CONSERVATION COMMISSION

ON

Santa Fe, New Mexico

## Notice of Intention to Drill



Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Carlsbad, New Mexico.

Place

March 29th, 1947

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.  
Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

O. H. Randel. Well No. 7 in NW of SW 1/4  
Company or Operator Lease  
of Sec. 19 T. 17S. R. 31E. N. M. P. M. Bron Field, Eddy County

N.

The well is 2310 feet (~~N~~North ~~S~~South line and 906 feet(E.) (~~W~~W) of the West line of Section 19-17S-31E.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. B-3627 Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_

Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_

We propose to drill well with drilling equipment as follows: \_\_\_\_\_

## Cable Tools.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission

is as follows: Blanket Bond in Name of O. H. Randel on file in your office (American Employers

We propose to use the following strings of casing and to land or cement them as indicated: Form 39-1)

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
10"	8 1/4	28	Second Hand	500 Ft.	Cemented	50 Sacks.
8"	5 1/2	14	New	1960 Ft.	Cemented	100 Sacks.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2000 feet.

Additional information: My plan is to run 5 1/2 " production string with a combination packer and shoe after the well has been shot and cleaned out setting the packer just above top of shot hole, then cementing thru this tool which I understand it is provided for thereby shutting off a small amount of water which is encountered a few ft above

Approved \_\_\_\_\_ 19\_\_\_\_

Sincerely yours.

top of pay.

except as follows:

APR 10 1947

O. H. Randel,

Company or Operator

By

Position Operator.

Send communication regarding well to

OIL CONSERVATION COMMISSION,

By

R. R. Spurrier  
R. R. SPURRIER

Title

Name

O. H. Randel,

Address

404 S. Mesa Street, Carlsbad, N. M.

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.