Form 3160-5 (June 1990)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OTT. CONS	COMMISSIO	l
-----------	-----------	---

dSF

Drawer DD EGMAPPROVED

Artesia, NM Budger Bureau No. 1004-0135

MAY 2 1993

Page Designation and Serial No.

	• • • • • • • • • • • • • • • • • • • •	Tease Designation and Serial No.
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.		LC-028731-B 6. If Indian, Allottee or Tribe Name
Use "APPLICATION FO	III or to deepen or reentry to a different reservoir.  R PERMIT—'' for such proposals	
SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation
1. Type of Well		
Value Gas Other		8. Well Name and No.
2. Name of Operator MARBOB ENERGY CORP.		M. DODD "B" #29
3. Address and Telephone No.		9. API Well No.
P.O. Box 227 Artesia, N.M. 88210 (505) 748-3303		30-015-20164
4 Location of Wall (Factor C. T. P. 19		10. Field and Pool, or Exploratory Area Grbg. Jackson SR QN Grbg SA
Sec. 10 T-17-S R-29-E 1980 FNL 1980 FEL Unit G		11. County or Parish, State
		Eddy N.M.
2 CHECK APPROPRIATE BOX(s	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
E≱ Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
LJ Final Abandonment Notice	Altering Casing	Conversion to Injection
	L_l Other	Dispose Water (Note: Report results of multiple completion on Well
3. Describe Proposed or Completed Operations (Clearly state all	pertinent details, and give pertinent dates, including estimated date of starting	
give subsurface locations and measured and true vertical	al depths for all markers and zones pertinent to this work.1*	any proposed work. If well is directionally drilled
1. Set $4\frac{1}{2}$ CIBP @ 2350', cap w/3	5' cement	Post ID-2 6-2-95
2. Load hole w/mud		n 1
3. Perforate @780' @ base of sa	1t, squeeze w/50 sks cement, W.O.C.,	tag cement ton @689' / +A
4. Tellorate good g top of sal	t. Some $t$	- · · · · · · · · · · · · · · · · · · ·
full w/50 sks cement, set P&	ement between 4* & 8 3/8 & 8 5/8 open	hole, leaving $4\frac{1}{2}$
Work completed 4/5/95.	RECEIVE	
	JUN 2 1 1995	en e
	OIL CON. DI	V. ∵ 5
		y .
	Dist. 2	<u>.</u>
I hereby certify hat the foregoing is true and correct		
Signed Norda / cels	Or Tile Production Clerk	Date 5/11/95
(This space for Federal or State office use)	7	Date
Approved by Orig. Signed by Adam Salamah Conditions of approval, if any:	Title Petroleum Engineer	Date 6/19/95