



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Gulf Oil Corporation Eddy State "AC"
(Company or Operator) (Lease)

Well No. 2, in SE 1/4 of SE 1/4, of Sec. 36, T. 18-S, R. 25-E, NMPM.
Wildcat Pool, Eddy County.

Well is 660 feet from South line and 660 feet from East line
of Section 36-18-25. If State Land the Oil and Gas Lease No. is E-2510-1

Drilling Commenced March 9, 1959. Drilling was Completed June 11, 1959

Name of Drilling Contractor Aldridge and Stroud
Address Odessa, Texas

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until
, 19.

OIL SANDS OR ZONES

No. 1, from none to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | TYPE OF PULLED FROM | PERFORATIONS | PURPOSE |
|---------|-----------------|-------------|--------|--------------|-----------------------------------|--------------|--------------|
| 10-3/4" | 40# | Used | 483' | | all | | Surface Pipe |
| | | | | | | | |
| | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 12-1/2" | 10-3/4" | 483' | | | Aquagel | 16 sx |
| Lowered | 10-3/4" | to 880' | | | | |
| | | | | | | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out

1 ORD OF DRILL-STEM AND SPECIAL TES

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing....., 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico | | Northwestern New Mexico | |
|-------------------------|---------------------|----------------------------|--|
| T. Anhy..... | T. Devonian..... | T. Ojo Alamo..... | |
| T. Salt..... | T. Silurian..... | T. Kirtland-Fruitland..... | |
| B. Salt..... | T. Montoya..... | T. Farmington..... | |
| T. Yates..... | T. Simpson..... | T. Pictured Cliffs..... | |
| T. 7 Rivers..... | T. McKee..... | T. Menefee..... | |
| T. Queen..... | T. Ellenburger..... | T. Point Lookout..... | |
| T. Grayburg..... | T. Gr. Wash..... | T. Mancos..... | |
| T. San Andres.....810' | T. Granite..... | T. Dakota..... | |
| T. Glorieta..... | T. | T. Morrison..... | |
| T. Drinkard..... | T. | T. Penn..... | |
| T. Tubbs..... | T. | T. | |
| T. Abo..... | T. | T. | |
| T. Penn..... | T. | T. | |
| T. Miss..... | T. | T. | |

FORMATION RECORD

| From | To | Thickness in Feet | Formation | From | To | Thickness in Feet | Formation |
|------|-----|----------------------|----------------------|------|-------|----------------------|--------------------------|
| 0 | 11' | | Caliche | | 1802' | | Lime |
| | 50 | | Sand & Clay | | | | PB to 0' |
| | 150 | | Sand & Shale | | | | |
| | 265 | | Red Shale | | | | DEVIATIONS - ACID BOTTLE |
| | 285 | | Red Shale & Shells | | | 0 | - 50' 1/2 - 670' |
| | 335 | | Red Shale | | | | |
| | 365 | | Shale, Lime & Shells | | | 70 | 1 - 715 |
| | 385 | | Red Shale & Lime | | | 3/4 - 80 | 1 - 785 |
| | 405 | | Red Shale | | | 1/2 - 122 | 1 - 835 |
| | 430 | | Shale, Lime & Shells | | | 1/4 - 162 | 1-1/2 - 929 |
| | 445 | | Lime | | | 1/2 - 190 | 1 - 1010 |
| | 460 | | Red Shale | | | 3/4 - 235 | 1-1/4 - 1120 |
| | 470 | | Red Rock | | | 1/2 - 285 | 1-1/4 - 1235 |
| | 483 | | Lime | | | 1/2 - 315 | 3/4 - 1315 |
| | 560 | | Lime & Sand | | | 1/4 - 365 | 1-1/4 - 1390 |
| | 600 | | Lime & Anhy | | | 1/2 - 415 | 0 - 1450 |
| | 630 | | Lime | | | 1/4 - 460 | 1-1/2 - 1510 |
| | 707 | | Lime & Shale | | | 1-1/4 - 610 | 1-1/4 - 1625 |
| | 741 | | Lime | | | 1-1/4 - 630 | 1 - 1740 |
| | 746 | | Lime & Shale | | | | |
| | 755 | | Lime | | | | |
| | 770 | | Sand & Lime | | | | |
| | 830 | | Lime | | | | |
| | 835 | | Lime & Sand | | | | |
| | 847 | | Dolomite | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

August 6, 1959

(Date)

Company or Operator.....Gulf Oil Corporation.....

Address.....Box 2167, Hobbs, New Mexico.....

Name.....

Position or Title.....Area Petroleum Engineer.....